

LACES

Tables:

dbo.Address	1
dbo.AffiliatedInstitution	3
dbo.Agency	4
dbo.AgencyTree	5
dbo.Assessment	6
dbo.AssessmentForm	7
dbo.AssessmentInstrument	8
dbo.AssessmentSubtest	9
dbo.AssessmentTestLevel	10
dbo.AssessmentTestLevelColumn	10
dbo.AssessmentTestType	11
dbo.AssessmentToFFL	11
dbo.CheckOut	12
dbo.ClassComment	13
dbo.ClassHoursAttended	13
dbo.ClassRegistration	14
dbo.ClassSection	16
dbo.Comment	20
dbo.Configuration	21
dbo.Contact	21
dbo.ContactHistory	22
dbo.Corrections	23
dbo.Course	23
dbo.CustomPersonFields	25
dbo.DeleteLog	26
dbo.Demographic	27
dbo.DiplomaCredential	31
dbo.Disability	32
dbo.DocumentImage	33
dbo.DonationReceived	34
dbo.Donor	35
dbo.DonorComment	36
dbo.DonorHistory	37
dbo.Family	37
dbo.FamilyMember	38
dbo.FamilyStatusHistory	39

dbo.FeesAndPayments	39
dbo.FiscalYearData	40
dbo.FiscalYearDataCategory	41
dbo.FiscalYearDataFieldName	41
dbo.FiscalYearRecord	42
dbo.Goals	43
dbo.HealthData	44
dbo.LevelHistory	45
dbo.Material	46
dbo.OT_Abuse	47
dbo.OT_Accommodation	47
dbo.OT_AccreditingBody	48
dbo.OT_AddressType	48
dbo.OT_AdmissionStatus	49
dbo.OT_Area	49
dbo.OT_AreaType	50
dbo.OT_AssessmentMeasure	50
dbo.OT_AssessmentStatus	51
dbo.OT_AssignmentStatus	52
dbo.OT_AtRisk	52
dbo.OT_AutismSpectrumDisorder	53
dbo.OT_BirthCountry	53
dbo.OT_BuildingRoom	54
dbo.OT_Campaign	55
dbo.OT_CheckOutStatus	55
dbo.OT_CheckoutType	56
dbo.OT_ClassKeyword	56
dbo.OT_ClassMeetsRequirement	57
dbo.OT_ClassOrganization	57
dbo.OT_ClassSectionCommentType	58
dbo.OT_ClassSectionType	58
dbo.OT_ClassSite	59
dbo.OT_ClassStatus	60
dbo.OT_CognitiveImpairment	61
dbo.OT_CohortType	61
dbo.OT_CommentType	62
dbo.OT_ContactKeyword	62
dbo.OT_ContactStatus	63

dbo.OT_ContactType	63
dbo.OT_Correctional	64
dbo.OT_Country	64
dbo.OT_CountryOfCitizenship	65
dbo.OT_CountyFIPS	65
dbo.OT_CredentialCertificationType	66
dbo.OT_Deaf	67
dbo.OT_DeafBlindness	67
dbo.OT_Department	68
dbo.OT_DiplomaCredentialType	68
dbo.OT_Disabled	69
dbo.OT_District	69
dbo.OT_DocumentType	70
dbo.OT_Domain	71
dbo.OT_DonationType	71
dbo.OT_DonorCallPreference	72
dbo.OT_DonorCommentType	72
dbo.OT_DonorKeyword	73
dbo.OT_DonorSourceName	73
dbo.OT_DonorSourceType	74
dbo.OT_DonorStatus	74
dbo.OT_EarlyChildhoodDevelopmentDelay	75
dbo.OT_ElectronicMailAddressType	75
dbo.OT_EmergencyContactRelation	76
dbo.OT_EmotionalImpairment	76
dbo.OT_EmploymentStatus	77
dbo.OT_EnrollmentType	77
dbo.OT_EntryType	78
dbo.OT_ESL	78
dbo.OT_Ethnicity	79
dbo.OT_FamilyIncomeRange	80
dbo.OT_FamilyKeyword	81
dbo.OT_FamilyMemberRole	81
dbo.OT_FamilyStatus	82
dbo.OT_FamilyType	82
dbo.OT_FeePaymentType	83
dbo.OT_FileSecurity	83
dbo.OT_FiscalYear	84

dbo.OT_FundingStream	85
dbo.OT_Gender	85
dbo.OT_Goal	86
dbo.OT_GoalCategory	87
dbo.OT_GoalStatus	87
dbo.OT_GoalType	88
dbo.OT_GradeLevel	88
dbo.OT_GradeLevelLocation	89
dbo.OT_Handedness	89
dbo.OT_HearingImpaired	90
dbo.OT_HighestLevelofEducationCompleted	90
dbo.OT_HoursType	91
dbo.OT_IdentificationSystem	92
dbo.OT_Industry	92
dbo.OT_Institution	93
dbo.OT_InstructionalArea	93
dbo.OT_InstructionalAreaStatus	94
dbo.OT_InstructionalLevel	94
dbo.OT_InstructionLocation	95
dbo.OT_JobClassification	96
dbo.OT_Keyword	96
dbo.OT_Language	97
dbo.OT_LanguageType	97
dbo.OT_LegallyBlind	98
dbo.OT_Level	98
dbo.OT_Location	100
dbo.OT_MailingPreference	100
dbo.OT_MandatedStudentType	101
dbo.OT_MaritalStatus	102
dbo.OT_MaterialKeyword	102
dbo.OT_MaterialLevel	103
dbo.OT_MaterialStatus	103
dbo.OT_MaterialType	104
dbo.OT_MilitaryServiceExperience	104
dbo.OT_MissingExtremities	105
dbo.OT_Mute	105
dbo.OT_NonparalyticOrthopedic	106
dbo.OT_Occupation	106

dbo.OT_OtherHealthImpairment	107
dbo.OT_PairCommentType	107
dbo.OT_PairKeyword	108
dbo.OT_PairStatus	108
dbo.OT_Paralysis	109
dbo.OT_PaymentMethod	110
dbo.OT_PersonalDataItem	110
dbo.OT_PersonRole	111
dbo.OT_PhysicalImpairment	111
dbo.OT_PostsecondaryCredential	112
dbo.OT_PostsecondaryIndustry	112
dbo.OT_PostsecondaryInstitution	113
dbo.OT_PostsecondaryInstructionType	113
dbo.OT_PrePost	114
dbo.OT_ProgramType	114
dbo.OT_ReasonLeft	115
dbo.OT_ReferralAgency	115
dbo.OT_ReferralCause	116
dbo.OT_ReferralPurpose	116
dbo.OT_ReferralStatus	117
dbo.OT_ReferralType	117
dbo.OT_RegistrationStatus	118
dbo.OT_ReligiousAffiliation	118
dbo.OT_ReportingSystem	119
dbo.OT_SecondaryProgram	120
dbo.OT_SevereMultipleImpairment	120
dbo.OT_SiteType	121
dbo.OT_SocialServiceType	121
dbo.OT_SourceName	122
dbo.OT_SourceType	122
dbo.OT_SpecificLearningDisability	123
dbo.OT_SpeechImpaired	123
dbo.OT_StaffCommentType	124
dbo.OT_StaffDepartment	124
dbo.OT_StaffEmploymentStatus	125
dbo.OT_StaffHoursType	125
dbo.OT_StaffKeyword	126
dbo.OT_StaffLevel	126

dbo.OT_StaffProgram	127
dbo.OT_StaffStatus	127
dbo.OT_StateFIPS	128
dbo.OT_Status	129
dbo.OT_Subject	130
dbo.OT_TelephoneContactPreference	130
dbo.OT_TelephoneType	131
dbo.OT_Term	132
dbo.OT_Times	133
dbo.OT_TransferCreditType	134
dbo.OT_TraumaticBrainInjury	134
dbo.OT_TutorHoursType	135
dbo.OT_TutorKeyword	135
dbo.OT_TutorLocation	136
dbo.OT_TutorSourceType	136
dbo.OT_TutorStatus	137
dbo.OT_TypeOfCompany	138
dbo.OT_VisionImpaired	138
dbo.OT_VolunteerCommentType	139
dbo.OT_VolunteerHoursType	139
dbo.OT_VolunteerKeyword	140
dbo.OT_VolunteerSourceName	140
dbo.OT_VolunteerSourceType	141
dbo.OT_VolunteerStatus	141
dbo.OT_VolunteerType	142
dbo.OT_WhyEnroll	142
dbo.OT_WorkshopKeyword	143
dbo.OT_WorkshopStatus	143
dbo.OT_WorkshopType	144
dbo.OT_YesNo	144
dbo.OT_YesNoUnknown	145
dbo.Pair	145
dbo.PairComment	147
dbo.PairHistory	148
dbo.PairInstructionalHours	148
dbo.Person	149
dbo.PersonAccomodation	153
dbo.PersonalPreference	153

dbo.PersonEmploymentBarriersHistory	154
<i>Changes in a person's employment barriers over time.</i>	
dbo.PersonIdentifier	155
dbo.PersonInstructionalArea	156
dbo.PersonLanguage	157
dbo.PersonPhone	158
dbo.PersonProperties	160
dbo.PersonRole	160
dbo.PersonSocialService	161
dbo.PostsecondaryInstruction	162
dbo.PrimaryContact	162
dbo.Program	163
dbo.ProgramHistory	165
dbo.ProgramRegistration	166
dbo.StaffClassAssignment	166
dbo.StaffHistory	168
dbo.StaffHours	169
dbo.StaffMember	169
dbo.Student	173
dbo.StudentCohort	177
dbo.StudentHistory	178
dbo.StudentHours	178
dbo.StudentPairHours	179
dbo.StudentTermGrades	180
dbo.TranscriptClassRegistration	181
dbo.Tutor	182
dbo.TutorClassAssignment	184
dbo.TutorHistory	186
dbo.TutorHours	186
dbo.Volunteer	187
dbo.VolunteerHistory	188
dbo.VolunteerHours	189
dbo.WorkHistory	190

Views:

dbo.ViewAdminConfigurationSettings	192
dbo.ViewAgencyEnrollmentsRegistration	192
dbo.ViewAgencyKeyInfo	194

dbo.ViewAgencyPersonWorkshops	196
dbo.ViewAgencyStudentAssessments	198
dbo.ViewAgencyStudentFiscalYearRecords	201
dbo.ViewAgencyStudentGoals	203
dbo.ViewCheckout	205
dbo.ViewClassPersonHoursAttended	206
dbo.ViewClassPersonRegistration	208
dbo.ViewClassSectionComment	209
dbo.ViewClassSectionQuickAdd	210
dbo.ViewClassSections	213
dbo.ViewClassStaffAssignment	217
dbo.ViewClassStaffHours	219
dbo.ViewContactHeader	220
dbo.ViewContactIntake	221
dbo.ViewContactKeyInfo	223
dbo.ViewContacts	225
dbo.ViewContactStatusHistory	228
dbo.ViewCustomPersonFields	228
dbo.ViewDeleteLogs	229
dbo.ViewDonationsReceived	229
dbo.ViewDonorComments	230
dbo.ViewDonorHeader	231
dbo.ViewDonorKeyInfo	232
dbo.ViewDonorQuickAdd	234
dbo.ViewDonors	236
dbo.ViewDonorStatusHistory	240
dbo.ViewFamily	240
dbo.ViewFamilyHeader	242
dbo.ViewFamilyMemberQuickAdd	243
dbo.ViewFamilyMembers	244
dbo.ViewFamilyQuickAdd	245
dbo.ViewFamilyStatusHistory	246
dbo.ViewFiscalYearData	246
dbo.ViewFiscalYearDataPivot	247
dbo.ViewFiscalYearRecords	248
dbo.ViewFollowUpOutcomes	249
dbo.ViewGroupKeyInfo	250
dbo.ViewGroupQuickAdd	252

dbo.ViewGroups	254
dbo.ViewGroupStudents	258
dbo.ViewGroupTutorHours	261
dbo.ViewMaterialQuickAdd	262
dbo.ViewMaterials	262
dbo.ViewPairComment	263
dbo.ViewPairHistory	264
dbo.ViewPairInstructionalHours	264
dbo.ViewPairKeyInfo	265
dbo.ViewPairs	267
dbo.ViewPairStudentEnrollments	270
dbo.ViewPerson	273
dbo.ViewPersonAccommodations	276
dbo.ViewPersonAddresses	277
dbo.ViewPersonAssessments	278
dbo.ViewPersonAuditHistory	281
dbo.ViewPersonCheckout	281
dbo.ViewPersonClassHoursAttended	282
dbo.ViewPersonComments	283
dbo.ViewPersonDemographic	284
dbo.ViewPersonDiplomaCredential	288
dbo.ViewPersonFeesAndPayments	289
dbo.ViewPersonGoals	291
dbo.ViewPersonHealthData	292
dbo.ViewPersonIdentifier	293
dbo.ViewPersonInstructionalArea	294
dbo.ViewPersonLanguages	295
dbo.ViewPersonLevelHistory	296
dbo.ViewPersonPostsecondaryInstruction	296
dbo.ViewPersonPreferences	298
dbo.ViewPersonProgramHistory	298
dbo.ViewPersonProperties	299
dbo.ViewPersonReferrals	300
dbo.ViewPersonSocialService	301
dbo.ViewPersonTranscriptClassRegistrations	301
dbo.ViewPersonWorkHistory	303
dbo.ViewPersonWorkshops	304
dbo.ViewStaffClassAssignment	306

dbo.ViewStaffComments	309
dbo.ViewStaffFiscalYearRecords	309
dbo.ViewStaffHistory	310
dbo.ViewStaffHours	311
dbo.ViewStaffMemberQuickAdd	312
dbo.ViewStaffMembers	316
dbo.ViewStudentClassRegistrations	322
dbo.ViewStudentCohorts	325
dbo.ViewStudentComments	325
dbo.ViewStudentDisability	326
dbo.ViewStudentDocumentImage	328
dbo.ViewStudentEducation	329
dbo.ViewStudentEnrollments	333
dbo.ViewStudentEnrollmentsQuickAdd	337
dbo.ViewStudentFamilyMembers	338
dbo.ViewStudentHeader	339
dbo.ViewStudentHistory	341
dbo.ViewStudentHours	342
dbo.ViewStudentKeyInfo	342
dbo.ViewStudentPairHours	347
dbo.ViewStudentPairs	347
dbo.ViewStudentQuickAdd	349
dbo.ViewStudents	355
dbo.ViewStudentSummary	367
dbo.ViewStudentTermGrades	368
dbo.ViewTutorComments	369
dbo.ViewTutorDocumentImage	370
dbo.ViewTutorGroupAssignment	370
dbo.ViewTutorHeader	372
dbo.ViewTutorHistory	375
dbo.ViewTutorHours	376
dbo.ViewTutorPairs	377
dbo.ViewTutorQuickAdd	379
dbo.ViewTutors	381
dbo.ViewTutorUnlinkedHours	387
dbo.ViewVolunteerComments	388
dbo.ViewVolunteerHeader	389
dbo.ViewVolunteerHours	389

dbo.ViewVolunteerIntake	390
dbo.ViewVolunteerKeyInfo	392
dbo.ViewVolunteers	394
dbo.ViewVolunteerStatusHistory	398
dbo.ViewWorkshopAdhocHoursQuickAdd	399
dbo.ViewWorkshopKeyInfo	401
dbo.ViewWorkshopQuickAdd	404
dbo.ViewWorkshopRegistration	406
dbo.ViewWorkshops	409

Tables:

Table dbo.Address

	Column	Data Type	Identity	Nullable	Default
PK	AddressID <i>Address ID</i>	int	X		
FK	PersonID	int		X	
FK	InstitutionID	int		X	
	AddressTypeCode <i>Address Type</i>	int		X	
	StreetNumberName <i>Address 1</i>	varchar(200)		X	
	ApartmentRoomSuiteNumber	varchar(80)		X	
	BuildingSiteNumber <i>Address 2</i>	varchar(20)		X	
	ZoneNumber	varchar(10)		X	
	ResidenceBlockNumber	varchar(10)		X	
	City	varchar(200)		X	
	CountyFIPSCode <i>County</i>	int		X	
	StateFIPSCode <i>State</i>	int		X	
	StateName	varchar(200)		X	
	MetropolitanStatisticalAreaFIPSCode	smallint		X	
	MetroStatusCode	char(10)		X	
	AreaTypeCode <i>Area</i>	int		X	
	ZipCode <i>Zip</i>	varchar(200)		X	
	CountryCode	int		X	
	NameofCountry	varchar(200)		X	
	TelephoneStatus	varchar(200)		X	
	TelephoneNumber	varchar(200)		X	
	PhoneNumberType <i>Phone at Address</i>	varchar(200)		X	
	InternationalCodeNumber	varchar(200)		X	
	ElectronicEmailAddressType	varchar(200)		X	
	ElectronicEmailAddress <i>Email</i>	varchar(200)		X	
	OtherGeographicalDesignation	varchar(200)		X	
	PublicSchoolResidenceStatus	varchar(200)		X	
	NonResidentAttendanceRationale	varchar(200)		X	
	DwellingArrangement	varchar(200)		X	
	DwellingOwnership	varchar(200)		X	
	HeadOfHouseHoldPersonID	int		X	
	WebsiteAddress	varchar(200)		X	
	Latitude	char(10)		X	
	Longitude	char(10)		X	
	CongressionalDistrict	char(10)		X	
	StartDate <i>Start Date</i>	datetime		X	
	EndDate	datetime		X	
	PrimaryAddress <i>End Date</i>	bit		X	
	DistrictCode <i>Primary Address</i>	int		X	
	District <i>District</i>				

	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	
	<i>Update Action ID</i>				
	UpdateVersion	timestamp		X	
	MailingPreferenceCode	int		X	
	<i>Mail Preference</i>				
	ResidenceAreaCode	int		X	
	<i>Residence Area</i>				

References:

dbo.AffiliatedInstitution (*InstitutionID -> AffiliatedInstitutionID*)

dbo.Person (*PersonID*)

Referenced by:

dbo.Agency (*AddressID*)

dbo.PostsecondaryInstruction (*AddressID*)

Used by:

View dbo.ViewAgencyKeyInfo

View dbo.ViewAgencyStudentAssessments

View dbo.ViewAgencyStudentGoals

View dbo.ViewClassStaffAssignment

View dbo.ViewContactIntake

View dbo.ViewContactKeyInfo

View dbo.ViewContacts

View dbo.ViewDonorKeyInfo

View dbo.ViewDonorQuickAdd

View dbo.ViewDonors

View dbo.ViewFamilyMemberQuickAdd

View dbo.ViewPairKeyInfo

View dbo.ViewPairs

View dbo.ViewPairStudentEnrollments

View dbo.ViewPerson

View dbo.ViewPersonAddresses

View dbo.ViewPersonAuditHistory

View dbo.ViewPersonDemographic
View dbo.ViewPersonPostsecondaryInstruction
View dbo.ViewStaffMemberQuickAdd
View dbo.ViewStaffMembers
View dbo.ViewStudentEnrollments
View dbo.ViewStudentKeyInfo
View dbo.ViewStudentQuickAdd
View dbo.ViewStudents
View dbo.ViewTutorGroupAssignment
View dbo.ViewTutorHeader
View dbo.ViewTutorQuickAdd
View dbo.ViewTutors
View dbo.ViewVolunteerIntake
View dbo.ViewVolunteerKeyInfo
View dbo.ViewVolunteers
View dbo.ViewWorkshopRegistration

Table dbo.AffiliatedInstitution

	Column	Data Type	Identity	Nullable	Default
PK	AffiliatedInstitutionID	int	X		
	NameofInstitution <i>Company</i>	varchar(200)		X	
	IdentificationCode <i>Document or ID Number</i>	varchar(200)		X	
	Address_ID	int		X	
	AffiliatedInstitutionType	varchar(200)		X	
	TypeofCollaboration	varchar(200)		X	
FK	PrimaryContactID <i>Primary Contact ID</i>	int		X	
	CreationDate <i>Creation Date</i>	datetime		X	
	LastUpdate <i>Date</i>	datetime		X	
	AgencyID <i>Agency ID</i>	int		X	
	UpdateSystemUserID <i>Update System User ID</i>	int		X	
	UpdateAgencyID <i>Update Agency ID</i>	int		X	
	UpdateActionID <i>Update Action ID</i>	int		X	
	UpdateVersion	timestamp		X	

References:

dbo.PrimaryContact (PrimaryContactID)

Referenced by:

dbo.Address (*InstitutionID -> AffiliatedInstitutionID*)

dbo.Donor (*InstitutionID -> AffiliatedInstitutionID*)

Used by:

View dbo.ViewDonorKeyInfo

View dbo.ViewDonorQuickAdd

View dbo.ViewDonors

Table dbo.Agency

	Column	Data Type	Identity	Nullable	Default
PK	AgencyUniqueID	int	X		
	NameofInstitution	varchar(200)		X	
<i>Company</i>					
	FormerNameofInstitution	varchar(200)		X	
	IdentificationCode	varchar(200)		X	
<i>Document or ID Number</i>					
FK	AddressID	int		X	
<i>Address ID</i>					
FK	PrimaryContactID	int		X	
<i>Primary Contact ID</i>					
	GovernmentalJurisdictionName	varchar(200)		X	
	GovernmentalJurisdictionType	varchar(200)		X	
	FacilityType	varchar(200)		X	
<i>Facility Type</i>					
	CoEducationalStatus	varchar(50)		X	
	ReligiousAffiliationCode	int		X	
<i>Religious Affiliation Code</i>					
	AgencyStatus	varchar(200)		X	
	DateFounded	smalldatetime		X	
	DateOpened	smalldatetime		X	
	DateofClosure	smalldatetime		X	
	ReasonforClosure	varchar(200)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	AgencyID	int			
<i>Agency ID</i>					
	OffersAdultHighSchool	bit		X	
	SEA	bit		X	

References:

dbo.Address (*AddressID*)

dbo.PrimaryContact (*PrimaryContactID*)

Referenced by:

dbo.AgencyTree (*AgencyID*)

dbo.Configuration (*AgencyID* -> *AgencyUniqueID*)

Used by:

View dbo.ViewAgencyKeyInfo

View dbo.ViewAgencyPersonWorkshops

View dbo.ViewAgencyStudentAssessments

View dbo.ViewAgencyStudentFiscalYearRecords

View dbo.ViewAgencyStudentGoals

View dbo.ViewClassSections

View dbo.ViewContacts

View dbo.ViewDeleteLogs

View dbo.ViewDonors

View dbo.ViewFamily

View dbo.ViewGroups

View dbo.ViewMaterials

View dbo.ViewPairs

View dbo.ViewPairStudentEnrollments

View dbo.ViewPerson

View dbo.ViewPersonFeesAndPayments

View dbo.ViewStaffMembers

View dbo.ViewStudentEnrollments

View dbo.ViewStudents

View dbo.ViewTutors

View dbo.ViewVolunteers

View dbo.ViewWorkshops

Table dbo.AgencyTree

	Column	Data Type	Identity	Nullable	Default
PK	AgencyTreeID	int	X		
	ParentAgencyID	int			
FK	AgencyID <i>Agency ID</i>	int			
<i>Creation Date</i>					
	CreationDate <i>Creation Date</i>	datetime		X	
	LastUpdate <i>Date</i>	datetime		X	
	UpdateSystemUserID <i>Update System User ID</i>	int		X	
	UpdateAgencyID <i>Update Agency ID</i>	int		X	
	UpdateActionID	int		X	

Update Action ID					
	UpdateVersion	timestamp		X	
	PrimaryParent	bit		X	0

References:

dbo.Agency (*AgencyID*)

Used by:

View dbo.ViewAgencyStudentFiscalYearRecords

View dbo.ViewClassSections

View dbo.ViewStaffMembers

View dbo.ViewStudents

Table dbo.Assessment

	Column	Data Type	Identity	Nullable	Default
PK	AssessmentID	int	X		
<i>Assessment ID</i>					
FK	PersonID	int			
FK	TypeID	int		X	
FK	InstrumentID	int		X	
FK	FormID	int		X	
FK	LevelID	int		X	
FK	SubtestID	int		X	
<i>Subtest ID</i>					
	IdentificationCode	varchar(200)		X	
<i>Document or ID Number</i>					
	IdentificationSystem	int		X	
<i>Identification System</i>					
	DateAssessed	datetime		X	
<i>Date Assessed</i>					
	FiscalYearCode	int		X	
<i>Fiscal Year</i>					
	AgeAtAssessment	real		X	
	GradeLevelAssessed	varchar(200)		X	
	AssessmentStandard	varchar(200)		X	
	GradeLevelwhenAssessed	real		X	
	RawScore	decimal(10,1)		X	
<i>Raw Score</i>					
	ScaledScore	decimal(10,1)		X	
<i>Scaled Score</i>					
	ScaledGain	decimal(10,3)		X	
<i>Scaled Gain</i>					
	Percentile	decimal(10,3)		X	
	SPLGLE	decimal(10,1)		X	
<i>SPL/GLE</i>					
	SPGain	decimal(10,3)		X	
	PassTest	char(1)		X	
	HoursSinceLastAssessment	real		X	
	LevelCode	int		X	
<i>Current Level</i>					
	ScoreResults	varchar(200)		X	
	ScoreInterpretationInformation	varchar(1024)		X	
	ReportingandDocumentation	varchar(1024)		X	
	SuperordinateAssessmentID	int		X	

Superordinate Assessment ID					
PreviousRelatedAssessmentID	int		X		
StaffName	varchar(100)		X		
<i>Staff Name</i>					
StaffMemberID	int		X		
<i>Staff ID</i>					
CreationDate	datetime		X		
<i>Creation Date</i>					
LastUpdate	datetime		X		
<i>Date</i>					
AgencyID	int				
<i>Agency ID</i>					
UpdateSystemUserID	int		X		
<i>Update System User ID</i>					
UpdateAgencyID	int		X		
<i>Update Agency ID</i>					
UpdateActionID	int		X		
<i>Update Action ID</i>					
UpdateVersion	timestamp		X		
ConcatName	varchar(400)		X		
ConcatID	varchar(20)		X		
AlteredRecord	varchar(1)		X		
OverrideSubjectArea	int		X	0	
PrePostCode	int		X		
ScaledScoreGain	decimal(10,1)		X		
SPLGLEGain	decimal(10,1)		X		
InstructionalHoursSincePreviousAssessmentInDomain	decimal(10,2)		X		
InstructionalHoursSinceLastAssessmentInDomain	decimal(10,2)		X		
ExternalProviderID	int		X		
<i>External Provider ID</i>					
ExternalID	int		X		
<i>External ID</i>					

References:

dbo.AssessmentForm (*FormID*)
dbo.AssessmentInstrument (*InstrumentID*)
dbo.AssessmentSubtest (*SubtestID*)
dbo.AssessmentTestLevel (*LevelID*)
dbo.AssessmentTestType (*TypeID*)
dbo.Person (*PersonID*)

Referenced by:

dbo.LevelHistory (*AssessmentID*)

Used by:

View dbo.ViewAgencyStudentAssessments
View dbo.ViewPersonAssessments
View dbo.ViewStudentSummary

Table **dbo.AssessmentForm**

	Column	Data Type	Identity	Nullable	Default
--	--------	-----------	----------	----------	---------

PK	FormID	int	X		
FK	InstrumentID	int		X	
	FormName	varchar(255)			
<i>Form</i>					
	Complement	int		X	
	TypeID	int		X	
	Description	varchar(1000)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	InceptionDate	datetime		X	
	ExpirationDate	datetime		X	
	Practice	bit		X	
	CompatibleFormGroup	int		X	

References:

dbo.AssessmentInstrument (*InstrumentID*)

Referenced by:

dbo.Assessment (*FormID*)

dbo.AssessmentTestLevel (*FormID*)

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewFiscalYearDataPivot

View dbo.ViewPersonAssessments

Table **dbo.AssessmentInstrument**

	Column	Data Type	Identity	Nullable	Default
PK	InstrumentID	int	X		
	InstrumentName	varchar(255)			
<i>Instrument</i>					
	Description	varchar(1000)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					

	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	ApprovalCode	int		X	0
	HighSchoolEquivalency	bit		X	

Referenced by:

dbo.Assessment (*InstrumentID*)

dbo.AssessmentForm (*InstrumentID*)

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewFiscalYearDataPivot

View dbo.ViewPersonAssessments

Table dbo.AssessmentSubtest

	Column	Data Type	Identity	Nullable	Default
PK	SubtestID	int	X		
<i>Subtest ID</i>					
FK	LevelID	int			
<i>Subtest</i>					
	MinRaw	real		X	
	MaxRaw	real		X	
	MinScaled	real		X	
	MaxScaled	real		X	
	origLocation	varchar(255)		X	
	ImportID	int		X	
	ExportLocation	varchar(255)		X	
	ExportNumber	int		X	
	ItemCode	int		X	
FK	AssessmentMeasureCode	int		X	
<i>Assessment Measure</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
FK	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	LevelOrdinalValue	int		X	
	IsVisible	int		X	1
	PassingScaledScore	real		X	
	CanOverridePassTest	bit		X	
	ScaledDecimals	int		X	

References:

dbo.AssessmentTestLevel (*LevelID*)

dbo.OT_AssessmentMeasure (*AgencyID, AssessmentMeasureCode -> AgencyID, OptionCode*)

Referenced by:

dbo.Assessment (*SubtestID*)

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewPersonAssessments

Table dbo.AssessmentTestLevel

	Column	Data Type	Identity	Nullable	Default
PK	LevelID	int	X		
FK	FormID	int			
	LevelName	varchar(255)			
<i>Level</i>					
	Description	varchar(1000)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.AssessmentForm (*FormID*)

Referenced by:

dbo.Assessment (*LevelID*)

dbo.AssessmentSubtest (*LevelID*)

dbo.AssessmentTestLevelColumn (*LevelID*)

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewPersonAssessments

Table dbo.AssessmentTestLevelColumn

	Column	Data Type	Identity	Nullable	Default
PK	TestLevelColumn	int	X		
FK	LevelID	int			
	HasRaw	char(1)		X	
	HasScaled	char(1)		X	

	HasScaleGain	char(1)		X	
	HasSPL	char(1)		X	
	HasSPGain	char(1)		X	
	HasPercent	char(1)		X	
	HasPassTest	char(1)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	AlteredRecord	varchar(1)		X	

References:

dbo.AssessmentTestLevel (*LevelID*)

Table dbo.AssessmentTestType

	Column	Data Type	Identity	Nullable	Default
PK	TypeID	int	X		
	TypeName	varchar(20)			
	Description	varchar(40)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

Referenced by:

dbo.Assessment (*TypeID*)

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewPersonAssessments

Table dbo.AssessmentToFFL

	Column	Data Type	Identity	Nullable	Default
PK	RecordID	int	X		

	InstrumentID	int		X	
	FormID	int		X	
	TestLevelID	int		X	
	MeasurementID	int		X	
	SubtestID	int		X	
<i>Subtest ID</i>					
	MinScaledScore	decimal(10,3)		X	
	MaxScaledScore	decimal(10,3)		X	
	MinGL	decimal(10,3)		X	
	MaxGL	decimal(10,3)		X	
FK	LevelCode	int		X	
<i>Current Level</i>					
	OtherCriteria	varchar(20)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
FK	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	ConcatID	varchar(20)		X	
	GLPrecedesScaledScore	bit			

References:

dbo.OT_Level (*AgencyID, LevelCode -> AgencyID, OptionCode*)

Table **dbo.CheckOut**

	Column	Data Type	Identity	Nullable	Default
PK	CheckOutID	int	X		
FK	MaterialID	int			
<i>Material ID</i>					
FK	PersonID	int			
	CheckoutDate	datetime			
<i>Checkout Date</i>					
	DueDate	datetime		X	
<i>Due Date</i>					
	ReturnDate	datetime		X	
<i>Return Date</i>					
	AmtDue	money		X	
<i>Amount Due</i>					
	AmtPaid	money		X	
	CheckoutStatusCode	int		X	
<i>Checkout Status</i>					
	CheckoutTypeCode	int		X	
<i>Checkout Type</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	

<i>Agency ID</i>					
UpdateSystemUserID	int		X		
<i>Update System User ID</i>					
UpdateAgencyID	int		X		
<i>Update Agency ID</i>					
UpdateActionID	int		X		
<i>Update Action ID</i>					
UpdateVersion	timestamp		X		

References:

dbo.Material (*MaterialID*)

dbo.Person (*PersonID*)

Used by:

View dbo.ViewCheckout

View dbo.ViewPersonCheckout

Table dbo.ClassComment

	Column	Data Type	Identity	Nullable	Default
PK	RecordID	int	X		
	ClassSectionCommentTypeCode	int			
	<i>Comment Type</i>				
	SystemUserID	int			
	ClassCommentDate	smalldatetime		X	
	<i>Date</i>				
FK	ClassSectionID	int			
	<i>Class ID</i>				
	Comment	varchar(1024)		X	
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	
	<i>Update Action ID</i>				
	UpdateVersion	timestamp		X	

References:

dbo.ClassSection (*ClassSectionID*)

Used by:

View dbo.ViewClassSectionComment

Table dbo.ClassHoursAttended

	Column	Data Type	Identity	Nullable	Default
PK	ClassHoursAttendedID	int	X		

FK	ClassRegistrationID	int			
<i>Class Enrollment</i>					
	ClassDate	datetime		X	
<i>Date</i>					
	HoursTypeCode	int			
	HoursPresent	real			
<i>Hours Present</i>					
	HoursAbsent	real			
<i>Hours Absent</i>					
	Late	bit		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.ClassRegistration (*ClassRegistrationID*)

Used by:

View dbo.ViewClassPersonHoursAttended

View dbo.ViewPersonClassHoursAttended

View dbo.ViewWorkshopAdhocHoursQuickAdd

Table dbo.ClassRegistration

	Column	Data Type	Identity	Nullable	Default
PK	ClassRegistrationID	int	X		
<i>Class Enrollment</i>					
FK	ClassSectionID	int			
<i>Class ID</i>					
FK	PersonID	int			
	RegistrationDate	datetime		X	
<i>Enroll Date</i>					
	StatusCode	int		X	
<i>Enroll Status</i>					
	StartDate	datetime		X	
<i>Start Date</i>					
	EndDate	datetime		X	
<i>End Date</i>					
	ClassStartDate	smalldatetime		X	
<i>Start Date</i>					
	ClassEndDate	smalldatetime		X	
<i>End Date</i>					
	ClassUnits	tinyint		X	
<i>Units</i>					
	FinalLetterGrade	varchar(10)		X	

Final Grade				
QualityPoints	real		X	
<i>Quality Points</i>				
GradePoints	real		X	
<i>Grade Points</i>				
HoursEarned	real		X	
<i>Hours Earned</i>				
HoursAbsent	real		X	
<i>Hours Absent</i>				
DaysPresent	smallint		X	
<i>Days Present</i>				
DaysLate	smallint		X	
DaysAbsent	smallint		X	
LastDateHoursEarned	smalldatetime		X	
<i>Last Date Hours Earned</i>				
ProgramID	int		X	
<i>Program</i>				
FundingSourceCode	int		X	
<i>Funding Source</i>				
RepeatIdentifier	bit		X	
FeesBilledToStudent	money		X	
<i>Fee Amount</i>				
FeesPaid	bit		X	
<i>Fees Paid (if applicable)</i>				
FeePaidDate	smalldatetime		X	
<i>Date Paid</i>				
IsElective	bit		X	
<i>Elective</i>				
IsRemedial	bit		X	
<i>Remedial</i>				
IsHonors	bit		X	
<i>Honors</i>				
IsStandardizedTest	bit		X	
<i>Standardized Test</i>				
IsWorkCredit	bit		X	
<i>Work Credit</i>				
IsAdvancedPlacement	bit		X	
<i>Advanced Placement</i>				
ClassMeetsRequirementCode	int		X	
<i>Class Meets Requirement</i>				
EarnedCredits	real		X	
<i>Earned Credits</i>				
PossibleCredits	real		X	
<i>Possible Credits</i>				
IsVarCreditClass	bit		X	
<i>Variable Credit Class</i>				
CreationDate	datetime		X	
<i>Creation Date</i>				
LastUpdate	datetime		X	
<i>Date</i>				
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	
<i>Update System User ID</i>				
UpdateAgencyID	int		X	
<i>Update Agency ID</i>				
UpdateActionID	int		X	
<i>Update Action ID</i>				

	UpdateVersion	timestamp		X	
	Qtr1LetterGrade	varchar(10)		X	
<i>Letter Grade</i>					
	Qtr2LetterGrade	varchar(10)		X	
<i>Q2 Grade</i>					
	Qtr3LetterGrade	varchar(10)		X	
<i>Q3 Grade</i>					
	Qtr4LetterGrade	varchar(10)		X	
<i>Q4 Grade</i>					
	IntegratedEducationTrainingProgram	bit		X	
<i>IETP</i>					

References:

dbo.ClassSection (*ClassSectionID*)

dbo.Person (*PersonID*)

Referenced by:

dbo.ClassHoursAttended (*ClassRegistrationID*)

dbo.FeesAndPayments (*ClassRegistrationID*)

Used by:

View dbo.ViewClassPersonHoursAttended

View dbo.ViewClassPersonRegistration

View dbo.ViewGroupStudents

View dbo.ViewPersonClassHoursAttended

View dbo.ViewPersonFeesAndPayments

View dbo.ViewPersonWorkshops

View dbo.ViewStudentClassRegistrations

View dbo.ViewStudentEnrollments

View dbo.ViewStudentEnrollmentsQuickAdd

View dbo.ViewWorkshopAdhocHoursQuickAdd

View dbo.ViewWorkshopRegistration

Table dbo.ClassSection

	Column	Data Type	Identity	Nullable	Default
PK	ClassSectionID	int	X		
<i>Class ID</i>					
	ClassStatusCode	int		X	
<i>Status</i>					
	ClassKeywordCode	int		X	
<i>Class Keyword</i>					
	ClassSiteCode	int		X	
<i>Class Site Code</i>					
	ClassSectionTypeCode	int		X	
<i>Class Section Type</i>					
	ClassOrganizationCode	int		X	
<i>Organization</i>					
	TermCode	int		X	

Term					
ProgramID	int		X		
<i>Program</i>					
InstructionalLevelCode	int		X		
<i>Level</i>					
PrimaryContactID	int		X		
<i>Primary Contact ID</i>					
DepartmentCode	int		X		
<i>Department</i>					
InstructionalAreaCode	int		X		
<i>Instructional Area</i>					
ClassTransportCode	int		X		
<i>Class Transport Code</i>					
ClassSectionTitle	varchar(100)		X		
<i>Title</i>					
CourseNumber	varchar(50)		X		
<i>Course Number</i>					
CourseCodeSystemCode	int		X		
<i>Course Code System Code</i>					
ClassPeriod	varchar(50)		X		
<i>Class Period</i>					
ClassBeginningTime	varchar(100)		X		
<i>Times</i>					
ClassEndingTime	varchar(100)		X		
<i>Class Ending Time</i>					
ClassMeetingDay	varchar(50)		X		
<i>Days</i>					
FacilityType	varchar(200)		X		
<i>Facility Type</i>					
LocationofInstruction	varchar(50)		X		
<i>Location Detail</i>					
LocationCode	int		X		
<i>Location</i>					
BuildingRoomCode	int		X		
<i>Bldg/Room</i>					
TimetableDay	varchar(50)		X		
<i>Timetable Day</i>					
TimeElement	real		X		
<i>Time Element</i>					
PrincipalMediumofInstructionCode	int		X		
PercentageofTimebyMediumofInstruction	real		X		
LanguageCode	int		X		
<i>Language of Instruction</i>					
ApplicableGrades	varchar(50)		X		
<i>Applicable Grades</i>					
ReportingMeansCode	int		X		
<i>Reporting Means Code</i>					
ReportingMethodCode	int		X		
<i>Reporting Method Code</i>					
ClassStartDate	smalldatetime		X		
<i>Start Date</i>					
ClassEndDate	smalldatetime		X		
<i>End Date</i>					
HoursPerWeek	real		X		
<i>Hours Per Week</i>					
WeeksOfClass	int		X		
<i>Weeks of Class</i>					
DaysOfClass	int		X		

Days Of Class					
HoursPerTerm	real		X		
<i>Hours Per Term</i>					
TotalHoursOffered	real		X		
<i>Total Hours Offered</i>					
MinimumStudents	smallint		X		
<i>Min Enroll</i>					
MaximumStudents	smallint		X		
<i>Max Enroll</i>					
CurrentNumberWaiting	smallint		X		
<i>Waiting</i>					
HighestNumberWaiting	smallint		X		
<i>Highest Number Waiting</i>					
StudentsCompleted	smallint		X		
<i>Completed</i>					
StudentsEnrolled	smallint		X		
<i>Enrolled</i>					
StudentsDropout	smallint		X		
<i>Students Dropout</i>					
StudentsWithdrawn	smallint		X		
<i>Students Withdrawn</i>					
LastDateGradedItemAdded	datetime		X		
<i>Last Date Graded Item Added</i>					
LastDateHoursAdded	datetime		X		
<i>Last Date Hours Added</i>					
DefaultHoursToAdd	real		X		
<i>Default Hours To Add</i>					
CurrentHoursOffered	real		X		
<i>Current Hours Offered</i>					
Cost	money		X		
TotalPay	money		X		
<i>Total Paid</i>					
ClassMeetsRequirementCode	int		X		
<i>Class Meets Requirement</i>					
VariableCredit	bit		X		
<i>Variable Credit</i>					
Credits	real		X		
MinCredits	real		X		
<i>Min Credits</i>					
MaxCredits	real		X		
<i>Maximum Credits</i>					
StudentPopulation	char(1)		X		
<i>Student Population</i>					
Notes	varchar(255)		X		
<i>Notes / Meeting details</i>					
FK	CourseID	int		X	
<i>Course ID</i>					
SEASponsoredCode	int		X		
<i>SEA Sponsored Code</i>					
CreationDate	datetime		X		
<i>Creation Date</i>					
LastUpdate	datetime		X		
<i>Date</i>					
AgencyID	int		X		
<i>Agency ID</i>					
UpdateSystemUserID	int		X		
<i>Update System User ID</i>					
UpdateAgencyID	int		X		

Update Agency ID				
UpdateActionID	int		X	
Update Action ID				
UpdateVersion	timestamp		X	
MinimumRequiredDays	int		X	
Min Required Days				
MinimumRequiredHours	real		X	
Min Required Hours				
Qtr1StartDate	smalldatetime		X	
Qtr1 Start Date				
Qtr1EndDate	smalldatetime		X	
Qtr1 End Date				
Qtr2StartDate	smalldatetime		X	
Qtr2 Start Date				
Qtr2EndDate	smalldatetime		X	
Qtr2 End Date				
Qtr3StartDate	smalldatetime		X	
Qtr3 Start Date				
Qtr3EndDate	smalldatetime		X	
Qtr3 End Date				
Qtr4StartDate	smalldatetime		X	
Qtr4 Start Date				
Qtr4EndDate	smalldatetime		X	
Qtr4 End Date				
ClassFundingSource	varchar(50)		X	
MHEC Code				

References:

dbo.Course (*CourseID*)

Referenced by:

dbo.ClassComment (*ClassSectionID*)

dbo.ClassRegistration (*ClassSectionID*)

dbo.StaffClassAssignment (*ClassSectionID*)

dbo.TutorClassAssignment (*ClassSectionID*)

Used by:

View dbo.ViewClassPersonHoursAttended

View dbo.ViewClassSectionQuickAdd

View dbo.ViewClassSections

View dbo.ViewClassStaffHours

View dbo.ViewGroupKeyInfo

View dbo.ViewGroupQuickAdd

View dbo.ViewGroups

View dbo.ViewGroupStudents

View dbo.ViewGroupTutorHours

View dbo.ViewPersonClassHoursAttended

View dbo.ViewPersonFeesAndPayments

View dbo.ViewPersonWorkshops
View dbo.ViewStaffClassAssignment
View dbo.ViewStaffHours
View dbo.ViewStudentClassRegistrations
View dbo.ViewStudentEnrollments
View dbo.ViewStudentEnrollmentsQuickAdd
View dbo.ViewTutorGroupAssignment
View dbo.ViewWorkshopAdhocHoursQuickAdd
View dbo.ViewWorkshopKeyInfo
View dbo.ViewWorkshopQuickAdd
View dbo.ViewWorkshopRegistration
View dbo.ViewWorkshops

Table dbo.Comment

	Column	Data Type	Identity	Nullable	Default
PK	CommentID	int	X		
	CommentTypeCode	int			
<i>Comment Type</i>					
	CommentDate	smalldatetime		X	
<i>Date</i>					
FK	PersonID	int			
	Comment	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	PersonRoleCode	int		X	

References:

dbo.Person (PersonID)

Used by:

View dbo.ViewPersonComments
View dbo.ViewStaffComments
View dbo.ViewStudentComments
View dbo.ViewTutorComments

View dbo.ViewVolunteerComments**Table dbo.Configuration**

	Column	Data Type	Identity	Nullable	Default
PK	ConfigurationID	int	X		
	ConfigGroup	varchar(25)			
	ConfigurationName	varchar(64)			
FK	AgencyID	int			
<i>Agency ID</i>					
	DataType	varchar(20)		X	
	DataProvider	varchar(2000)		X	
	Enabled	bit		X	
	SystemUserID	int		X	
	LastUpdate	datetime		X	
<i>Date</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	UpdateVersion	timestamp		X	
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					

References:**dbo.Agency** (*AgencyID* -> *AgencyUniqueID*)**Used by:****View dbo.ViewAdminConfigurationSettings****View dbo.ViewStudentSummary****Table dbo.Contact**

	Column	Data Type	Identity	Nullable	Default
PK	ContactID	int	X		
<i>Contact ID</i>					
FK	PersonID	int			
	Company	varchar(200)			
	PositionTitle	varchar(200)		X	
<i>Position Title</i>					
	ContactTypeCode	int		X	
<i>Type</i>					
	ContactKeywordCode	int		X	
<i>Contact Keyword</i>					
	ContactStatusCode	int		X	
<i>Overall Status</i>					
	LifetimeAllHoursPresent	real		X	
<i>Lifetime Hours</i>					
	LifetimeAllHoursAbsent	real		X	
<i>Lifetime Hours Absent</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	

Date					
AgencyID	int		X		
<i>Agency ID</i>					
UpdateSystemUserID	int		X		
<i>Update System User ID</i>					
UpdateAgencyID	int		X		
<i>Update Agency ID</i>					
UpdateActionID	int		X		
<i>Update Action ID</i>					
UpdateVersion	timestamp		X		
DateFirstIntake	datetime		X		
<i>Intake Date</i>					

References:

dbo.Person (*PersonID*)

Referenced by:

dbo.ContactHistory (*ContactID*)

Used by:

View dbo.ViewContactHeader

View dbo.ViewContactIntake

View dbo.ViewContactKeyInfo

View dbo.ViewContacts

Table dbo.ContactHistory

	Column	Data Type	Identity	Nullable	Default
PK	ContactHistoryID	int	X		
FK	ContactID	int			
<i>Contact ID</i>					
	StartDate	datetime			
<i>Start Date</i>					
	EndDate	datetime		X	
<i>End Date</i>					
	ContactStatusCode	int		X	
<i>Overall Status</i>					
	ContactTypeCode	int		X	
<i>Type</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Contact (*ContactID*)

Used by:

View dbo.ViewContactStatusHistory

Table dbo.Corrections

	Column	Data Type	Identity	Nullable	Default
PK	CorrectionalID	int	X		
	AgencyID	int		X	
<i>Agency ID</i>					
FK	PersonID	int			
	CorrectionalCode	int		X	
<i>Correctional</i>					
	StartDate	datetime		X	
<i>Start Date</i>					
	EndDate	datetime		X	
<i>End Date</i>					
	AssignedStaffPersonID	int		X	
	BookingNumber	char(50)		X	
<i>Booking/Inmate Number</i>					
	Housing	char(50)			
	Location	varchar(150)		X	
	DateOffense	datetime		X	
<i>Date of Offense</i>					
	ReleaseDate	datetime		X	
<i>Release Date</i>					
	SentenceCompletionDate	datetime		X	
<i>Sentence Completion Date</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewPersonAuditHistory

View dbo.ViewStudents

Table dbo.Course

	Column	Data Type	Identity	Nullable	Default
PK	CourseID	int	X		
<i>Course ID</i>					
	IdentificationCode	varchar(200)		X	

Document or ID Number				
CourseTitle	varchar(200)		X	
<i>Course Title</i>				
CourseCode	varchar(50)		X	
<i>Course Code</i>				
CourseCodeSystem	varchar(200)		X	
CourseDescription	varchar(2048)		X	
<i>Description</i>				
CourseInstructionalLevelCode	int		X	
HighSchoolCourseRequirement	bit		X	
StateUniversityCourseRequirement	bit		X	
CurriculumFrameworkType	varchar(100)		X	
CurriculumFrameworkName	varchar(100)		X	
AlignedwithStateStandards	bit		X	
CreditTypeEarned	varchar(50)		X	
NumberofCreditsAttempted	real		X	
<i>Credits Attained</i>				
ApplicableGrades	varchar(50)		X	
<i>Applicable Grades</i>				
SessionType	varchar(150)		X	
<i>Session Type</i>				
SessionBeginningDate	smalldatetime		X	
SessionEndingDate	smalldatetime		X	
ElementarySubjectCourse	varchar(200)		X	
PrincipalMediumofInstruction	varchar(100)		X	
StudentPopulation	char(1)		X	
<i>Student Population</i>				
FeesBilledToStudent	money		X	
<i>Fee Amount</i>				
AdHocHoursTally	bit		X	
MinimumHoursRequired	real		X	
MaximumHoursPossible	real		X	
LevelCode	int		X	
<i>Current Level</i>				
ProgramID	int		X	
<i>Program</i>				
KeywordCode	int		X	
<i>Student Keyword</i>				
DepartmentCode	int		X	
<i>Department</i>				
InstructionalAreaCode	int		X	
<i>Instructional Area</i>				
VariableCredit	bit		X	
<i>Variable Credit</i>				
MinCredits	real		X	
<i>Min Credits</i>				
MaxCredits	real		X	
<i>Maximum Credits</i>				
DefaultSectionTypeCode	int		X	
DefaultOrganizationCode	int		X	
ClassMeetsRequirementCode	int		X	
<i>Class Meets Requirement</i>				
TypicalDays	varchar(50)		X	
TypicalHours	varchar(50)		X	
DefaultMaxEnroll	int		X	
DefaultLocationCode	int		X	
DefaultBuildingRoomCode	int		X	
CreationDate	datetime		X	

Creation Date					
LastUpdate	datetime		X		
<i>Date</i>					
AgencyID	int		X		
<i>Agency ID</i>					
UpdateSystemUserID	int		X		
<i>Update System User ID</i>					
UpdateAgencyID	int		X		
<i>Update Agency ID</i>					
UpdateActionID	int		X		
<i>Update Action ID</i>					
UpdateVersion	timestamp		X		
CourseStatusCode	int		X		
<i>Status</i>					
SubjectCode	int		X		
<i>Subject</i>					
Credits	real		X		

Referenced by:

dbo.ClassSection (*CourseID*)

dbo.TranscriptClassRegistration (*CourseID*)

Used by:

View dbo.ViewClassSectionQuickAdd

View dbo.ViewClassSections

View dbo.ViewGroupKeyInfo

View dbo.ViewGroups

View dbo.ViewGroupStudents

View dbo.ViewPersonTranscriptClassRegistrations

View dbo.ViewPersonWorkshops

View dbo.ViewStudentClassRegistrations

View dbo.ViewStudentEnrollments

View dbo.ViewWorkshopKeyInfo

View dbo.ViewWorkshopRegistration

View dbo.ViewWorkshops

Table **dbo.CustomPersonFields**

	Column	Data Type	Identity	Nullable	Default
PK	CustomPersonFieldsID	int	X		
FK	PersonID	int			
	String1	varchar(50)		X	
<i>Custom String 1</i>					
	String2	varchar(50)		X	
<i>Custom String 2</i>					
	String3	varchar(50)		X	
<i>Custom String 3</i>					
	String4	varchar(50)		X	
<i>Keyword 2</i>					

Date1	datetime		X	
<i>Custom Date 1</i>				
Date2	datetime		X	
<i>Custom Date 2</i>				
Number1	real		X	
<i>Custom Number 1</i>				
Number2	real		X	
<i>Custom Number 2</i>				
CreationDate	datetime		X	
<i>Creation Date</i>				
LastUpdate	datetime		X	
<i>Date</i>				
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	
<i>Update System User ID</i>				
UpdateAgencyID	int		X	
<i>Update Agency ID</i>				
UpdateActionID	int		X	
<i>Update Action ID</i>				
UpdateVersion	timestamp		X	

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewAgencyStudentGoals

View dbo.ViewCustomPersonFields

View dbo.ViewPairStudentEnrollments

View dbo.ViewStaffMembers

View dbo.ViewStudentEnrollments

View dbo.ViewStudents

View dbo.ViewTutors

View dbo.ViewVolunteers

Table dbo.DeleteLog

	Column	Data Type	Identity	Nullable	Default
PK	DeleteLogID	int	X		
	TableName	varchar(100)		X	
<i>Area</i>					
	UniqueKeyName	varchar(100)		X	
	UniqueKeyValue	varchar(100)		X	
	SystemUserID	int		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	Status	int		X	
<i>Enroll Status</i>					
	LastName	varchar(50)		X	

Last Name					
	FirstName	varchar(50)		X	
	First Name				

Used by:

View dbo.ViewDeleteLogs

Table dbo.Demographic

	Column	Data Type	Identity	Nullable	Default
FK	PersonID	int			
PK	DemographicID	int	X		
<i>Demographic ID</i>					
	GenderCode	int		X	
<i>Gender</i>					
	Birthdate	smalldatetime		X	
	BirthdateVerification	varchar(100)		X	
<i>Birthdate Verification</i>					
	CityofBirth	varchar(100)		X	
<i>City of Birth</i>					
	BirthCountyFIPSCode	int		X	
	BirthStateFIPSCode	int		X	
	BirthCountryCode	int		X	
<i>Country of Birth</i>					
	BornOutsideoftheUS	bit		X	
<i>Born outside US</i>					
	FirstEntryDate	smalldatetime		X	
	USCitizen	bit		X	
<i>US Citizen</i>					
	Immigrant	bit		X	
	CountryofCitizenshipCode	int		X	
<i>Country of Citizenship</i>					
	ResidenceAreaCode	int		X	
<i>Residence Area</i>					
	DistrictCode	int		X	
<i>District</i>					
	InstitutionalCode	int		X	
<i>Institutional</i>					
	Homeless	bit		X	
	Migrant	bit		X	
<i>Migrant Worker</i>					
	MigrantClassificationSubgroup	varchar(200)		X	
	MigrantNationalCertificateofEligibilityStatus	varchar(200)		X	
	MigrantResidencyDate	smalldatetime		X	
	MigrantLastQualifyingArrivalDate	smalldatetime		X	
	MigranttoJoinDate	smalldatetime		X	
	MaritalStatusCode	int		X	
<i>Marital Status</i>					
	EmploymentStatusCode	int		X	
<i>Employment Status</i>					
	NumberofDependents	tinyint		X	
<i>Number of Dependents</i>					
	FamilyIncomeRangeCode	int		X	
<i>Family Income Range</i>					
	CorrectionalCode	int		X	
<i>Correctional</i>					
	EconomicDisadvantage	bit		X	

Economic Disadvantage				
DislocatedWorker	bit		X	
<i>Dislocated Worker</i>				
DisplacedHomemaker	bit		X	
<i>Displaced Homemaker</i>				
FamilyPublicAssistance	bit		X	
<i>Public Assistance</i>				
HispanicorLatinoEthnicity	bit		X	
PrimaryEthnicityCode	int		X	
<i>Ethnicity</i>				
NationalEthnicOriginSubgroup	int		X	
ReligiousAffiliationCode	int		X	
<i>Religious Affiliation Code</i>				
EnglishProficiency	bit		X	
LanguagesOtherThanEnglish	bit		X	
<i>Languages Other Than English</i>				
MilitaryServiceExperienceCode	int		X	
<i>Military Service Experience</i>				
RegisteredVoter	bit		X	
<i>Registered Voter</i>				
MinorAdultStatus	bit		X	
<i>Minor with Adult Status</i>				
SingleParentGuardian	bit		X	
<i>Single Parent or Guardian</i>				
AbuseCode	int		X	
<i>Abuse</i>				
AtRiskCode	int		X	
<i>At Risk</i>				
CreationDate	datetime		X	
<i>Creation Date</i>				
LastUpdate	datetime		X	
<i>Date</i>				
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	
<i>Update System User ID</i>				
UpdateAgencyID	int		X	
<i>Update Agency ID</i>				
UpdateActionID	int		X	
<i>Update Action ID</i>				
UpdateVersion	timestamp		X	
BirthPlace	varchar(200)		X	
ParentsHighestLevelofEducationCompletedCode	int		X	
<i>Parents' Highest Education Completed</i>				
L6OnFile	bit		X	
<i>L6 on File</i>				
F1Visa	bit		X	
<i>F1 Visa</i>				
EnteredCountryOn	smalldatetime		X	
<i>Entered Country On</i>				
StayInUSA	bit		X	
<i>Plan to Stay in USA</i>				
StudiedEnglishBefore	bit		X	
<i>Studied English Before</i>				
ImproveSpeaking	bit		X	
<i>Improve Speaking</i>				
ImproveWriting	bit		X	
<i>Improve Writing</i>				

ImproveReading	bit		X	
<i>Improve Reading</i>				
ImproveListening	bit		X	
<i>Improve Listening</i>				
Culture	bit		X	
<i>Learn Culture</i>				
USCitizenshipPrep	bit		X	
<i>US Citizenship Preparation</i>				
IsHispanic	int		X	
<i>Is this person Hispanic/Latino</i>				
IsNativeIndian	bit		X	
<i>American Indian or Alaska Native</i>				
IsAsian	bit		X	
<i>Asian</i>				
IsBlack	bit		X	
<i>Black or African American</i>				
IsNativeHawaiian_PacificIslander	bit		X	
<i>Native Hawaiian or Other Pacific Islander</i>				
IsWhite	bit		X	
<i>White</i>				
IsTwoOrMore	bit		X	
IsChinese	bit		X	
<i>Chinese</i>				
IsIndochinese	bit		X	
<i>Indo Chinese</i>				
IsJapanese	bit		X	
<i>Japanese</i>				
IsKorean	bit		X	
<i>Korean</i>				
IsOtherAsian	bit		X	
<i>Other Asian</i>				
IsOtherMinorities	bit		X	
<i>Other Minorities</i>				
IsHawn	bit		X	
<i>Hawaiian/Part Hawaiian</i>				
IsFilipino	bit		X	
<i>Filipino</i>				
IsMicronesian	bit		X	
<i>Micronesian</i>				
IsSamoan	bit		X	
<i>Samoan</i>				
IsHIHispanic	bit		X	
<i>Hispanic or Latino</i>				
DemographicCustomBit1	bit		X	
<i>ITA-Individual Training Account</i>				
DemographicCustomBit2	bit		X	
<i>One Stop Center Referral</i>				
WIATitle1Funded	bit		X	
<i>WIA/Title-1</i>				
ChildrenInAgeRange1	int		X	
<i>Children Ages 0-5</i>				
ChildrenInAgeRange2	int		X	
<i>Children Ages 6-13</i>				
ChildrenInAgeRange3	int		X	
<i>Children Ages 14-21</i>				
CulturalBarrier	bit		X	
<i>Cultural Barriers</i>				
Disabled	bit		X	

EnglishLanguageLearner	bit		X	
<i>English Language Learner</i>				
ExOffender	bit		X	
<i>Ex Offender</i>				
ExhaustingTanfWithinTwoYears	bit		X	
<i>Exiting TANF Within Two Years</i>				
FosterCareYouth	bit		X	
<i>Foster Care Youth</i>				
LongTermUnemployed	bit		X	
<i>Long Term Unemployed</i>				
LowLiteracyLevels	bit		X	
<i>Low Literacy Levels</i>				
MigrantFarmworker	bit		X	
<i>Migrant Farmworker</i>				
SeasonalFarmworker	bit		X	
<i>Seasonal Farmworker</i>				

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewAgencyStudentGoals

View dbo.ViewContactIntake

View dbo.ViewContacts

View dbo.ViewDonorQuickAdd

View dbo.ViewDonors

View dbo.ViewFamilyMemberQuickAdd

View dbo.ViewFamilyMembers

View dbo.ViewPairStudentEnrollments

View dbo.ViewPerson

View dbo.ViewPersonAuditHistory

View dbo.ViewPersonDemographic

View dbo.ViewStaffMemberQuickAdd

View dbo.ViewStaffMembers

View dbo.ViewStudentEnrollments

View dbo.ViewStudentHeader

View dbo.ViewStudentKeyInfo

View dbo.ViewStudentQuickAdd

View dbo.ViewStudents

View dbo.ViewTutorHeader

View dbo.ViewTutorQuickAdd

View dbo.ViewTutors

View dbo.ViewVolunteerIntake

View dbo.ViewVolunteers

Table dbo.DiplomaCredential

	Column	Data Type	Identity	Nullable	Default
PK	DiplomaCredentialID	int	X		
FK	PersonID	int			
	PersonName	varchar(100)		X	
<i>Person's Name Displayed on Diploma/Credential</i>					
	DiplomaCredentialType	varchar(150)		X	
<i>Diploma/Credential Type</i>					
	DiplomaCredentialAwardDate	datetime		X	
<i>Actual Award Date</i>					
	DiplomaCredentialLevelandHonors	varchar(100)		X	
	DiplomaCredentialLevelandHonorsDescription	varchar(200)		X	
<i>Description/Number</i>					
	GradePointAverageCumulative	real		X	
<i>Cumulative Grade Point Average</i>					
	AreaOfStudy	varchar(50)		X	
	DiplomaCredentialName	varchar(50)		X	
<i>Diploma/Credential Name</i>					
	TotalUnits	real		X	
	TotalCredits	real		X	
	DiplomaCredentialEarnDate	datetime		X	
<i>Date Earned</i>					
	AnticipatedAwardDate	datetime		X	
<i>Expected Award Date</i>					
	CompletedRequirements	bit		X	
<i>Completed Requirements</i>					
	ByExamOnly	bit		X	
<i>By Exam Only</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	DiplomaCredentialTypeCode	int		X	
<i>Diploma/Credential Type</i>					
	CredentialCertificationTypeCode	int		X	
<i>Credential/Certification Type</i>					
	ExpirationDate	datetime		X	
	ExamLastTaken	datetime		X	
<i>Date HSE or Certification Exam Last Taken But Not Passed</i>					
	AccreditingBodyCode	int		X	
<i>Diploma/Credential Accrediting Body</i>					
	IndustryCode	int		X	
<i>Diploma/Credential Industry</i>					

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewPersonDiplomaCredential

Table dbo.Disability

	Column	Data Type	Identity	Nullable	Default
PK	DisabilityID	int		X	
FK	PersonID	int			
	PersonInformedDisclosureNotRequired	bit		X	
	<i>Informed Disclosure Not Required</i>				
	ApparentOrDisclosedDisability	bit		X	
	<i>Apparent or Disclosed Disability</i>				
	HearingImpairedCode	int		X	
	<i>Hearing Impaired</i>				
	LegallyBlindCode	int		X	
	<i>Legally Blind</i>				
	VisionImpairedCode	int		X	
	<i>Vision Impaired</i>				
	DeafCode	int		X	
	<i>Deaf</i>				
	SpeechImpairedCode	int		X	
	<i>Speech Impaired</i>				
	MuteCode	int		X	
	<i>Mute</i>				
	ParalysisCode	int		X	
	<i>Paralysis</i>				
	MissingExtremitiesCode	int		X	
	<i>Missing Extremities</i>				
	NonparalyticOthropedicCode	int		X	
	<i>Nonparalytic Orthopedic</i>				
	SpecificLearningDisabilityCode	int		X	
	<i>Specific Learning Disability</i>				
	OverallDiagnosisInterpretationofVision	varchar(200)		X	
	<i>Vision Evaluation</i>				
	OverallDiagnosisInterpretationofHearing	varchar(200)		X	
	<i>Hearing Evaluation</i>				
	OverallDiagnosisInterpretationofSpeechandLanguage	varchar(200)		X	
	<i>Speech and Language Evaluation</i>				
	ServiceAlternatives	varchar(200)		X	
	PrimaryDisabilityType	varchar(200)		X	
	QualifiedIndividualwithDisabilitiesunderSection504oftheRehabilitationAct	bit		X	
	QualifiedIndividualwithaDisabilityundertheIndividualswithDisabilitiesAct	bit		X	
	QualifiedIndividualwithDisabilitiesundertheAmericanswithDisabilitiesAct	bit		X	
	DisabilityLevel	varchar(200)		X	
	SecondaryDisabilityType	varchar(200)		X	
	TertiaryDisabilityType	varchar(200)		X	
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	
	<i>Update System User ID</i>				

	UpdateAgencyID <i>Update Agency ID</i>	int		X	
	UpdateActionID <i>Update Action ID</i>	int		X	
	OptionCode	int		X	
	UpdateVersion	timestamp		X	
	AutismSpectrumDisorderCode <i>Autism Spectrum Disorder-ASD</i>	int		X	
	CognitiveImpairmentCode <i>Cognitive Impairment-CI</i>	int		X	
	DeafBlindnessCode <i>Deaf-Blindness-DB</i>	int		X	
	EarlyChildhoodDevelopmentDelayCode <i>Early Childhood Developmental Delay-ECDD</i>	int		X	
	EmotionalImpairmentCode <i>Emotional Impairment-EI</i>	int		X	
	OtherHealthImpairmentCode <i>Other Health Impairment-OHI</i>	int		X	
	PhysicalImpairmentCode <i>Physical Impairment-PI</i>	int		X	
	SevereMultipleImpairmentCode <i>Severe Multiple Impairment-SXI</i>	int		X	
	TraumaticBrainInjuryCode <i>Traumatic Brain Injury-TBI</i>	int		X	

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewContactIntake

View dbo.ViewFamilyMemberQuickAdd

View dbo.ViewPersonAuditHistory

View dbo.ViewStudentDisability

View dbo.ViewStudentQuickAdd

View dbo.ViewStudents

View dbo.ViewVolunteerIntake

Table **dbo.DocumentImage**

	Column	Data Type	Identity	Nullable	Default
PK	DocumentImageID	int	X		
	TableName	varchar(100)		X	
	<i>Area</i>				
	TableID	int		X	
	DocumentName	varchar(100)		X	
	<i>Document Name</i>				
	DocumentTypeCode	int		X	
	<i>Document Type</i>				
	Keywords	varchar(200)		X	
	ContentType	varchar(200)		X	
	ContentLength	int		X	
	DocExtension	varchar(10)		X	
	DocImage	image		X	

CreationDate	datetime		X	
<i>Creation Date</i>				
LastUpdate	datetime		X	
<i>Date</i>				
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	
<i>Update System User ID</i>				
UpdateAgencyID	int		X	
<i>Update Agency ID</i>				
UpdateActionID	int		X	
<i>Update Action ID</i>				
UpdateVersion	int		X	
ExternalProviderID	int		X	
<i>External Provider ID</i>				
ExternalID	int		X	
<i>External ID</i>				

Used by:

View dbo.ViewStudentDocumentImage

View dbo.ViewTutorDocumentImage

Table dbo.DonationReceived

	Column	Data Type	Identity	Nullable	Default
PK	DonationReceivedID	int	X		
FK	DonorID	int			
<i>Donor ID</i>					
	DateReceived	smalldatetime			
<i>Date</i>					
	DonationTypeCode	int		X	
<i>Donation Type</i>					
	DonationValue	decimal(11,2)		X	
<i>Value</i>					
	Deductable	decimal(11,2)		X	
<i>Deductible</i>					
	ReceiptNumber	varchar(50)		X	
	CampaignCode	int		X	
<i>Campaign</i>					
	Memorial	bit		X	
	Note	varchar(255)		X	
<i>Comment</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	AgencyID	int		X	
<i>Agency ID</i>					

References:**dbo.Donor** (*DonorID*)**Used by:****View dbo.ViewDonationsReceived****Table dbo.Donor**

	Column	Data Type	Identity	Nullable	Default
PK	DonorID <i>Donor ID</i>	int	X		
	DonorDisplayName <i>Display Donor Name As</i>	varchar(100)		X	
	DonorSourceTypeCode <i>Donor Source Type</i>	int		X	
	DonorSourceNameCode <i>Donor Source Name</i>	int		X	
	DonationTypeCode <i>Donation Type</i>	int		X	
	DonorMailPreferenceCode <i>Donor Mail Preference</i>	int		X	
	DonorCallPreferenceCode <i>Donor Call Preference</i>	int		X	
	TotalDonated <i>Total Donations</i>	decimal(11,2)		X	
	TotalPledged <i>Total Pledged</i>	decimal(11,2)		X	
	CurrentBalance <i>Current Balance</i>	decimal(11,2)		X	
	LastGiftAmount <i>Amount of Last Donation</i>	decimal(11,2)		X	
	LastGiftDate <i>Date of Last Donation</i>	smalldatetime		X	
	LastPledgeAmount <i>Last Pledge Amount</i>	decimal(11,2)		X	
	LastPledgeDate <i>Last Pledge Date</i>	smalldatetime		X	
	VolunteerLocationCode <i>Volunteer Location Code</i>	int		X	
	LastContactDate <i>Last Contact Date</i>	smalldatetime		X	
	LastPersonIDContacting <i>Last Person ID Contacting</i>	smalldatetime		X	
	NextContactDate <i>Next Contact Date</i>	smalldatetime		X	
	DonorKeywordCode <i>Donor Keyword</i>	int		X	
	DonorStatusCode <i>Overall Status</i>	int		X	
	FileLocation <i>File Location</i>	varchar(50)		X	
	CreationDate <i>Creation Date</i>	datetime		X	
	LastUpdate <i>Date</i>	datetime		X	
	AgencyID <i>Agency ID</i>	int		X	

	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
FK	PersonID	int		X	
FK	InstitutionID	int		X	
	DonationAsPrivatePerson	bit		X	
<i>Donation as Person</i>					
	DateFirstIntake	datetime		X	
<i>Intake Date</i>					

References:

dbo.AffiliatedInstitution (*InstitutionID -> AffiliatedInstitutionID*)

dbo.Person (*PersonID*)

Referenced by:

dbo.DonationReceived (*DonorID*)

dbo.DonorComment (*DonorID*)

dbo.DonorHistory (*DonorID*)

Used by:

View dbo.ViewDonationsReceived

View dbo.ViewDonorHeader

View dbo.ViewDonorKeyInfo

View dbo.ViewDonorQuickAdd

View dbo.ViewDonors

Table dbo.DonorComment

	Column	Data Type	Identity	Nullable	Default
PK	DonorCommentID	int	X		
FK	DonorID	int			
<i>Donor ID</i>					
	DonorCommentTypeCode	int			
<i>Comment Type</i>					
	DonorCommentDate	smalldatetime		X	
<i>Date</i>					
	SystemUserID	int			
	Comment	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					

	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Donor (*DonorID*)

Used by:

View dbo.ViewDonorComments

Table dbo.DonorHistory

	Column	Data Type	Identity	Nullable	Default
PK	DonorHistoryID	int	X		
FK	DonorID	int			
<i>Donor ID</i>					
	StartDate	datetime			
<i>Start Date</i>					
	EndDate	datetime		X	
<i>End Date</i>					
	StatusCode	int		X	
<i>Enroll Status</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Donor (*DonorID*)

Used by:

View dbo.ViewDonorStatusHistory

Table dbo.Family

	Column	Data Type	Identity	Nullable	Default
PK	FamilyID	int	X		
<i>Family ID</i>					
	FamilyName	varchar(100)			
<i>Family Name</i>					
	FamilyStatusCode	int			
<i>Status</i>					
	FamilyTypeCode	int		X	
<i>Family Type</i>					
	FamilyKeywordCode	int		X	
<i>Family Keyword</i>					

	HeadHouseholdPersonID	int		X	
<i>Head of Household Person ID</i>					
	EmergencyContactPersonID	int		X	
<i>Emergency Contact Person ID</i>					
	FamilyUniqueNumber	varchar(100)		X	
<i>Family Unique Number</i>					
	TotalAdults	int		X	
	TotalChildren	int		X	
	TotalDependents	int		X	
	TotalAdultStudents	int		X	
	TotalChildrenServed	int		X	
	DateIntake	datetime		X	
<i>Intake Date</i>					
	FirstActiveDate	datetime		X	
	LastHoursDate	datetime		X	
<i>Last Hours Date</i>					
	CurFYHours	real		X	
	LifetimeHoursServed	real		X	
	LifetimeDays	int		X	
	CurFYDays	int		X	
	FamilyAnnualIncomeCode	int		X	
	PrimaryEthnicityCode	int		X	
<i>Ethnicity</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

Referenced by:

dbo.FamilyStatusHistory (*FamilyID*)

Used by:

View dbo.ViewFamily

View dbo.ViewFamilyHeader

View dbo.ViewFamilyMemberQuickAdd

View dbo.ViewFamilyMembers

View dbo.ViewFamilyQuickAdd

Table dbo.FamilyMember

	Column	Data Type	Identity	Nullable	Default
PK	FamilyMemberID	int	X		
	FamilyID	int			
<i>Family ID</i>					
FK	PersonID	int			

	FamilyMemberRoleCode	int		X	
	<i>Role</i>				
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	
	<i>Update Action ID</i>				
	UpdateVersion	timestamp		X	

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewFamilyMemberQuickAdd

View dbo.ViewFamilyMembers

Table dbo.FamilyStatusHistory

	Column	Data Type	Identity	Nullable	Default
PK	FamilyStatusHistoryID	int	X		
FK	FamilyID	int		X	
	<i>Family ID</i>				
	FamilyStatusCode	int		X	
	<i>Status</i>				
	StatusDate	smalldatetime		X	
	<i>Start Date</i>				
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	
	<i>Update Action ID</i>				
	UpdateVersion	timestamp		X	

References:

dbo.Family (*FamilyID*)

Used by:

View dbo.ViewFamilyStatusHistory

Table dbo.FeesAndPayments

	Column	Data Type	Identity	Nullable	Default
PK	FeesAndPaymentsID	int	X		
	FeePaymentDate	datetime		X	
<i>Date</i>					
	PersonID	int		X	
FK	ClassRegistrationID	int		X	
<i>Class Enrollment</i>					
	FeePaymentTypeCode	int		X	
<i>Type</i>					
	DueAmount	money		X	
<i>Due Amount</i>					
	PaidAmount	money		X	
<i>Paid Amount</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	PaymentMethodCode	int		X	
<i>Payment Method</i>					
	Receipt	varchar(25)		X	
	Comment	varchar(1024)		X	

References:

dbo.ClassRegistration (*ClassRegistrationID*)

Used by:

View dbo.ViewPersonFeesAndPayments

Table **dbo.FiscalYearData**

	Column	Data Type	Identity	Nullable	Default
PK	FiscalYearDataID	int	X		
FK	FiscalYearRecordID	int			
<i>Fiscal Year Reporting ID</i>					
	PersonID	int			
FK	FieldNameCode	int			
	FieldValue	varchar(500)		X	
<i>Value</i>					
	FieldType	int		X	
<i>Type</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateVersion	timestamp		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	

Date					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					

References:

dbo.FiscalYearDataFieldName (*FieldNameCode -> FiscalYearDataFieldNameID*)

dbo.FiscalYearRecord (*FiscalYearRecordID*)

Used by:

View dbo.ViewFiscalYearData

View dbo.ViewFiscalYearDataPivot

Table dbo.FiscalYearDataCategory

	Column	Data Type	Identity	Nullable	Default
PK	FiscalYearDataCategoryID	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Referenced by:

dbo.FiscalYearDataFieldName (*DataCategoryCode -> FiscalYearDataCategoryID*)

Used by:

View dbo.ViewFiscalYearData

Table dbo.FiscalYearDataFieldName

	Column	Data Type	Identity	Nullable	Default
PK	FiscalYearDataFieldNameID	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	FieldType	varchar(150)		X	

Type					
	CreationDate <i>Creation Date</i>	datetime		X	
Date					
	Visible	smallint		X	
Agency ID					
	UpdateSystemUserID <i>Update System User ID</i>	int		X	
Update Agency ID					
	UpdateAgencyID <i>Update Action ID</i>	int		X	
Update Action ID					
FK	DataCategoryCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

References:

dbo.FiscalYearDataCategory (*DataCategoryCode -> FiscalYearDataCategoryID*)

Referenced by:

dbo.FiscalYearData (*FieldNameCode -> FiscalYearDataFieldNameID*)

Used by:

View dbo.ViewFiscalYearData

View dbo.ViewFiscalYearDataPivot

Table dbo.FiscalYearRecord

	Column	Data Type	Identity	Nullable	Default
FK	PersonID	int			
PK	FiscalYearRecordID <i>Fiscal Year Reporting ID</i>	int	X		
Fiscal Year Reporting ID					
	FiscalYear <i>Fiscal Year</i>	char(9)		X	
	BeginDate	datetime		X	
FK	ReportingSystemCode <i>Reporting System</i>	int		X	
	Completed	bit		X	
	DateCompleted <i>Date Completed</i>	datetime		X	
	Reviewed	bit		X	
	ReviewedBySystemUserID	int		X	
	CreationDate <i>Creation Date</i>	datetime		X	
	LastUpdate <i>Date</i>	datetime		X	
	AgencyID <i>Agency ID</i>	int		X	
	UpdateSystemUserID <i>Update System User ID</i>	int		X	
	UpdateAgencyID <i>Update Agency ID</i>	int		X	
	UpdateActionID <i>Update Action ID</i>	int		X	

	UpdateVersion	timestamp		X	
	FiscalYearRecordTypeCode	int		X	

References:

dbo.OT_ReportingSystem (*ReportingSystemCode -> OptionUniqueCode*)

dbo.Person (*PersonID*)

Referenced by:

dbo.FiscalYearData (*FiscalYearRecordID*)

Used by:

View dbo.ViewAgencyStudentFiscalYearRecords

View dbo.ViewFiscalYearData

View dbo.ViewFiscalYearRecords

View dbo.ViewStaffFiscalYearRecords

Table dbo.Goals

	Column	Data Type	Identity	Nullable	Default
FK	PersonID	int			
PK	GoalID	int	X		
<i>Goal ID</i>					
	SuperOrdinateGoalID	int		X	
	GoalCode	int			
<i>Goal</i>					
	GoalStatusCode	int			
<i>Status</i>					
	Priority	tinyint		X	
	GoalOrder	tinyint		X	
	DataSet	smalldatetime			
<i>Date Set</i>					
	DateMet	smalldatetime		X	
<i>Date Met</i>					
	ShortDescription	varchar(255)		X	
<i>Session Type</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	SurveyFYCode	int		X	
	SurveyIncluded	bit		X	
<i>Included in Survey</i>					
	SurveyResponded	bit		X	
<i>Responded to Survey</i>					
	UpdateVersion	timestamp		X	
	SevenDayFollowup	bit		X	

<i>7 Day Follow-up</i>					
FourteenDayFollowup	bit		X		
<i>14 Day Follow-up</i>					
ThirtyDayFollowup	bit		X		
<i>30 Day Follow-up</i>					
SixtDayFollowup	bit		X		
<i>60 Day Follow-up</i>					
NinetyDayFollowup	bit		X		
<i>90 Day Follow-up</i>					
OneTwentyDayFollowup	bit		X		
<i>120 Day Follow-up</i>					
Beyond120DayFollowup	bit		X		
<i>Beyond 120 Day Follow-up</i>					
MatchedByDeptOfLabor	bit		X	0	
<i>Matched by Dept. of Labor</i>					

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewAgencyStudentGoals

View dbo.ViewPersonGoals

Table dbo.HealthData

	Column	Data Type	Identity	Nullable	Default
PK	HealthDataID	int	X		
FK	PersonID	int			
	DiseasesIllnessesandOtherHealthConditions	varchar(200)		X	
<i>Medical Condition</i>					
	MedicalTreatment	varchar(200)		X	
<i>Medical Treatment</i>					
	SchoolHealthEmergencyAction	varchar(2048)		X	
	MedicalConditionType	varchar(200)		X	
	SubstanceAbuseDescription	varchar(200)		X	
	RoutineHealthCareProcedureRequiredatSchool	varchar(200)		X	
<i>Health Care Required at School</i>					
	HealthConditionProgressReport	varchar(200)		X	
	HealthCareHistoryEpisodeDate	varchar(200)		X	
	OverallDiagnosisInterpretationofVision	varchar(200)		X	
<i>Vision Evaluation</i>					
	OverallDiagnosisInterpretationofHearing	varchar(200)		X	
<i>Hearing Evaluation</i>					
	OverallDiagnosisInterpretationofSpeechandLanguage	varchar(200)		X	
<i>Speech and Language Evaluation</i>					
	ServiceAlternatives	varchar(200)		X	
	CorrectiveEquipmentPrescribed	varchar(200)		X	
	CorrectiveEquipmentPurpose	varchar(200)		X	
	DiagnosisofCausativeFactor	varchar(200)		X	
	ConditionOnsetDate	varchar(200)		X	
	TuberculosisTestType	varchar(200)		X	
	MedicalLaboratoryProcedureResults	varchar(200)		X	
	SpecialDietConsiderations	varchar(200)		X	
<i>Special Diet Considerations</i>					
	EmergencyFactor	varchar(200)		X	
	RelatedEmergencyNeeds	varchar(200)		X	

	InsuranceCoverage	varchar(200)		X	
	HealthCarePlan	varchar(200)		X	
	HospitalPreference	varchar(200)		X	
	MedicalWaiver	varchar(200)		X	
	ReligiousConsideration	varchar(200)		X	
	OtherSpecialHealthNeedsInformationorInstructions	varchar(200)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	Allergies	varchar(200)		X	
	HandednessCode	int		X	
<i>Handedness</i>					
	NonmedicalTherapy	varchar(200)		X	
<i>Non-medical Therapy</i>					

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewPersonAuditHistory

View dbo.ViewPersonHealthData

View dbo.ViewStudents

Table dbo.LevelHistory

	Column	Data Type	Identity	Nullable	Default
PK	LevelHistoryID	int	X		
FK	PersonID	int			
	LevelHistoryDate	smalldatetime		X	
<i>Date</i>					
	LevelCode	int		X	
<i>Current Level</i>					
	DomainCode	int		X	
<i>Domain</i>					
FK	AssessmentID	int		X	
<i>Assessment ID</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	

<i>Update Agency ID</i>					
UpdateActionID	int		X		
<i>Update Action ID</i>					
UpdateVersion	timestamp		X		

References:

dbo.Assessment (*AssessmentID*)

dbo.Person (*PersonID*)

Used by:

View dbo.ViewPersonLevelHistory

Table dbo.Material

	Column	Data Type	Identity	Nullable	Default
PK	MaterialID <i>Material ID</i>	int	X		
<i>Material Name</i>					
	MaterialName <i>Material Name</i>	varchar(200)		X	
<i>Copy Number</i>					
	CopyNumber <i>Copy Number</i>	int		X	
<i>Material Type</i>					
	Cost <i>Material Keyword</i>	money		X	
	MaterialTypeCode <i>Material Type</i>	int		X	
<i>Material Keyword</i>					
	MaterialKeywordCode <i>Material Level</i>	int		X	
<i>Material Level</i>					
	MaterialLevelCode <i>Program</i>	int		X	
<i>Program</i>					
	ProgramID <i>Material Status</i>	int		X	
<i>Material Status</i>					
	MaterialStatusCode <i>Creation Date</i>	int		X	
	DateAcquired <i>Date</i>	datetime		X	
	DateRemovedFromService <i>Agency ID</i>	datetime		X	
	Custom1 <i>Agency ID</i>	varchar(50)			
	Custom2 <i>Update System User ID</i>	varchar(50)		X	
	Custom3 <i>Update Agency ID</i>	varchar(50)		X	
	CreationDate <i>Update Agency ID</i>	datetime		X	
<i>Creation Date</i>					
	LastUpdate <i>Date</i>	datetime		X	
	AgencyID <i>Update System User ID</i>	int		X	
	UpdateSystemUserID <i>Update Agency ID</i>	int		X	
	UpdateAgencyID <i>Update Action ID</i>	int		X	
	UpdateActionID <i>Update Version</i>	timestamp		X	
	UpdateVersion				

Referenced by:

dbo.CheckOut (*MaterialID*)

Used by:

View dbo.ViewCheckout
View dbo.ViewMaterialQuickAdd
View dbo.ViewMaterials
View dbo.ViewPersonCheckout

Table dbo.OT_Abuse

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int			
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonDemographic
View dbo.ViewStudents
View dbo.ViewTutors

Table dbo.OT_Accommodation

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	

Update Agency ID					
UpdateActionID	int		X		
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewPersonAccommodations

Table dbo.OT_AccreditingBody

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonDiplomaCredential

Table dbo.OT_AddressType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	
Update System User ID					
	UpdateAgencyID	int		X	
Update Agency ID					

	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonAddresses

Table dbo.OT_AdmissionStatus

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentEducation

View dbo.ViewStudentQuickAdd

View dbo.ViewStudents

Table dbo.OT_Area

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					

	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewAgencyKeyInfo

View dbo.ViewContacts

View dbo.ViewPerson

View dbo.ViewPersonAddresses

View dbo.ViewPersonDemographic

View dbo.ViewStudents

View dbo.ViewTutors

View dbo.ViewVolunteers

Table dbo.OT_AreaType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonAddresses

Table dbo.OT_AssessmentMeasure

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					

	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
FK	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
FK	DomainCode	int		X	
<i>Domain</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

References:

dbo.OT_Domain (*AgencyID, DomainCode -> AgencyID, OptionCode*)

Referenced by:

dbo.AssessmentSubtest (*AgencyID, AssessmentMeasureCode -> AgencyID, OptionCode*)

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewPersonAssessments

Table **dbo.OT_AssessmentStatus**

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:**View dbo.ViewStudentEducation****View dbo.ViewStudentHeader****View dbo.ViewStudents****View dbo.ViewStudentSummary****Table dbo.OT_AssignmentStatus**

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:**View dbo.ViewClassStaffAssignment****View dbo.ViewStaffClassAssignment****View dbo.ViewTutorGroupAssignment****Table dbo.OT_AtRisk**

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int			
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	

Update Agency ID					
	UpdateActionID	int		X	
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonDemographic

View dbo.ViewStudents

View dbo.ViewTutors

Table dbo.OT_AutismSpectrumDisorder

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	
Update System User ID					
	UpdateAgencyID	int		X	
Update Agency ID					
	UpdateActionID	int		X	
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_BirthCountry

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	

<i>Agency ID</i>					
UpdateSystemUserID	int		X	0	
<i>Update System User ID</i>					
UpdateAgencyID	int		X	0	
<i>Update Agency ID</i>					
UpdateActionID	int		X	0	
<i>Update Action ID</i>					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewDonors

View dbo.ViewPersonDemographic

View dbo.ViewStaffMembers

View dbo.ViewStudents

View dbo.ViewTutors

View dbo.ViewVolunteers

Table dbo.OT_BuildingRoom

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassSectionQuickAdd

View dbo.ViewClassSections

View dbo.ViewGroupKeyInfo

View dbo.ViewGroups

View dbo.ViewPersonWorkshops

View dbo.ViewStaffClassAssignment

View dbo.ViewStudentClassRegistrations

View dbo.ViewStudentEnrollments

View dbo.ViewWorkshopKeyInfo

View dbo.ViewWorkshops

Table dbo.OT_Campaign

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewDonationsReceived

Table dbo.OT_CheckOutStatus

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			

	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewCheckout

View dbo.ViewPersonCheckout

Table dbo.OT_CheckoutType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewCheckout

Table dbo.OT_ClassKeyword

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			

	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassSectionQuickAdd

View dbo.ViewClassSections

View dbo.ViewStudentEnrollments

Table dbo.OT_ClassMeetsRequirement

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassPersonRegistration

View dbo.ViewClassSections

View dbo.ViewGroupStudents

View dbo.ViewPersonTranscriptClassRegistrations

View dbo.ViewStudentClassRegistrations

View dbo.ViewStudentEnrollments

View dbo.ViewWorkshopRegistration

Table dbo.OT_ClassOrganization

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					

LastUpdate	datetime		X	
<i>Date</i>				
Visible	smallint		X	
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	0
<i>Update System User ID</i>				
UpdateAgencyID	int		X	0
<i>Update Agency ID</i>				
UpdateActionID	int		X	0
<i>Update Action ID</i>				
OptionCode	int			
DisplayOrder	int		X	
UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassSectionQuickAdd

View dbo.ViewClassSections

View dbo.ViewGroupKeyInfo

View dbo.ViewGroups

View dbo.ViewWorkshopKeyInfo

View dbo.ViewWorkshops

Table dbo.OT_ClassSectionCommentType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassSectionComment

Table dbo.OT_ClassSectionType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassSectionQuickAdd
View dbo.ViewClassSections
View dbo.ViewGroupKeyInfo
View dbo.ViewGroupQuickAdd
View dbo.ViewGroups
View dbo.ViewGroupStudents
View dbo.ViewPersonClassHoursAttended
View dbo.ViewPersonWorkshops
View dbo.ViewStaffClassAssignment
View dbo.ViewStudentClassRegistrations
View dbo.ViewStudentEnrollments

Table dbo.OT_ClassSite

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0

Update System User ID					
UpdateAgencyID	int		X	0	
Update Agency ID					
UpdateActionID	int		X	0	
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewClassSectionQuickAdd

View dbo.ViewClassSections

View dbo.ViewGroupKeyInfo

View dbo.ViewGroups

View dbo.ViewWorkshopKeyInfo

View dbo.ViewWorkshops

Table dbo.OT_ClassStatus

	Column	Data Type	Identity	Nullable	Default
PK	Column	Data Type	Identity	Nullable	Default
	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassSectionQuickAdd

View dbo.ViewClassSections

View dbo.ViewGroupKeyInfo

View dbo.ViewGroups

View dbo.ViewWorkshopKeyInfo

View dbo.ViewWorkshops

Table dbo.OT_CognitiveImpairment

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

[View dbo.ViewStudentDisability](#)

[View dbo.ViewStudents](#)

Table dbo.OT_CohortType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

[View dbo.ViewFollowUpOutcomes](#)

View dbo.ViewStudentCohorts

Table dbo.OT_CommentType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	Context	int		X	
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonComments

View dbo.ViewStudentComments

Table dbo.OT_ContactKeyword

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:**View dbo.ViewContactHeader****View dbo.ViewContacts****Table dbo.OT_ContactStatus**

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:**View dbo.ViewContactHeader****View dbo.ViewContacts****View dbo.ViewContactStatusHistory****Table dbo.OT_ContactType**

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					

	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewContactHeader

View dbo.ViewContacts

Table dbo.OT_Correctional

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewContacts

View dbo.ViewPerson

View dbo.ViewPersonDemographic

View dbo.ViewStudents

View dbo.ViewTutors

View dbo.ViewVolunteers

Table dbo.OT_Country

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	

AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	
<i>Update System User ID</i>				
UpdateAgencyID	int		X	
<i>Update Agency ID</i>				
UpdateActionID	int		X	
<i>Update Action ID</i>				
OptionCode	int			
DisplayOrder	int		X	
UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonAddresses

Table dbo.OT_CountryOfCitizenship

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewDonors

View dbo.ViewPersonDemographic

View dbo.ViewStaffMembers

View dbo.ViewStudents

View dbo.ViewTutors

View dbo.ViewVolunteers

Table dbo.OT_CountyFIPS

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	

Session Type					
LongDescription	varchar(1024)		X		
CreationDate	datetime		X		
Creation Date					
LastUpdate	datetime		X		
Date					
Visible	smallint		X		
AgencyID	int		X		
Agency ID					
UpdateSystemUserID	int		X		
Update System User ID					
UpdateAgencyID	int		X		
Update Agency ID					
UpdateActionID	int		X		
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewAgencyKeyInfo
View dbo.ViewContacts
View dbo.ViewDonorKeyInfo
View dbo.ViewPairs
View dbo.ViewPersonAddresses
View dbo.ViewStaffMemberQuickAdd
View dbo.ViewStaffMembers
View dbo.ViewStudentKeyInfo
View dbo.ViewStudents
View dbo.ViewTutorHeader
View dbo.ViewTutors
View dbo.ViewVolunteers

Table dbo.OT_CredentialCertificationType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0

Update Agency ID					
UpdateActionID	int		X	0	
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewPersonDiplomaCredential

Table dbo.OT_Deaf

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int			
Agency ID					
	UpdateSystemUserID	int		X	
Update System User ID					
	UpdateAgencyID	int		X	
Update Agency ID					
	UpdateActionID	int		X	
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_DeafBlindness

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	
Update System User ID					
	UpdateAgencyID	int		X	

Update Agency ID					
	UpdateActionID	int		X	
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_Department

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassSectionQuickAdd

View dbo.ViewClassSections

View dbo.ViewGroupKeyInfo

View dbo.ViewGroups

View dbo.ViewStudentEnrollments

View dbo.ViewWorkshopKeyInfo

View dbo.ViewWorkshopQuickAdd

View dbo.ViewWorkshops

Table dbo.OT_DiplomaCredentialType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	

Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonDiplomaCredential

Table dbo.OT_Disabled

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStaffMembers

Table dbo.OT_District

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					

	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
<i>Agency ID</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewAgencyKeyInfo

View dbo.ViewPersonAddresses

View dbo.ViewPersonDemographic

View dbo.ViewPersonPostsecondaryInstruction

View dbo.ViewStaffMembers

View dbo.ViewStudentKeyInfo

View dbo.ViewStudents

View dbo.ViewTutors

Table dbo.OT_DocumentType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
<i>Session Type</i>					
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
<i>Agency ID</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:**View dbo.ViewStudentDocumentImage****View dbo.ViewTutorDocumentImage****Table dbo.OT_Domain**

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Referenced by:**dbo.OT_AssessmentMeasure** (*AgencyID, DomainCode -> AgencyID, OptionCode*)**Used by:****View dbo.ViewAgencyStudentAssessments****View dbo.ViewAgencyStudentFiscalYearRecords****View dbo.ViewPersonAssessments****View dbo.ViewPersonLevelHistory****View dbo.ViewStudentEducation****View dbo.ViewStudentHeader****View dbo.ViewStudentHistory****View dbo.ViewStudentKeyInfo****View dbo.ViewStudents****Table dbo.OT_DonationType**

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	

Creation Date					
LastUpdate	datetime		X		
Date					
Visible	smallint		X		
AgencyID	int		X		
Agency ID					
UpdateSystemUserID	int		X	0	
Update System User ID					
UpdateAgencyID	int		X	0	
Update Agency ID					
UpdateActionID	int		X	0	
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewDonationsReceived

View dbo.ViewDonorHeader

Table dbo.OT_DonorCallPreference

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewDonors

Table dbo.OT_DonorCommentType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	

Creation Date					
LastUpdate	datetime		X		
Date					
Visible	smallint		X		
AgencyID	int		X		
Agency ID					
UpdateSystemUserID	int		X	0	
Update System User ID					
UpdateAgencyID	int		X	0	
Update Agency ID					
UpdateActionID	int		X	0	
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewDonorComments

Table dbo.OT_DonorKeyword

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewDonorHeader

View dbo.ViewDonors

Table dbo.OT_DonorSourceName

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	

Creation Date					
LastUpdate	datetime		X		
Date					
Visible	smallint		X		
AgencyID	int		X		
Agency ID					
UpdateSystemUserID	int		X	0	
Update System User ID					
UpdateAgencyID	int		X	0	
Update Agency ID					
UpdateActionID	int		X	0	
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewDonors

Table dbo.OT_DonorSourceType

	Column	Data Type	Identity	Nullable	Default
PK	Column	Data Type	Identity	Nullable	Default
	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewDonors

Table dbo.OT_DonorStatus

	Column	Data Type	Identity	Nullable	Default
PK	Column	Data Type	Identity	Nullable	Default
	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					

LastUpdate	datetime		X	
<i>Date</i>				
Visible	smallint		X	
<i>AgencyID</i>				
<i>Agency ID</i>				
UpdateSystemUserID	int		X	0
<i>Update System User ID</i>				
UpdateAgencyID	int		X	0
<i>Update Agency ID</i>				
UpdateActionID	int		X	0
<i>Update Action ID</i>				
OptionCode	int			
DisplayOrder	int		X	
UpdateVersion	timestamp		X	

Used by:

View dbo.ViewDonorHeader

View dbo.ViewDonors

View dbo.ViewDonorStatusHistory

Table dbo.OT_EarlyChildhoodDevelopmentDelay

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_ElectronicEmailAddressType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	

Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonAddresses

Table dbo.OT_EmergencyContactRelation

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	
Update System User ID					
	UpdateAgencyID	int		X	
Update Agency ID					
	UpdateActionID	int		X	
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentKeyInfo

View dbo.ViewStudents

Table dbo.OT_EmotionalImpairment

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	

Session Type					
LongDescription	varchar(1024)		X		
CreationDate	datetime		X		
Creation Date					
LastUpdate	datetime		X		
Date					
Visible	smallint		X		
AgencyID	int		X		
Agency ID					
UpdateSystemUserID	int		X		
Update System User ID					
UpdateAgencyID	int		X		
Update Agency ID					
UpdateActionID	int		X		
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_EmploymentStatus

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	
Update System User ID					
	UpdateAgencyID	int		X	
Update Agency ID					
	UpdateActionID	int		X	
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPerson

View dbo.ViewPersonDemographic

View dbo.ViewPersonWorkHistory

Table dbo.OT_EnrollmentType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonTranscriptClassRegistrations

Table dbo.OT_EntryType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudents

Table dbo.OT_ESL

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentEducation

Table dbo.OT_Ethnicity

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	SuperordinateCode	int			
	EthnityID	int		X	
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewAgencyStudentFiscalYearRecords

View dbo.ViewAgencyStudentGoals

View dbo.ViewContacts

View dbo.ViewDonors

View dbo.ViewFamilyMembers

View dbo.ViewPairStudentEnrollments

View dbo.ViewPerson

View dbo.ViewPersonDemographic

View dbo.ViewStaffMemberQuickAdd

View dbo.ViewStaffMembers

View dbo.ViewStudentEnrollments

View dbo.ViewStudentHeader

View dbo.ViewStudentKeyInfo

View dbo.ViewStudents

View dbo.ViewTutorHeader

View dbo.ViewTutors

View dbo.ViewVolunteers

Table dbo.OT_FamilyIncomeRange

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	FamilyIncomeRangeBegin	smallmoney		X	
	FamilyIncomeRangeEnd	smallmoney		X	
	RangeSystem	char(10)		X	
	ValidDateFrom	smalldatetime		X	
	ValidDateUntil	smalldatetime		X	
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewContacts
View dbo.ViewFamily
View dbo.ViewPerson
View dbo.ViewPersonDemographic
View dbo.ViewStudents
View dbo.ViewTutors
View dbo.ViewVolunteers

Table dbo.OT_FamilyKeyword

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewFamily
View dbo.ViewFamilyHeader

Table dbo.OT_FamilyMemberRole

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					

	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewFamilyMembers

Table dbo.OT_FamilyStatus

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
<i>Session Type</i>					
	ShortDescription	varchar(150)		X	
<i>Creation Date</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Date</i>					
	LastUpdate	datetime		X	
<i>Agency ID</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Update System User ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update Agency ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Action ID</i>					
	UpdateActionID	int		X	0
<i>OptionCode</i>					
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewFamily

View dbo.ViewFamilyHeader

View dbo.ViewFamilyStatusHistory

Table dbo.OT_FamilyType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
<i>Session Type</i>					
	ShortDescription	varchar(150)		X	
<i>Creation Date</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Date</i>					
	LastUpdate	datetime		X	
<i>Visible</i>					
	Visible	smallint		X	

AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	0
<i>Update System User ID</i>				
UpdateAgencyID	int		X	0
<i>Update Agency ID</i>				
UpdateActionID	int		X	0
<i>Update Action ID</i>				
OptionCode	int			
DisplayOrder	int		X	
UpdateVersion	timestamp		X	

Used by:

View dbo.ViewFamily

View dbo.ViewFamilyHeader

Table dbo.OT_FeePaymentType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonFeesAndPayments

Table dbo.OT_FileSecurity

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	

AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	0
<i>Update System User ID</i>				
UpdateAgencyID	int		X	0
<i>Update Agency ID</i>				
UpdateActionID	int		X	0
<i>Update Action ID</i>				
OptionCode	int			
DisplayOrder	int		X	
UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentEducation

View dbo.ViewStudents

Table dbo.OT_FiscalYear

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewPairKeyInfo

View dbo.ViewPairs

View dbo.ViewPairStudentEnrollments

View dbo.ViewPersonAssessments

View dbo.ViewStaffMembers

View dbo.ViewStudentPairs

View dbo.ViewStudents

[View dbo.ViewStudentSummary](#)

[View dbo.ViewTutorPairs](#)

Table dbo.OT_FundingStream

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	
	NRSFundable	bit		X	0

Used by:

[View dbo.ViewStudentKeyInfo](#)

[View dbo.ViewStudentQuickAdd](#)

[View dbo.ViewStudents](#)

Table dbo.OT_Gender

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			

	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewAgencyStudentAssessments
View dbo.ViewAgencyStudentGoals
View dbo.ViewDonors
View dbo.ViewFamilyMembers
View dbo.ViewPairStudentEnrollments
View dbo.ViewPerson
View dbo.ViewPersonDemographic
View dbo.ViewStaffMemberQuickAdd
View dbo.ViewStaffMembers
View dbo.ViewStudentEnrollments
View dbo.ViewStudentKeyInfo
View dbo.ViewStudents
View dbo.ViewTutorHeader
View dbo.ViewTutors
View dbo.ViewVolunteers

Table dbo.OT_Goal

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	ApplicablePersonRoleCode	int		X	
	GoalCategoryCode	int		X	
	GoalTypeCode	int		X	
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:**View dbo.ViewAgencyStudentGoals****View dbo.ViewPersonGoals****Table dbo.OT_GoalCategory**

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:**View dbo.ViewAgencyStudentGoals****View dbo.ViewPersonGoals****Table dbo.OT_GoalStatus**

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	

	UpdateVersion	timestamp		X	
--	---------------	-----------	--	---	--

Used by:

View dbo.ViewAgencyStudentGoals

View dbo.ViewPersonGoals

Table dbo.OT_GoalType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewAgencyStudentGoals

View dbo.ViewPersonGoals

Table dbo.OT_GradeLevel

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					

	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentEducation

View dbo.ViewStudentQuickAdd

View dbo.ViewStudents

Table dbo.OT_GradeLevelLocation

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentEducation

View dbo.ViewStudentQuickAdd

View dbo.ViewStudents

Table dbo.OT_Handedness

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0

Update System User ID					
UpdateAgencyID	int		X	0	
Update Agency ID					
UpdateActionID	int		X	0	
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewPersonHealthData

View dbo.ViewStudents

Table dbo.OT_HearingImpaired

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int			
Agency ID					
	UpdateSystemUserID	int		X	
Update System User ID					
	UpdateAgencyID	int		X	
Update Agency ID					
	UpdateActionID	int		X	
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_HighestLevelofEducationCompleted

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	

<i>Agency ID</i>					
UpdateSystemUserID	int		X	0	
<i>Update System User ID</i>					
UpdateAgencyID	int		X	0	
<i>Update Agency ID</i>					
UpdateActionID	int		X	0	
<i>Update Action ID</i>					
EdLocation	char(1)		X		
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewPersonDemographic

View dbo.ViewStaffMemberQuickAdd

View dbo.ViewStaffMembers

View dbo.ViewStudentEducation

View dbo.ViewStudents

View dbo.ViewTutorHeader

View dbo.ViewTutors

View dbo.ViewVolunteerKeyInfo

View dbo.ViewVolunteers

Table dbo.OT_HoursType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
	<i>Session Type</i>				
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	Visible	smallint		X	
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	0
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	0
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	0
	<i>Update Action ID</i>				
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassPersonHoursAttended

View dbo.ViewPairInstructionalHours

View dbo.ViewPersonClassHoursAttended

View dbo.ViewStudentHours

View dbo.ViewWorkshopAdhocHoursQuickAdd

Table dbo.OT_IdentificationSystem

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	
	ReadOnly	bit		X	

Used by:

View dbo.ViewPersonIdentifier

Table dbo.OT_Industry

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			

	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonDiplomaCredential

Table dbo.OT_Institution

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewContacts

View dbo.ViewPerson

View dbo.ViewPersonDemographic

View dbo.ViewStudents

View dbo.ViewTutors

View dbo.ViewVolunteers

Table dbo.OT_InstructionalArea

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					

	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassSectionQuickAdd

View dbo.ViewClassSections

View dbo.ViewGroupKeyInfo

View dbo.ViewGroups

View dbo.ViewPersonInstructionalArea

View dbo.ViewWorkshopKeyInfo

View dbo.ViewWorkshops

Table dbo.OT_InstructionalAreaStatus

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonInstructionalArea

Table dbo.OT_InstructionalLevel

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					

	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
<i>Agency ID</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassSectionQuickAdd

View dbo.ViewClassSections

View dbo.ViewGroupKeyInfo

View dbo.ViewGroups

View dbo.ViewGroupStudents

View dbo.ViewPersonWorkshops

View dbo.ViewStudentClassRegistrations

View dbo.ViewStudentEnrollments

View dbo.ViewTutorGroupAssignment

View dbo.ViewWorkshopKeyInfo

View dbo.ViewWorkshopRegistration

View dbo.ViewWorkshops

Table dbo.OT_InstructionLocation

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
<i>Session Type</i>					
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					

	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentKeyInfo

View dbo.ViewStudentQuickAdd

View dbo.ViewStudents

Table dbo.OT_JobClassification

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStaffMemberQuickAdd

View dbo.ViewStaffMembers

View dbo.ViewTutors

Table dbo.OT_Keyword

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	

<i>Agency ID</i>					
UpdateSystemUserID	int		X		
<i>Update System User ID</i>					
UpdateAgencyID	int		X		
<i>Update Agency ID</i>					
UpdateActionID	int		X		
<i>Update Action ID</i>					
SystemTableID	int				
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewAgencyStudentFiscalYearRecords

View dbo.ViewAgencyStudentGoals

View dbo.ViewStudentEducation

View dbo.ViewStudentHeader

View dbo.ViewStudentKeyInfo

View dbo.ViewStudents

Table dbo.OT_Language

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassSections

View dbo.ViewPersonLanguages

Table dbo.OT_LanguageType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonLanguages

Table dbo.OT_LegallyBlind

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int			
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_Level

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	LevelCategory	varchar(20)		X	
	ValidFromDate	smalldatetime		X	
	ValidUntilDate	smalldatetime		X	
	OrdinalValue	int		X	
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Referenced by:

dbo.AssessmentToFFL (*AgencyID, LevelCode -> AgencyID, OptionCode*)

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewAgencyStudentFiscalYearRecords

View dbo.ViewFiscalYearDataPivot

View dbo.ViewPairKeyInfo

View dbo.ViewPairs

View dbo.ViewPersonAssessments

View dbo.ViewPersonLevelHistory

View dbo.ViewStaffClassAssignment

View dbo.ViewStudentEducation

View dbo.ViewStudentHeader

View dbo.ViewStudentKeyInfo

View dbo.ViewStudentPairs

View dbo.ViewStudents

View dbo.ViewTutorHeader

View dbo.ViewTutorPairs

View dbo.ViewTutors

Table dbo.OT_Location

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassSectionQuickAdd

View dbo.ViewClassSections

View dbo.ViewGroupKeyInfo

View dbo.ViewGroupQuickAdd

View dbo.ViewGroups

View dbo.ViewStudentPairs

View dbo.ViewWorkshopKeyInfo

View dbo.ViewWorkshops

Table dbo.OT_MailingPreference

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int			
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	

Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewContactKeyInfo
View dbo.ViewContacts
View dbo.ViewDonorKeyInfo
View dbo.ViewDonors
View dbo.ViewPairs
View dbo.ViewPerson
View dbo.ViewStaffMemberQuickAdd
View dbo.ViewStaffMembers
View dbo.ViewStudentKeyInfo
View dbo.ViewStudents
View dbo.ViewTutorHeader
View dbo.ViewTutors
View dbo.ViewVolunteerKeyInfo
View dbo.ViewVolunteers

Table dbo.OT_MandatedStudentType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentEducation

View dbo.ViewStudents**Table dbo.OT_MaritalStatus**

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int			
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:**View dbo.ViewDonors****View dbo.ViewPersonDemographic****View dbo.ViewStaffMembers****View dbo.ViewStudents****View dbo.ViewTutors****View dbo.ViewVolunteers****Table dbo.OT_MaterialKeyword**

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0

Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewMaterials

Table dbo.OT_MaterialLevel

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
	<i>Session Type</i>				
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	Visible	smallint		X	
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	0
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	0
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	0
	<i>Update Action ID</i>				
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewMaterials

View dbo.ViewPersonCheckout

Table dbo.OT_MaterialStatus

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
	<i>Session Type</i>				
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	Visible	smallint		X	
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	0
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	0
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	0

Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewMaterials

Table dbo.OT_MaterialType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
	<i>Session Type</i>				
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	Visible	smallint		X	
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	0
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	0
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	0
	<i>Update Action ID</i>				
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewCheckout

View dbo.ViewMaterials

View dbo.ViewPersonCheckout

Table dbo.OT_MilitaryServiceExperience

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
	<i>Session Type</i>				
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	Visible	smallint		X	
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	
	<i>Update Agency ID</i>				

Update Agency ID					
UpdateActionID	int		X		
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewPersonDemographic

View dbo.ViewStaffMembers

View dbo.ViewStudents

View dbo.ViewTutors

View dbo.ViewVolunteers

Table dbo.OT_MissingExtremities

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int			
Agency ID					
	UpdateSystemUserID	int		X	
Update System User ID					
	UpdateAgencyID	int		X	
Update Agency ID					
	UpdateActionID	int		X	
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_Mute

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	

Date					
Visible	smallint		X		
AgencyID	int				
<i>Agency ID</i>					
UpdateSystemUserID	int		X		
<i>Update System User ID</i>					
UpdateAgencyID	int		X		
<i>Update Agency ID</i>					
UpdateActionID	int		X		
<i>Update Action ID</i>					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_NonparalyticOrthopedic

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int			
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_Occupation

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	

Creation Date					
LastUpdate	datetime		X		
Date					
Visible	smallint		X		
AgencyID	int		X		
Agency ID					
UpdateSystemUserID	int		X		
Update System User ID					
UpdateAgencyID	int		X		
Update Agency ID					
UpdateActionID	int		X		
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewPersonWorkHistory

Table dbo.OT_OtherHealthImpairment

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	
Update System User ID					
	UpdateAgencyID	int		X	
Update Agency ID					
	UpdateActionID	int		X	
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_PairCommentType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	

Creation Date					
LastUpdate	datetime		X		
Date					
Visible	smallint		X		
AgencyID	int		X		
Agency ID					
UpdateSystemUserID	int		X	0	
Update System User ID					
UpdateAgencyID	int		X	0	
Update Agency ID					
UpdateActionID	int		X	0	
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewPairComment

Table dbo.OT_PairKeyword

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPairKeyInfo

View dbo.ViewPairs

View dbo.ViewPairStudentEnrollments

View dbo.ViewStudentPairs

View dbo.ViewTutorPairs

Table dbo.OT_PairStatus

	Column	Data Type	Identity	Nullable	Default
--	--------	-----------	----------	----------	---------

PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
<i>Creation Date</i>					
	CreationDate	datetime		X	
<i>Date</i>					
	LastUpdate	datetime		X	
<i>Agency ID</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Update System User ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update Agency ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Action ID</i>					
	UpdateActionID	int		X	0
<i>Update Version</i>					
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPairHistory

View dbo.ViewPairKeyInfo

View dbo.ViewPairs

View dbo.ViewStudentPairs

View dbo.ViewTutorPairs

Table dbo.OT_Paralysis

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
<i>Creation Date</i>					
	CreationDate	datetime		X	
<i>Date</i>					
	LastUpdate	datetime		X	
<i>Agency ID</i>					
	Visible	smallint		X	
	AgencyID	int			
<i>Update System User ID</i>					
	UpdateSystemUserID	int		X	
<i>Update Agency ID</i>					
	UpdateAgencyID	int		X	
<i>Update Action ID</i>					
	UpdateActionID	int		X	
<i>Update Version</i>					
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_PaymentMethod

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonFeesAndPayments

Table dbo.OT_PersonalDataItem

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonPreferences

Table dbo.OT_PersonRole

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonPreferences

Table dbo.OT_PhysicalImpairment

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_PostsecondaryCredential

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonPostsecondaryInstruction

Table dbo.OT_PostsecondaryIndustry

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

[View dbo.ViewPersonPostsecondaryInstruction](#)

Table dbo.OT_PostsecondaryInstitution

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

[View dbo.ViewPersonPostsecondaryInstruction](#)

Table dbo.OT_PostsecondaryInstructionType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonPostsecondaryInstruction

Table dbo.OT_PrePost

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonAssessments

Table dbo.OT_ProgramType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonProgramHistory

Table dbo.OT_ReasonLeft

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonProgramHistory

View dbo.ViewPersonTranscriptClassRegistrations

View dbo.ViewStudentEducation

View dbo.ViewStudentKeyInfo

View dbo.ViewStudents

Table dbo.OT_ReferralAgency

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0

Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonReferrals

Table dbo.OT_ReferralCause

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
	<i>Session Type</i>				
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	Visible	smallint		X	
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	
	<i>Update Action ID</i>				
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonReferrals

Table dbo.OT_ReferralPurpose

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
	<i>Session Type</i>				
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	Visible	smallint		X	
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	
	<i>Update Action ID</i>				

	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonReferrals

Table dbo.OT_ReferralStatus

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonReferrals

Table dbo.OT_ReferralType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			

	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonReferrals

Table dbo.OT_RegistrationStatus

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

- View dbo.ViewClassPersonRegistration**
- View dbo.ViewGroupStudents**
- View dbo.ViewPersonProgramHistory**
- View dbo.ViewPersonTranscriptClassRegistrations**
- View dbo.ViewPersonWorkshops**
- View dbo.ViewStudentClassRegistrations**
- View dbo.ViewWorkshopAdhocHoursQuickAdd**
- View dbo.ViewWorkshopRegistration**

Table dbo.OT_ReligiousAffiliation

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					

Visible	smallint		X	
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	
<i>Update System User ID</i>				
UpdateAgencyID	int		X	
<i>Update Agency ID</i>				
UpdateActionID	int		X	
<i>Update Action ID</i>				
OptionCode	int			
DisplayOrder	int		X	
UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonDemographic

Table dbo.OT_ReportngSystem

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	FYCode	int		X	
	StartDate	datetime		X	
<i>Start Date</i>					
	EndDate	datetime		X	
<i>End Date</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	
	Frozen	int		X	

Referenced by:

dbo.FiscalYearRecord (*ReportingSystemCode* -> *OptionUniqueCode*)

Used by:

View dbo.ViewAgencyStudentFiscalYearRecords

View dbo.ViewFiscalYearData

View dbo.ViewFiscalYearRecords

View dbo.ViewFollowUpOutcomes

View dbo.ViewPersonFeesAndPayments

View dbo.ViewStaffFiscalYearRecords

Table dbo.OT_SecondaryProgram

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int			
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentEducation

View dbo.ViewStudents

Table dbo.OT_SevereMultipleImpairment

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	

	UpdateVersion	timestamp		X	
--	---------------	-----------	--	---	--

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_SiteType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateAgencyID	int		X	

Used by:

View dbo.ViewStudentKeyInfo

View dbo.ViewStudentQuickAdd

View dbo.ViewStudents

Table dbo.OT_SocialServiceType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0

Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonSocialService

Table dbo.OT_SourceName

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentEducation

View dbo.ViewStudents

Table dbo.OT_SourceType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0

Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentEducation

View dbo.ViewStudents

Table dbo.OT_SpecificLearningDisability

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int			
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_SpeechImpaired

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int			
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	

Update Agency ID					
	UpdateActionID	int		X	
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_StaffCommentType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStaffComments

Table dbo.OT_StaffDepartment

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0

Update Agency ID					
UpdateActionID	int		X	0	
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewStaffMemberQuickAdd

View dbo.ViewStaffMembers

Table dbo.OT_StaffEmploymentStatus

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStaffMemberQuickAdd

View dbo.ViewStaffMembers

Table dbo.OT_StaffHoursType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0

Update System User ID					
UpdateAgencyID	int		X	0	
Update Agency ID					
UpdateActionID	int		X	0	
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewClassStaffHours

View dbo.ViewStaffHours

Table dbo.OT_StaffKeyword

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStaffMemberQuickAdd

View dbo.ViewStaffMembers

Table dbo.OT_StaffLevel

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	

<i>Agency ID</i>					
UpdateSystemUserID	int		X	0	
<i>Update System User ID</i>					
UpdateAgencyID	int		X	0	
<i>Update Agency ID</i>					
UpdateActionID	int		X	0	
<i>Update Action ID</i>					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewStaffMemberQuickAdd

View dbo.ViewStaffMembers

Table dbo.OT_StaffProgram

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStaffMemberQuickAdd

View dbo.ViewStaffMembers

Table dbo.OT_StaffStatus

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					

Visible	smallint		X	
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	0
<i>Update System User ID</i>				
UpdateAgencyID	int		X	0
<i>Update Agency ID</i>				
UpdateActionID	int		X	0
<i>Update Action ID</i>				
OptionCode	int			
DisplayOrder	int		X	
UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassStaffAssignment

View dbo.ViewStaffClassAssignment

View dbo.ViewStaffHistory

View dbo.ViewStaffMemberQuickAdd

View dbo.ViewStaffMembers

Table dbo.OT_StateFIPS

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewAgencyKeyInfo

View dbo.ViewAgencyStudentAssessments

View dbo.ViewAgencyStudentGoals

View dbo.ViewClassStaffAssignment

View dbo.ViewContactKeyInfo

View dbo.ViewContacts
View dbo.ViewDonorKeyInfo
View dbo.ViewDonors
View dbo.ViewPairs
View dbo.ViewPairStudentEnrollments
View dbo.ViewPerson
View dbo.ViewPersonAddresses
View dbo.ViewPersonPostsecondaryInstruction
View dbo.ViewStaffMemberQuickAdd
View dbo.ViewStaffMembers
View dbo.ViewStudentEnrollments
View dbo.ViewStudentKeyInfo
View dbo.ViewStudents
View dbo.ViewTutorGroupAssignment
View dbo.ViewTutorHeader
View dbo.ViewTutors
View dbo.ViewVolunteerKeyInfo
View dbo.ViewVolunteers
View dbo.ViewWorkshopRegistration

Table dbo.OT_Status

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewAgencyStudentAssessments
View dbo.ViewAgencyStudentFiscalYearRecords
View dbo.ViewAgencyStudentGoals
View dbo.ViewPairKeyInfo
View dbo.ViewPairs
View dbo.ViewStudentEducation
View dbo.ViewStudentHeader
View dbo.ViewStudentHistory
View dbo.ViewStudentKeyInfo
View dbo.ViewStudents

Table dbo.OT_Subject

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewClassSections
View dbo.ViewPersonTranscriptClassRegistrations

Table dbo.OT_TelephoneContactPreference

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					

Visible	smallint		X	
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	0
<i>Update System User ID</i>				
UpdateAgencyID	int		X	0
<i>Update Agency ID</i>				
UpdateActionID	int		X	0
<i>Update Action ID</i>				
OptionCode	int			
DisplayOrder	int		X	
UpdateVersion	timestamp		X	

Used by:

View dbo.ViewContactKeyInfo
View dbo.ViewContacts
View dbo.ViewDonorKeyInfo
View dbo.ViewDonors
View dbo.ViewPairs
View dbo.ViewPerson
View dbo.ViewStaffMemberQuickAdd
View dbo.ViewStaffMembers
View dbo.ViewStudentKeyInfo
View dbo.ViewStudents
View dbo.ViewTutorHeader
View dbo.ViewTutors
View dbo.ViewVolunteerKeyInfo
View dbo.ViewVolunteers

Table dbo.OT_TelephoneType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					

	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewContactKeyInfo
View dbo.ViewContacts
View dbo.ViewDonorKeyInfo
View dbo.ViewDonors
View dbo.ViewPairs
View dbo.ViewPerson
View dbo.ViewPersonAddresses
View dbo.ViewStaffMemberQuickAdd
View dbo.ViewStaffMembers
View dbo.ViewStudentKeyInfo
View dbo.ViewStudents
View dbo.ViewTutorHeader
View dbo.ViewTutors
View dbo.ViewVolunteerKeyInfo
View dbo.ViewVolunteers

Table dbo.OT_Term

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	InstructionalCalendarID	int			
	CalendarYear	char(4)			
	StartDate	datetime		X	
<i>Start Date</i>					
	EndDate	datetime		X	
<i>End Date</i>					
	FiscalYear	char(9)			

Fiscal Year					
ProgramCode	int		X		
<i>Program Code</i>					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewClassSectionQuickAdd
View dbo.ViewClassSections
View dbo.ViewGroupKeyInfo
View dbo.ViewGroups
View dbo.ViewGroupStudents
View dbo.ViewPersonFeesAndPayments
View dbo.ViewPersonTranscriptClassRegistrations
View dbo.ViewPersonWorkshops
View dbo.ViewStaffClassAssignment
View dbo.ViewStaffHours
View dbo.ViewStudentClassRegistrations
View dbo.ViewStudentEnrollments
View dbo.ViewStudentTermGrades
View dbo.ViewTutorGroupAssignment
View dbo.ViewWorkshopKeyInfo
View dbo.ViewWorkshopQuickAdd
View dbo.ViewWorkshopRegistration
View dbo.ViewWorkshops

Table dbo.OT_Times

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					

	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPairKeyInfo

View dbo.ViewPairs

View dbo.ViewPairStudentEnrollments

View dbo.ViewStudentPairs

View dbo.ViewTutorPairs

Table dbo.OT_TransferCreditType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPersonTranscriptClassRegistrations

Table dbo.OT_TraumaticBrainInjury

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	

Update System User ID					
UpdateAgencyID	int		X		
Update Agency ID					
UpdateActionID	int		X		
Update Action ID					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewStudentDisability

View dbo.ViewStudents

Table dbo.OT_TutorHoursType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	Visible	smallint		X	
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	0
Update System User ID					
	UpdateAgencyID	int		X	0
Update Agency ID					
	UpdateActionID	int		X	0
Update Action ID					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewGroupTutorHours

View dbo.ViewStudentPairHours

View dbo.ViewTutorHours

View dbo.ViewTutorUnlinkedHours

Table dbo.OT_TutorKeyword

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
Session Type					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	

Date					
Visible	smallint		X		
AgencyID	int		X		
<i>Agency ID</i>					
UpdateSystemUserID	int		X	0	
<i>Update System User ID</i>					
UpdateAgencyID	int		X	0	
<i>Update Agency ID</i>					
UpdateActionID	int		X	0	
<i>Update Action ID</i>					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewTutorHeader

View dbo.ViewTutors

Table dbo.OT_TutorLocation

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewPairKeyInfo

View dbo.ViewPairs

View dbo.ViewPairStudentEnrollments

View dbo.ViewTutorHeader

View dbo.ViewTutorPairs

View dbo.ViewTutors

Table dbo.OT_TutorSourceType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

[View dbo.ViewTutors](#)

Table dbo.OT_TutorStatus

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

[View dbo.ViewPairKeyInfo](#)

[View dbo.ViewPairs](#)

View dbo.ViewTutorHeader

View dbo.ViewTutorHistory

View dbo.ViewTutors

Table dbo.OT_TypeOfCompany

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					

Used by:

View dbo.ViewPersonWorkHistory

Table dbo.OT_VisionImpaired

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int			
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:**View dbo.ViewStudentDisability****View dbo.ViewStudents****Table dbo.OT_VolunteerCommentType**

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:**View dbo.ViewVolunteerComments****Table dbo.OT_VolunteerHoursType**

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewVolunteerHours

Table dbo.OT_VolunteerKeyword

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewVolunteerHeader

View dbo.ViewVolunteerKeyInfo

View dbo.ViewVolunteers

Table dbo.OT_VolunteerSourceName

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	

	UpdateVersion	timestamp		X	
--	---------------	-----------	--	---	--

Used by:

View dbo.ViewVolunteerKeyInfo

View dbo.ViewVolunteers

Table dbo.OT_VolunteerSourceType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewVolunteerKeyInfo

View dbo.ViewVolunteers

Table dbo.OT_VolunteerStatus

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					

	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewVolunteerHeader
View dbo.ViewVolunteerKeyInfo
View dbo.ViewVolunteers
View dbo.ViewVolunteerStatusHistory

Table dbo.OT_VolunteerType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewVolunteerHeader
View dbo.ViewVolunteerKeyInfo
View dbo.ViewVolunteers

Table dbo.OT_WhyEnroll

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	

<i>Agency ID</i>					
UpdateSystemUserID	int		X		
<i>Update System User ID</i>					
UpdateAgencyID	int		X		
<i>Update Agency ID</i>					
UpdateActionID	int		X		
<i>Update Action ID</i>					
OptionCode	int				
DisplayOrder	int		X		
UpdateVersion	timestamp		X		

Used by:

View dbo.ViewStudentEducation

View dbo.ViewStudents

Table dbo.OT_WorkshopKeyword

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewWorkshopKeyInfo

View dbo.ViewWorkshops

Table dbo.OT_WorkshopStatus

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					

Visible	smallint		X	
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	0
<i>Update System User ID</i>				
UpdateAgencyID	int		X	0
<i>Update Agency ID</i>				
UpdateActionID	int		X	0
<i>Update Action ID</i>				
OptionCode	int			
DisplayOrder	int		X	
UpdateVersion	timestamp		X	

Table dbo.OT_WorkshopType

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

[View dbo.ViewWorkshopKeyInfo](#)

[View dbo.ViewWorkshopQuickAdd](#)

[View dbo.ViewWorkshopRegistration](#)

[View dbo.ViewWorkshops](#)

Table dbo.OT_YesNo

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					

Visible	smallint		X	
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	0
<i>Update System User ID</i>				
UpdateAgencyID	int		X	0
<i>Update Agency ID</i>				
UpdateActionID	int		X	0
<i>Update Action ID</i>				
OptionCode	int			
DisplayOrder	int		X	
UpdateVersion	timestamp		X	

Used by:

View dbo.ViewStaffMemberQuickAdd

View dbo.ViewStaffMembers

Table dbo.OT_YesNoUnknown

	Column	Data Type	Identity	Nullable	Default
PK	OptionUniqueCode	int	X		
	ShortDescription	varchar(150)		X	
<i>Session Type</i>					
	LongDescription	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	Visible	smallint		X	
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	0
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	0
<i>Update Agency ID</i>					
	UpdateActionID	int		X	0
<i>Update Action ID</i>					
	OptionCode	int			
	DisplayOrder	int		X	
	UpdateVersion	timestamp		X	

Used by:

View dbo.ViewFollowUpOutcomes

View dbo.ViewPersonDemographic

View dbo.ViewStudentCohorts

View dbo.ViewStudentKeyInfo

View dbo.ViewStudentQuickAdd

View dbo.ViewStudents

Table dbo.Pair

	Column	Data Type	Identity	Nullable	Default
--	--------	-----------	----------	----------	---------

PK	PairID	int	X		
<i>Pair ID</i>					
FK	StudentID	int			
<i>Student ID</i>					
FK	TutorID	int			
<i>Tutor ID</i>					
	StudentDisplayName	varchar(50)	X		
<i>Student Name</i>					
	TutorDisplayName	varchar(50)	X		
<i>Tutor Name</i>					
	PairStatusCode	int	X		
<i>Status</i>					
	PairKeyCode	int	X		
<i>Pair Keyword</i>					
	LevelCode	int	X		
<i>Current Level</i>					
	MatchDate	smalldatetime	X		
<i>Match/Enrollment Date</i>					
	StartDate	datetime	X		
<i>Start Date</i>					
	EndDate	datetime	X		
<i>End Date</i>					
FK	ProgramID	int	X		
<i>Program</i>					
	WeeklyTimeCode	int	X		
<i>Weekly Time Code</i>					
	WeeklyTime	varchar(50)	X		
<i>Weekly Time</i>					
	Location	varchar(150)	X		
	TutorLocationCode	int	X		
<i>Location</i>					
	LastDateStatusChanged	datetime	X		
<i>Last Date Status Changed</i>					
	InstructionalHours	real	X		
<i>Instr Hrs</i>					
	StudentTotalHours	real	X		
<i>Student Total Hours in Pair</i>					
	TutorTotalHours	real	X		
<i>Tutor Total Hours In Pair</i>					
	LastFiscalYearActiveCode	int	X		
	CurFYInstructHours	real	X		
<i>Current FY Instr Hrs</i>					
	CreationDate	datetime	X		
<i>Creation Date</i>					
	LastUpdate	datetime	X		
<i>Date</i>					
	AgencyID	int	X		
<i>Agency ID</i>					
	UpdateSystemUserID	int	X		
<i>Update System User ID</i>					
	UpdateAgencyID	int	X		
<i>Update Agency ID</i>					
	UpdateActionID	int	X		
<i>Update Action ID</i>					
	UpdateVersion	timestamp	X		

References:

dbo.Program (*ProgramID*)

dbo.Student (*StudentID*)

dbo.Tutor (*TutorID*)

Referenced by:

dbo.PairComment (*PairID*)

dbo.PairHistory (*PairID*)

dbo.PairInstructionalHours (*PairID*)

dbo.StudentPairHours (*PairID*)

dbo.TutorHours (*PairID*)

Used by:

View dbo.ViewPairComment

View dbo.ViewPairInstructionalHours

View dbo.ViewPairKeyInfo

View dbo.ViewPairs

View dbo.ViewPairStudentEnrollments

View dbo.ViewStudentPairHours

View dbo.ViewStudentPairs

View dbo.ViewTutorHours

View dbo.ViewTutorPairs

Table dbo.PairComment

	Column	Data Type	Identity	Nullable	Default
PK	RecordID	int	X		
	PairCommentTypeCode	int			
<i>Comment Type</i>					
	SystemUserID	int			
	PairCommentDate	smalldatetime		X	
<i>Date</i>					
FK	PairID	int			
<i>Pair ID</i>					
	Comment	varchar(1024)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Pair (*PairID*)

Used by:

View dbo.ViewPairComment

Table dbo.PairHistory

	Column	Data Type	Identity	Nullable	Default
PK	PairHistoryID	int	X		
FK	PairID	int			
<i>Pair ID</i>					
	StatusCode	int		X	
<i>Enroll Status</i>					
	StartDate	datetime		X	
<i>Start Date</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Pair (*PairID*)

Used by:

View dbo.ViewPairHistory

Table dbo.PairInstructionalHours

	Column	Data Type	Identity	Nullable	Default
PK	PairInstructionalHoursID	int	X		
FK	PairID	int			
<i>Pair ID</i>					
	PairHoursDate	smalldatetime			
<i>Date</i>					
	HoursTypeCode	int			
	HoursPresent	real			
<i>Hours Present</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	

Update Agency ID					
UpdateActionID	int		X		
Update Action ID					
UpdateVersion	timestamp		X		
HoursAbsent	real		0		
Hours Absent					
Late	bit		X		

References:

dbo.Pair (*PairID*)

Used by:

View dbo.ViewPairInstructionalHours

Table **dbo.Person**

	Column	Data Type	Identity	Nullable	Default
PK	PersonID	int	X		
	FirstName	varchar(50)		X	
First Name					
	Alias	varchar(50)		X	
	FormerLegalName	varchar(50)		X	
Former Legal Name					
	LastSurnameatBirth	varchar(50)		X	
Last Name at Birth					
	Nickname	varchar(50)		X	
	TribalorClanName	varchar(50)		X	
Tribal or Clan Name					
	MiddleName	varchar(50)		X	
Middle Name					
	MiddleInitial	varchar(5)		X	
Middle Initial					
	LastSurname	varchar(50)		X	
Last Name					
	DisplayName	varchar(100)		X	
Display Name					
	GenerationCodeSuffix	varchar(10)		X	
Suffix					
	PersonalTitlePrefix	varchar(50)		X	
Title/Prefix					
	IdentificationCode	varchar(200)		X	
Document or ID Number					
	FileSecurity	int		X	
File Security					
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	
Update System User ID					
	UpdateAgencyID	int		X	
Update Agency ID					
	UpdateActionID	int		X	
Update Action ID					

	UpdateVersion	timestamp		X	
	DuplicateStatus	smallint		X	
	PhotoRelease	bit		X	
	RegisteredSexOffender	bit		X	
<i>Registered Sex Offender</i>					
	FacebookURI	varchar(255)		X	
<i>Facebook Account</i>					
	TwitterURI	varchar(255)		X	
<i>Twitter Account Name</i>					
	UnderageParticipationAllowed	bit		X	
<i>Underage Participation Allowed</i>					
	DataSharingAgreed	bit		X	
<i>Data Sharing Agreed</i>					

Referenced by:

dbo.Address (*PersonID*)
dbo.Assessment (*PersonID*)
dbo.CheckOut (*PersonID*)
dbo.ClassRegistration (*PersonID*)
dbo.Comment (*PersonID*)
dbo.Contact (*PersonID*)
dbo.Corrections (*PersonID*)
dbo.CustomPersonFields (*PersonID*)
dbo.Demographic (*PersonID*)
dbo.DiplomaCredential (*PersonID*)
dbo.Disability (*PersonID*)
dbo.Donor (*PersonID*)
dbo.FamilyMember (*PersonID*)
dbo.FiscalYearRecord (*PersonID*)
dbo.Goals (*PersonID*)
dbo.HealthData (*PersonID*)
dbo.LevelHistory (*PersonID*)
dbo.PersonAccomodation (*PersonID*)
dbo.PersonalPreference (*PersonID*)
dbo.PersonEmploymentBarriersHistory (*PersonID*)
dbo.PersonIdentifier (*PersonID*)
dbo.PersonInstructionalArea (*PersonID*)
dbo.PersonLanguage (*PersonID*)
dbo.PersonPhone (*PersonID*)
dbo.PersonProperties (*PersonID*)
dbo.PersonRole (*PersonID*)
dbo.PersonSocialService (*PersonID*)

dbo.PostsecondaryInstruction (*PersonID*)
dbo.PrimaryContact (*PersonID*)
dbo.ProgramRegistration (*PersonID*)
dbo.StaffMember (*PersonID*)
dbo.Student (*PersonID*)
dbo.StudentHistory (*PersonID*)
dbo.TranscriptClassRegistration (*PersonID*)
dbo.Tutor (*PersonID*)
dbo.Volunteer (*PersonID*)
dbo.WorkHistory (*PersonID*)

Used by:

View dbo.ViewAgencyKeyInfo
View dbo.ViewAgencyStudentAssessments
View dbo.ViewAgencyStudentFiscalYearRecords
View dbo.ViewAgencyStudentGoals
View dbo.ViewCheckout
View dbo.ViewClassPersonHoursAttended
View dbo.ViewClassPersonRegistration
View dbo.ViewClassSections
View dbo.ViewClassStaffAssignment
View dbo.ViewClassStaffHours
View dbo.ViewContactHeader
View dbo.ViewContactIntake
View dbo.ViewContactKeyInfo
View dbo.ViewContacts
View dbo.ViewDonorKeyInfo
View dbo.ViewDonorQuickAdd
View dbo.ViewDonors
View dbo.ViewFamily
View dbo.ViewFamilyMemberQuickAdd
View dbo.ViewFamilyMembers
View dbo.ViewFiscalYearRecords
View dbo.ViewGroups
View dbo.ViewGroupStudents
View dbo.ViewGroupTutorHours
View dbo.ViewPairKeyInfo

View dbo.ViewPairs
View dbo.ViewPairStudentEnrollments
View dbo.ViewPerson
View dbo.ViewPersonAuditHistory
View dbo.ViewPersonClassHoursAttended
View dbo.ViewPersonComments
View dbo.ViewPersonFeesAndPayments
View dbo.ViewPersonHealthData
View dbo.ViewStaffClassAssignment
View dbo.ViewStaffComments
View dbo.ViewStaffFiscalYearRecords
View dbo.ViewStaffHours
View dbo.ViewStaffMemberQuickAdd
View dbo.ViewStaffMembers
View dbo.ViewStudentComments
View dbo.ViewStudentEnrollments
View dbo.ViewStudentEnrollmentsQuickAdd
View dbo.ViewStudentHeader
View dbo.ViewStudentHours
View dbo.ViewStudentKeyInfo
View dbo.ViewStudentPairHours
View dbo.ViewStudentPairs
View dbo.ViewStudentQuickAdd
View dbo.ViewStudents
View dbo.ViewStudentSummary
View dbo.ViewTutorComments
View dbo.ViewTutorGroupAssignment
View dbo.ViewTutorHeader
View dbo.ViewTutorHours
View dbo.ViewTutorPairs
View dbo.ViewTutorQuickAdd
View dbo.ViewTutors
View dbo.ViewTutorUnlinkedHours
View dbo.ViewVolunteerComments
View dbo.ViewVolunteerHeader
View dbo.ViewVolunteerIntake

View dbo.ViewVolunteerKeyInfo

View dbo.ViewVolunteers

View dbo.ViewWorkshopKeyInfo

View dbo.ViewWorkshopRegistration

View dbo.ViewWorkshops

Table dbo.PersonAccomodation

	Column	Data Type	Identity	Nullable	Default
PK	PersonAccomodationID	int	X		
FK	PersonID	int			
	AccommodationCode	int			
	AccommodationCause	varchar(200)		X	
<i>Reason/Cause</i>					
	AccommodationNotes	varchar(200)		X	
<i>Notes</i>					
	RequestedDate	smalldatetime		X	
<i>Requested Date</i>					
	ProvidedDate	smalldatetime		X	
<i>Provided Date</i>					
	EndDate	datetime		X	
<i>End Date</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Person (PersonID)

Used by:

View dbo.ViewPersonAccommodations

Table dbo.PersonalPreference

	Column	Data Type	Identity	Nullable	Default
PK	PersonalPreferenceID	int	X		
FK	PersonID	int			
	PersonRoleCode	int		X	
	PersonalDataItemCode	int		X	
<i>Item</i>					
	Choice	varchar(50)		X	
<i>Preference</i>					
	Weight	real		X	

Importance					
EffectiveDate	datetime		X		
<i>Effective Date</i>					
CreationDate	datetime		X		
<i>Creation Date</i>					
LastUpdate	datetime		X		
<i>Date</i>					
AgencyID	int		X		
<i>Agency ID</i>					
UpdateSystemUserID	int		X		
<i>Update System User ID</i>					
UpdateAgencyID	int		X		
<i>Update Agency ID</i>					
UpdateActionID	int		X		
<i>Update Action ID</i>					
UpdateVersion	timestamp		X		
Comment	varchar(1024)		X		

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewPersonPreferences

Table dbo.PersonEmploymentBarriersHistory

Changes in a person's employment barriers over time.

	Column	Data Type	Identity	Nullable	Default
PK	PersonEmploymentBarriersHistoryID	int	X		
<i>Primary key for PersonEmploymentBarriersHistory records.</i>					
FK	PersonID	int			
<i>Person ID. Foreign key to Person.PersonID.</i>					
	StartDate	datetime			
<i>Date these barriers took effect. They are valid until redefined by another record with a greater StartDate. Two records may not have the same StartDate.</i>					
	CulturalBarrier	bit		X	
<i>Indicates if person has a WIOA "cultural barriers" barrier to employment.</i>					
	Disabled	bit		X	
<i>Indicates if person has a WIOA "individuals with disabilities" barrier to employment.</i>					
	DisplacedHomemaker	bit		X	
<i>Indicates if person has a WIOA "displaced homemakers" barrier to employment.</i>					
	EconomicDisadvantage	bit		X	
<i>Indicates if person has a WIOA "low income" barrier to employment.</i>					
	EnglishLanguageLearner	bit		X	
<i>Indicates if person has a WIOA "english lanugage learners" barrier to employment.</i>					
	ExOffender	bit		X	
<i>Indicates if person has a WIOA "ex-offenders" barrier to employment.</i>					
	ExhaustingTanfWithinTwoYears	bit		X	
<i>Indicates if person has a WIOA "exhausting TANF within two years" barrier to employment.</i>					
	FosterCareYouth	bit		X	
<i>Indicates if person has a WIOA "youth in foster care" barrier to employment.</i>					
	Homeless	bit		X	
<i>Indicates if person has a WIOA "Homeless/runaway youth" barrier to employment.</i>					
	LongTermUnemployed	bit		X	
<i>Indicates if person has a WIOA "long-term unemployed" barrier to employment.</i>					

LowLiteracyLevels	bit		X	
<i>Indicates if person has a WIOA "low literacy levels" barrier to employment.</i>				
MigrantFarmworker	bit		X	
<i>Indicates if person has a WIOA "Migrants and seasonal farmworkers" barrier to employment.</i>				
SeasonalFarmworker	bit		X	
<i>Indicates if person has a WIOA "Migrants and seasonal farmworkers" barrier to employment.</i>				
SingleParentGuardian	bit		X	
<i>Indicates if person has a WIOA "Single parents" barrier to employment.</i>				
CreationDate	datetime		X	
<i>Date and time the record was created.</i>				
LastUpdate	datetime		X	
<i>Date and time the record was last updated.</i>				
AgencyID	int		X	
<i>Agency to which this record belongs.</i>				
UpdateSystemUserID	int		X	
<i>User who created or updated this record.</i>				
UpdateAgencyID	int		X	
<i>Agency which created or updated this record.</i>				
UpdateActionID	int		X	
<i>Action taken on record. 1 = Create, 2 = Update.</i>				
UpdateVersion	timestamp		X	
<i>Database unique row version number.</i>				

References:

dbo.Person (*PersonID*)

Table dbo.PersonIdentifier

	Column	Data Type	Identity	Nullable	Default
PK	PersonIdentifierID	int	X		
<i>Person Identifier ID</i>					
FK	PersonID	int			
<i>Document or ID Number</i>					
	IdentificationCode	varchar(200)		X	
<i>Identification System Code</i>					
	IdentificationSystemCode	int			
<i>Identification System Code</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
<i>Start Date</i>					
	StartDate	datetime		X	

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewAgencyStudentAssessments
View dbo.ViewAgencyStudentFiscalYearRecords
View dbo.ViewAgencyStudentGoals
View dbo.ViewContactIntake
View dbo.ViewContactKeyInfo
View dbo.ViewContacts
View dbo.ViewDonorQuickAdd
View dbo.ViewFamilyMemberQuickAdd
View dbo.ViewFiscalYearRecords
View dbo.ViewPairStudentEnrollments
View dbo.ViewPerson
View dbo.ViewPersonAuditHistory
View dbo.ViewPersonDemographic
View dbo.ViewPersonIdentifier
View dbo.ViewStaffFiscalYearRecords
View dbo.ViewStaffMemberQuickAdd
View dbo.ViewStaffMembers
View dbo.ViewStudentEnrollments
View dbo.ViewStudentHeader
View dbo.ViewStudentKeyInfo
View dbo.ViewStudentQuickAdd
View dbo.ViewStudents
View dbo.ViewTutorHeader
View dbo.ViewTutorQuickAdd
View dbo.ViewTutors
View dbo.ViewVolunteerIntake
View dbo.ViewVolunteerKeyInfo
View dbo.ViewVolunteers

Table dbo.PersonInstructionalArea

	Column	Data Type	Identity	Nullable	Default
PK	PersonInstructionalAreaID	int	X		
FK	PersonID	int			
Instructional Area					
	InstructionalAreaStatusCode	int		X	
Instructional Area Status					

	TestDate	datetime		X	
<i>Test Date</i>					
	TestScore	real		X	
<i>Test Score</i>					
	TestForm	varchar(50)		X	
<i>Test Form</i>					
	RetestDate	datetime		X	
<i>Retest Date</i>					
	RetestScore	real		X	
<i>Retest Score</i>					
	RetestForm	varchar(50)		X	
<i>Retest Form</i>					
	Completed	bit		X	
	DateCompleted	datetime		X	
<i>Date Completed</i>					
	Hours	real		X	
	StaffName	varchar(100)		X	
<i>Staff Name</i>					
	StaffID	int		X	
	ItemOrder	tinyint		X	
<i>Item Order</i>					
	Notes	varchar(255)		X	
<i>Notes / Meeting details</i>					
	SiteName	varchar(100)		X	
	ImportID	int		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewPersonInstructionalArea

Table **dbo.PersonLanguage**

	Column	Data Type	Identity	Nullable	Default
PK	PersonLanguageID	int	X		
FK	PersonID	int			
	LanguageCode	int		X	
<i>Language of Instruction</i>					
	LanguageTypeCode	int		X	
<i>Language Type</i>					
	NativeLanguage	bit		X	
<i>Native</i>					

CanSpeak	bit		X	
<i>Speak</i>				
CanRead	bit		X	
<i>Read</i>				
CanWrite	bit		X	
<i>Write</i>				
CreationDate	datetime		X	
<i>Creation Date</i>				
LastUpdate	datetime		X	
<i>Date</i>				
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	
<i>Update System User ID</i>				
UpdateAgencyID	int		X	
<i>Update Agency ID</i>				
UpdateActionID	int		X	
<i>Update Action ID</i>				
UpdateVersion	timestamp		X	
PersonRoleCode	int		X	
Comment	varchar(1024)		X	
NotedDate	datetime		X	
<i>Date</i>				

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewPersonLanguages

Table dbo.PersonPhone

	Column	Data Type	Identity	Nullable	Default
PK	PhoneID	int	X		
	<i>Phone ID</i>				
FK	PersonID	int			
	<i>Contact Preference</i>				
	HomePhone	varchar(30)		X	
	<i>Home Phone</i>				
	WorkPhone	varchar(30)		X	
	<i>Work Phone</i>				
	Fax	varchar(30)		X	
	Mobile	varchar(30)		X	
	<i>Mobile Phone</i>				
	Pager	varchar(30)		X	
	OtherPhone	varchar(30)		X	
	<i>Other Phone</i>				
	OtherPhoneTypeCode	int		X	
	<i>Other Phone Type</i>				
	Note	varchar(255)		X	
	<i>Comment</i>				
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				

AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	
<i>Update System User ID</i>				
UpdateAgencyID	int		X	
<i>Update Agency ID</i>				
UpdateActionID	int		X	
<i>Update Action ID</i>				
UpdateVersion	timestamp		X	
EmergencyContactPhone	varchar(30)		X	
<i>Emergency Contact Phone</i>				
EmergencyContactName	varchar(100)		X	
<i>Emergency Contact Name</i>				
EmergencyContactRelationCode	int		X	
<i>Emergency Contact Relation</i>				

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewAgencyStudentGoals

View dbo.ViewClassStaffAssignment

View dbo.ViewContactIntake

View dbo.ViewContactKeyInfo

View dbo.ViewContacts

View dbo.ViewDonorKeyInfo

View dbo.ViewDonorQuickAdd

View dbo.ViewDonors

View dbo.ViewFamilyMemberQuickAdd

View dbo.ViewFamilyMembers

View dbo.ViewPairKeyInfo

View dbo.ViewPairs

View dbo.ViewPairStudentEnrollments

View dbo.ViewPerson

View dbo.ViewPersonAuditHistory

View dbo.ViewStaffMemberQuickAdd

View dbo.ViewStaffMembers

View dbo.ViewStudentEnrollments

View dbo.ViewStudentKeyInfo

View dbo.ViewStudentQuickAdd

View dbo.ViewStudents

View dbo.ViewTutorGroupAssignment

[View dbo.ViewTutorHeader](#)
[View dbo.ViewTutorQuickAdd](#)
[View dbo.ViewTutors](#)
[View dbo.ViewVolunteerIntake](#)
[View dbo.ViewVolunteerKeyInfo](#)
[View dbo.ViewVolunteers](#)
[View dbo.ViewWorkshopRegistration](#)

Table dbo.PersonProperties

	Column	Data Type	Identity	Nullable	Default
PK	PersonPropertiesID	int	X		
FK	PersonID	int			
	FieldName	varchar(150)		X	
	<i>Field Name</i>				
	FieldValue	varchar(500)		X	
	<i>Value</i>				
	FieldType	varchar(150)		X	
	<i>Type</i>				
	AgencyID	int			
	<i>Agency ID</i>				
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	UpdateSystemUserID	int		X	
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	
	<i>Update Action ID</i>				
	UpdateVersion	timestamp		X	

References:

[dbo.Person \(PersonID\)](#)

Used by:

[View dbo.ViewPersonProperties](#)

Table dbo.PersonRole

	Column	Data Type	Identity	Nullable	Default
PK	PersonRoleID	int	X		
FK	PersonID	int			
	PersonRoleCode	int			
	AgencyID	int		X	
	<i>Agency ID</i>				
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	UpdateSystemUserID	int		X	

<i>Update System User ID</i>					
UpdateAgencyID	int		X		
<i>Update Agency ID</i>					
UpdateActionID	int		X		
<i>Update Action ID</i>					
UpdateVersion	timestamp		X		
IsDeleted	bit		X		

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewContactIntake

View dbo.ViewContacts

View dbo.ViewDonorQuickAdd

View dbo.ViewFamilyMemberQuickAdd

View dbo.ViewStaffMemberQuickAdd

View dbo.ViewStudentQuickAdd

View dbo.ViewTutorQuickAdd

View dbo.ViewVolunteerIntake

View dbo.ViewVolunteers

Table dbo.PersonSocialService

	Column	Data Type	Identity	Nullable	Default
PK	PersonSocialServiceID	int	X		
FK	PersonID	int			
	SocialServiceTypeCode	int			
	ServiceNote	varchar(100)		X	
<i>Notes</i>					
	AgencyID	int			
	<i>Agency ID</i>				
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	UpdateSystemUserID	int		X	
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	
	<i>Update Action ID</i>				
	UpdateVersion	timestamp		X	

References:

dbo.Person (*PersonID*)

Used by:

View dbo.ViewPersonSocialService

Table dbo.PostsecondaryInstruction

	Column	Data Type	Identity	Nullable	Default
PK	PostsecondaryInstructionID	int	X		
FK	PersonID	int		X	
FK	AddressID	int		X	
<i>Address ID</i>					
	PostsecondaryInstructionTypeCode	int		X	
<i>Postsecondary Institution Type</i>					
	PostsecondaryInstitutionCode	int		X	
<i>Name of Postsecondary School or Training Program</i>					
	PostsecondaryIndustryCode	int		X	
<i>Industry</i>					
	PostsecondaryCredentialCode	int		X	
<i>Course of Study</i>					
	EntryDate	datetime		X	
<i>Entry Date</i>					
	ExitDate	datetime		X	
<i>Exit Date</i>					
	TotalHours	decimal(10,2)		X	
<i>Total Hours Attended</i>					
	EarnedCredits	real		X	
<i>Earned Credits</i>					
	CredentialAttained	varchar(50)		X	
<i>Credential Attained</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Address (*AddressID*)

dbo.Person (*PersonID*)

Used by:

View dbo.ViewPersonPostsecondaryInstruction

Table dbo.PrimaryContact

	Column	Data Type	Identity	Nullable	Default
PK	PrimaryContactID	int	X		
<i>Primary Contact ID</i>					
	NameofInstitution	varchar(200)		X	
<i>Company</i>					
	PositionTitle	varchar(200)		X	
<i>Position Title</i>					
FK	PersonID	int			

	AddressID <i>Address ID</i>	int		X	
	IdentificationCode <i>Document or ID Number</i>	varchar(200)		X	
	IdentificationSystem <i>Identification System</i>	int		X	
	CreationDate <i>Creation Date</i>	datetime		X	
	LastUpdate <i>Date</i>	datetime		X	
	AgencyID <i>Agency ID</i>	int		X	
	UpdateSystemUserID <i>Update System User ID</i>	int		X	
	UpdateAgencyID <i>Update Agency ID</i>	int		X	
	UpdateActionID <i>Update Action ID</i>	int		X	
	UpdateVersion	timestamp		X	

References:

dbo.Person (*PersonID*)

Referenced by:

dbo.AffiliatedInstitution (*PrimaryContactID*)

dbo.Agency (*PrimaryContactID*)

Used by:

View dbo.ViewAgencyKeyInfo

View dbo.ViewDonorKeyInfo

View dbo.ViewDonorQuickAdd

View dbo.ViewDonors

Table dbo.Program

	Column	Data Type	Identity	Nullable	Default
PK	ProgramID <i>Program</i>	int	X		
	ProgramName <i>Program</i>	varchar(200)		X	
	ProgramTypeCode	int			
	IdentificationCode <i>Document or ID Number</i>	varchar(200)		X	
	IdentificationSystem <i>Identification System</i>	int		X	
	TotalProgramFundsReceived	money		X	
	RegulationTitle	varchar(200)		X	
	ProgramAuthorizingDate	smalldatetime		X	
	ProgramDescription	varchar(200)		X	
	ProgramBeneficiary	varchar(200)		X	
	BenefitType	varchar(200)		X	
	ProgramGoalsPurpose	varchar(200)		X	
	ProgramObjectives	varchar(200)		X	
	ProgramFundingBeginningDate	varchar(200)		X	

	ProgramBeginningDate	smalldatetime		X	
	ProgramEndingDate	smalldatetime		X	
	PrimaryContactID	int		X	
<i>Primary Contact ID</i>					
	ProgramDeliveryStructure	varchar(200)		X	
	ProgramFrequency	varchar(200)		X	
	ProgramIntensity	varchar(200)		X	
	ProgramDuration	varchar(200)		X	
	LocationofInstructionServiceDescription	varchar(200)		X	
	FacilityType	varchar(200)		X	
<i>Facility Type</i>					
	ServiceSetting	varchar(200)		X	
	StudentFamilyProgramType	bit		X	
	StudentSupportServiceType	varchar(200)		X	
	TransitionalSupportServiceType	varchar(200)		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	Visible	smallint		X	
	DisplayOrder	int		X	

Referenced by:

dbo.Pair (*ProgramID*)

dbo.ProgramRegistration (*ProgramID*)

dbo.StudentHistory (*ProgramID*)

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewAgencyStudentGoals

View dbo.ViewClassSections

View dbo.ViewGroupKeyInfo

View dbo.ViewGroups

View dbo.ViewGroupStudents

View dbo.ViewPairKeyInfo

View dbo.ViewPairs

View dbo.ViewPairStudentEnrollments

View dbo.ViewPersonFeesAndPayments

View dbo.ViewPersonProgramHistory

View dbo.ViewPersonWorkshops

View dbo.ViewStaffClassAssignment

View dbo.ViewStudentClassRegistrations

View dbo.ViewStudentEducation

View dbo.ViewStudentEnrollments

View dbo.ViewStudentHeader

View dbo.ViewStudentHistory

View dbo.ViewStudentKeyInfo

View dbo.ViewStudentPairs

View dbo.ViewStudents

View dbo.ViewTutorGroupAssignment

View dbo.ViewTutorHeader

View dbo.ViewTutorHistory

View dbo.ViewTutorPairs

View dbo.ViewTutors

View dbo.ViewWorkshopKeyInfo

View dbo.ViewWorkshopRegistration

View dbo.ViewWorkshops

Table dbo.ProgramHistory

	Column	Data Type	Identity	Nullable	Default
PK	ProgramHistoryID	int	X		
FK	ProgramRegistrationID	int			
	StatusCode	int		X	
<i>Enroll Status</i>					
	ReasonLeftCode	int		X	
<i>Reason Left</i>					
	StartDate	datetime		X	
<i>Start Date</i>					
	EndDate	datetime		X	
<i>End Date</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	Notes	varchar(255)		X	
<i>Notes / Meeting details</i>					

References:

dbo.ProgramRegistration (*ProgramRegistrationID*)

Used by:

View dbo.ViewPersonProgramHistory

Table dbo.ProgramRegistration

	Column	Data Type	Identity	Nullable	Default
PK	ProgramRegistrationID	int	X		
FK	PersonID	int			
FK	ProgramID	int			
<i>Program</i>					
	StatusCode	int		X	
<i>Enroll Status</i>					
	DateFirstIntake	datetime		X	
<i>Intake Date</i>					
	DateStatusLastChanged	smalldatetime		X	
	DateLeft	datetime		X	
<i>Date Left</i>					
	ReasonLeftCode	int		X	
<i>Reason Left</i>					
	MonthsTotal	real		X	
	MonthsActive	real		X	
	MonthsHoursEarned	real		X	
	TotalHours	real		X	
<i>Total Hours Attended</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Person (*PersonID*)

dbo.Program (*ProgramID*)

Referenced by:

dbo.ProgramHistory (*ProgramRegistrationID*)

Used by:

View dbo.ViewPersonProgramHistory

Table dbo.StaffClassAssignment

	Column	Data Type	Identity	Nullable	Default
--	--------	-----------	----------	----------	---------

PK	StaffClassAssignmentID	int	X		
FK	ClassSectionID	int			
<i>Class ID</i>					
FK	StaffMemberID	int			
<i>Staff ID</i>					
	LevelCode	int		X	
<i>Current Level</i>					
	JobClassification	varchar(200)		X	
<i>Classification</i>					
	SessionType	varchar(150)		X	
<i>Session Type</i>					
	AssignmentDate	datetime		X	
<i>Assigned</i>					
	StartDate	datetime		X	
<i>Start Date</i>					
	EndDate	datetime		X	
<i>End Date</i>					
	TotalDaysinSession	int		X	
	NumberofHoursinSchoolDay	real		X	
	AssignmentDescription	varchar(200)		X	
	TeachingAssignment	varchar(200)		X	
<i>Teaching Assignment</i>					
	ScopeofAssignment	varchar(200)		X	
<i>Scope of Assignment</i>					
	ItinerantTeacher	bit		X	
	EssentialPersonnelIdentifier	bit		X	
	TimePeriodClassification	varchar(200)		X	
	TimePeriod	varchar(200)		X	
	NameofInstitution	varchar(200)		X	
<i>Company</i>					
	IdentificationCode	varchar(200)		X	
<i>Document or ID Number</i>					
	IdentificationSystem	int		X	
<i>Identification System</i>					
	FulltimeEquivalency	real		X	
<i>FTE-Percent</i>					
	FulltimeStatus	bit		X	
<i>Full-time</i>					
	ScheduledWorkTimeDaily	varchar(200)		X	
<i>Scheduled Work Time Daily</i>					
	ScheduledWorkDaysWeekly	varchar(200)		X	
<i>Scheduled Work Days Weekly</i>					
	ScheduledWorkMonthsAnnually	varchar(200)		X	
<i>Scheduled Work Months Annually</i>					
	ElementarySubjectCourse	varchar(200)		X	
	CourseCodeSystem	varchar(200)		X	
	CourseTitle	varchar(200)		X	
<i>Course Title</i>					
	CourseNumber	varchar(50)		X	
<i>Course Number</i>					
	UnitofWork	real		X	
	TimeExpended	real		X	
	PercentofTotalTime	real		X	
	NumberofDaysinAttendance	real		X	
	NumberofDaysAbsent	real		X	
	NumberofTardies	real		X	
	PrimaryAssignment	bit		X	
<i>Primary Assignment</i>					

	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	
	<i>Update Action ID</i>				
	UpdateVersion	timestamp		X	
	AssignmentStatusCode	int		X	
	<i>Status</i>				

References:

dbo.ClassSection (*ClassSectionID*)

dbo.StaffMember (*StaffMemberID*)

Used by:

View dbo.ViewClassSections

View dbo.ViewClassStaffAssignment

View dbo.ViewStaffClassAssignment

View dbo.ViewStudentEnrollments

View dbo.ViewWorkshopKeyInfo

View dbo.ViewWorkshops

Table dbo.StaffHistory

	Column	Data Type	Identity	Nullable	Default
PK	StaffHistoryID	int	X		
FK	StaffMemberID	int		X	
	<i>Staff ID</i>				
	StartDate	datetime		X	
	<i>Start Date</i>				
	EndDate	datetime		X	
	<i>End Date</i>				
	StatusCode	int		X	
	<i>Enroll Status</i>				
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	
	<i>Update Action ID</i>				
	UpdateVersion	timestamp		X	

References:

dbo.StaffMember (*StaffMemberID*)

Used by:

View dbo.ViewStaffHistory

Table dbo.StaffHours

	Column	Data Type	Identity	Nullable	Default
PK	StaffHoursID	int	X		
	PersonID	int		X	
FK	StaffMemberID	int			
<i>Staff ID</i>					
	HoursDate	datetime		X	
<i>Date</i>					
	HoursTypeCode	int			
	HoursPresent	real			
<i>Hours Present</i>					
	HoursAbsent	real			
<i>Hours Absent</i>					
	Late	bit		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	ClassSectionID	int		X	
<i>Class ID</i>					
	RecordID	int		X	
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.StaffMember (*StaffMemberID*)

Used by:

View dbo.ViewClassStaffHours

View dbo.ViewStaffHours

Table dbo.StaffMember

	Column	Data Type	Identity	Nullable	Default
PK	StaffMemberID	int	X		
<i>Staff ID</i>					
FK	PersonID	int			
	IdentificationCode	varchar(200)		X	
<i>Document or ID Number</i>					

IdentificationSystem	int		X	
<i>Identification System</i>				
IdentificationExpirationDate	smalldatetime		X	
<i>Identification Expiration Date</i>				
EmploymentEligibilityVerification	varchar(200)		X	
<i>Employment Eligibility Verification</i>				
HighestLevelofEducationCompletedCode	int		X	
<i>Highest Education Completed</i>				
MedicalWaiver	varchar(200)		X	
OtherSpecialHealthNeedsInformationorInstructions	varchar(200)		X	
MedicalExaminationType	varchar(200)		X	
MedicalExaminationDate	smalldatetime		X	
MedicalExaminationResults	varchar(200)		X	
EmergencyFactor	varchar(200)		X	
OtherHealthDataandMedicalCondition	varchar(200)		X	
ReligiousConsideration	varchar(200)		X	
SpecialAdaptationRequirements	varchar(200)		X	
EducationalProgramStaffDevelopmentActivityAnticipatedOutcome	varchar(200)		X	
PostsecondarySubjectMatterArea	varchar(200)		X	
HonororAward	varchar(200)		X	
PublicationType	varchar(200)		X	
PublicationDescription	varchar(200)		X	
StaffEmploymentStatusCode	int		X	
<i>Employment Status</i>				
EmploymentStartDate	smalldatetime		X	
<i>Start Date</i>				
ConditionofEmployment	varchar(200)		X	
<i>Condition of Employment</i>				
NatureofPriorEmployment	varchar(200)		X	
<i>Nature of Prior Employment</i>				
TeachingAssignment	varchar(200)		X	
<i>Teaching Assignment</i>				
YearsofPriorTeachingExperience	real		X	
<i>Prior Teaching Exp-Years</i>				
YearsofPriorEducationExperience	real		X	
<i>Years of Prior Education Experience</i>				
YearsofPriorRelatedExperience	real		X	
<i>Prior Related Exp-Years</i>				
TotalNumberofYearsofPriorExperience	real		X	
<i>Total Number of Years of Prior Experience</i>				
AvocationalInterestsandSkills	varchar(200)		X	
<i>Avocational Interests and Skills</i>				
OtherAreasofInformalQualification	varchar(200)		X	
<i>Other Areas of Informal Qualification</i>				
SpecialContactGroupEmpathies	varchar(200)		X	
<i>Special Contact Group Empathies</i>				
YearsofParticipation	varchar(200)		X	
<i>Years of Participation</i>				
MeansofIntroductionforEmployment	varchar(50)		X	
ApplicationDate	smalldatetime		X	
<i>Application Date</i>				
ApplicationStatus	varchar(25)		X	
<i>Application Status</i>				
BackgroundCheckType	varchar(25)		X	
BackgroundCheckDescription	varchar(100)		X	
BackgroundCheckCompletionDate	smalldatetime		X	
<i>Background Check Completion Date</i>				
PositionAssessmentType	varchar(25)		X	

Position Assessment Type				
PositionAssessmentDate	smalldatetime		X	
<i>Position Assessment Date</i>				
PositionAssessmentResults	varchar(200)		X	
PriorYearStatus	varchar(25)		X	
<i>Prior Year Status</i>				
HireDate	smalldatetime		X	
<i>Hire Date</i>				
ContractualTerm	varchar(200)		X	
<i>Contractual Term</i>				
ContractBeginningDate	smalldatetime		X	
<i>Contract Beginning Date</i>				
ContractEndingDate	smalldatetime		X	
<i>Contract Ending Date</i>				
SeniorityDate	smalldatetime		X	
<i>Seniority Date</i>				
TenureDate	smalldatetime		X	
<i>Tenure Date</i>				
ContractDaysofServicePerYear	smallint		X	
<i>Contract Days of Service Per Year</i>				
EmploymentTimeAnnually	varchar(25)		X	
<i>Employment Time Annually</i>				
FulltimeEquivalency	real		X	
<i>FTE-Percent</i>				
FulltimeStatus	bit		X	
<i>Full-time</i>				
HoursofServicePerDay	real		X	
<i>Hours of Service Per Day</i>				
DaysofServicePerWeek	real		X	
<i>Days of Service Per Week</i>				
ScheduledWorkTimeDaily	varchar(200)		X	
<i>Scheduled Work Time Daily</i>				
ScheduledWorkDaysWeekly	varchar(200)		X	
<i>Scheduled Work Days Weekly</i>				
ScheduledWorkMonthsAnnually	varchar(200)		X	
<i>Scheduled Work Months Annually</i>				
PositionTitle	varchar(200)		X	
<i>Position Title</i>				
PositionorClassificationNumber	varchar(25)		X	
<i>Position or Classification Number</i>				
UniquePositionNumber	varchar(25)		X	
<i>Unique Position Number</i>				
FairLaborStandardsActCoverage	varchar(25)		X	
SubstituteStatus	varchar(25)		X	
<i>Substitute Status</i>				
VehicleDriversLicenseType	varchar(25)		X	
<i>Vehicle Drivers License Type</i>				
VehicleDriversLicenseExpirationDate	smalldatetime		X	
<i>Vehicle Drivers License Expiration Date</i>				
AuthorizedInsuredtoUseOrganizationVehicles	bit		X	
<i>Authorized Insured to Use Organization Vehicles</i>				
AuthorizedInsuredtoUseOwnVehicles	bit		X	
<i>Authorized Insured to Use Own Vehicles</i>				
UnionMembershipName	varchar(100)		X	
EmploymentSeparationReason	varchar(200)		X	
<i>Employment Separation Reason</i>				
EmploymentSeparationDate	smalldatetime		X	
<i>Employment Separation Date</i>				

EmploymentSeparationType	varchar(200)		X	
<i>Employment Separation Type</i>				
SeverancePay	money		X	
<i>Severance Pay</i>				
ReemploymentEligibility	varchar(200)		X	
ReasonNotEligibleforReemployment	varchar(200)		X	
ReadinessforAssignmentofGreaterResponsibility	varchar(200)		X	
CareerDevelopmentNeeds	varchar(200)		X	
JobClassificationCode	int		X	
<i>Classification</i>				
StaffStatusCode	int		X	
<i>Overall Status</i>				
ProgramCode	int		X	
<i>Program Code</i>				
DepartmentCode	int		X	
<i>Department</i>				
LevelCode	int		X	
<i>Current Level</i>				
StaffKeywordCode	int		X	
<i>Staff Keyword</i>				
TotalInstructionalHours	real		X	
<i>Total Instructional Hours</i>				
LifetimeAllHoursPresent	real		X	
<i>Lifetime Hours</i>				
LastFiscalYearActive	int		X	
CurFYInstructHours	real		X	
<i>Current FY Instr Hrs</i>				
DateBeganAsEducator	smalldatetime		X	
<i>Date Began As Educator</i>				
CreationDate	datetime		X	
<i>Creation Date</i>				
LastUpdate	datetime		X	
<i>Date</i>				
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	
<i>Update System User ID</i>				
UpdateAgencyID	int		X	
<i>Update Agency ID</i>				
UpdateActionID	int		X	
<i>Update Action ID</i>				
UpdateVersion	timestamp		X	
DateFirstIntake	datetime		X	
<i>Intake Date</i>				
CertificationCode	int		X	
<i>Certification</i>				
YearsOfExperienceInAdultEducation	real		X	
<i>Years Teaching Exp in Adult Ed</i>				

References:

dbo.Person (*PersonID*)

Referenced by:

dbo.StaffClassAssignment (*StaffMemberID*)

dbo.StaffHistory (*StaffMemberID*)

dbo.StaffHours (*StaffMemberID*)

Used by:

View dbo.ViewClassSections
View dbo.ViewClassStaffAssignment
View dbo.ViewStaffClassAssignment
View dbo.ViewStaffMemberQuickAdd
View dbo.ViewStaffMembers
View dbo.ViewStudentEnrollments
View dbo.ViewTutors
View dbo.ViewWorkshopKeyInfo
View dbo.ViewWorkshops

Table dbo.Student

	Column	Data Type	Identity	Nullable	Default
PK	StudentID	int	X		
<i>Student ID</i>					
FK	PersonID	int			
	FamilyID	int		X	
<i>Family ID</i>					
	HeadofHousehold	int		X	
<i>Head of Household</i>					
	EligibilityforNationalSchoolLunchProgram	bit		X	
	ParticipationinNationalSchoolLunchProgram	bit		X	
	FamilyPublicAssistanceStatus	varchar(200)		X	
	WhyEnrollCode	int		X	
<i>Why Enroll</i>					
	StudentSourceTypeCode	int		X	
<i>Source Type</i>					
	StudentSourceNameCode	int		X	
<i>Source Name</i>					
	DateFirstIntake	datetime		X	
<i>Intake Date</i>					
	CohortYear	smalldatetime		X	
<i>Cohort Year</i>					
	EntryType	varchar(200)		X	
	EntryLevelCode	int		X	
<i>Entry Level</i>					
	EntryGradeLevelCode	int		X	
<i>Highest Ed Level Compl on Entry</i>					
	FullTimeStatus	bit		X	
<i>Full-time</i>					
	FullTimeEquivalentStatus	real		X	
<i>FullTime Equivalent Status</i>					
	EveningStudentStatus	bit		X	
	BoardingStatus	bit		X	
	LastEnrollDate	smalldatetime		X	
<i>Last Enroll Date</i>					
	AdmissionDate	smalldatetime		X	
	AdmissionStatusCode	int		X	
<i>Admission Status</i>					

LifetimeDaysofMembership	real		X	
LifetimeDaysinAttendance	real		X	
<i>Lifetime Days in Attendance</i>				
LifetimeDaysAbsent	real		X	
<i>Lifetime Days Absent</i>				
LifetimeNumberofTardies	real		X	
LifetimeReleasedTime	real		X	
InSchoolPostSchoolEmploymentStatus	varchar(200)		X	
EmploymentRecognition	varchar(200)		X	
PostSchoolTrainingorEducationSubjectMatter	varchar(200)		X	
EducationPlanned	varchar(200)		X	
HighestLevelofEducationCompletedCode	int		X	
<i>Highest Education Completed</i>				
PostSchoolRecognition	varchar(200)		X	
<i>Post School Recognition/Grad Exercises</i>				
CareerObjectives	varchar(200)		X	
MandatedStudentType	int		X	
<i>Mandated Student Type</i>				
LevelCode	int		X	
<i>Current Level</i>				
DomainCode	int		X	
<i>Domain</i>				
GradeLevelCode	int		X	
<i>Grade Level Code</i>				
KeywordCode	int		X	
<i>Student Keyword</i>				
OverallStatusCode	int		X	
<i>Overall Status</i>				
ProgramID	int		X	
<i>Program</i>				
InstructionalHours	real		X	
<i>Instr Hrs</i>				
LifetimeHours	real		X	
<i>Lifetime Hours</i>				
LastFiscalYearActiveCode	int		X	
CurFYInstructHours	real		X	
<i>Current FY Instr Hrs</i>				
AssessmentStatusCode	int		X	
<i>Assessment Status in Subject Area Code</i>				
FileLocation	varchar(50)		X	
<i>File Location</i>				
FileSecurity	int		X	
<i>File Security</i>				
LastSchoolAttended	varchar(100)		X	
<i>Last School Attended</i>				
CreationDate	datetime		X	
<i>Creation Date</i>				
LastUpdate	datetime		X	
<i>Date</i>				
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	
<i>Update System User ID</i>				
UpdateAgencyID	int		X	
<i>Update Agency ID</i>				
UpdateActionID	int		X	
<i>Update Action ID</i>				
IsESLStudent	bit		X	

ESL Student					
UpdateVersion	timestamp		X		
LastAssessmentDate	datetime		X		
<i>Last Assess Date</i>					
InstructionalHoursBeforeAssessment	real		X		
<i>Instructional Hours Before Assessment</i>					
LastHoursDate	datetime		X		
<i>Last Hours Date</i>					
ReasonLeft	varchar(80)		X		
<i>Reason Left</i>					
DateLeft	datetime		X		
<i>Date Left</i>					
DistanceLearning	bit		X		
<i>Distance Learner Code</i>					
OtherWhyEnroll	varchar(200)		X		
<i>Other Why Enroll</i>					
AttendedAgencyBefore	bit		X		
EnrolledinOtherReadingProgram	bit		X		
<i>Enrolled in Other Reading Prog</i>					
EnrolledinOtherGEDProgram	bit		X		
<i>Enrolled in Other GED Program</i>					
CurrentSchool	varchar(200)		X		
<i>Current School Attending</i>					
CurrentSchoolContact	varchar(200)		X		
<i>Current School Contact Info</i>					
StaffAssigned	varchar(200)		X		
<i>Staff Assigned</i>					
LastSchoolAttendedLocation	varchar(200)		X		
<i>Last School Attended Loc</i>					
FeeWaiver	varchar(200)		X		
<i>Fee Waiver</i>					
ReasonLeftCode	int		X		
<i>Reason Left</i>					
CertOfNonEnrollment	bit		X		
<i>Certificate of Non-Enrollment</i>					
ParentalConsentForm	bit		X		
<i>Parental Consent Form</i>					
SiteTypeCode	int		X		
<i>Site No</i>					
IsDE_DCAS	bit		X		
<i>Is DCAS</i>					
OrientationStartDate	datetime		X	getdate()	
<i>Orientation Start Date</i>					
InductionDate	datetime		X		
<i>Induction Date</i>					
CompletionDate	datetime		X		
<i>Completion Date</i>					
AttritionDate	datetime		X		
<i>Attrition Date</i>					
CommunityProject1	varchar(200)		X		
<i>Community Project One</i>					
CommunityProject2	varchar(200)		X		
<i>Community Project Two</i>					
IsWIA	bit		X	0	
<i>WIA Eligible</i>					
FollowUpAuthFormOnFileCode	int		X		
<i>Follow-up Authorization Form on File</i>					
ACTCompositeScore	int		X		

ACT Score					
FundingStreamCode	int		X		
<i>Funding Stream</i>					
EntryGradeLevelLocationCode	int		X		
<i>Highest Ed Level Compl on Entry Loc</i>					
CurrentFiscalYearLeftDate	datetime		X		
NedpDiagnosticPhaseEntryDate	datetime		X		
<i>NEDP Diagnostic Phase Entry Date</i>					
NedpAssessmentPhaseEntryDate	datetime		X		
<i>NEDP Assessment Phase Entry Date</i>					
ParentGuardian	varchar(100)		X		
<i>Parent/Guardian</i>					
ExemptFromCurrentFYAssessment	bit		X	0	
<i>Exempt from Assessment</i>					
SBINo	varchar(25)		X		
<i>SBI No</i>					
TabeIdentificationCode	varchar(200)		X		
<i>TABE Identifier</i>					
EnrolledInABE	bit		X		
<i>Enrolled in ABE</i>					
EnrolledInHigherEdProgram	bit		X		
<i>Enrolled in Higher Ed Program</i>					
LastInstructHoursDate	datetime		X		
<i>Last Instr Hours Date</i>					
InstructionLocationCode	int		X		
<i>Instruction Location</i>					
SecondaryProgramCode	int		X		
<i>Secondary Program</i>					
ExternalProviderID	int		X		
<i>External Provider ID</i>					
ExternalID	int		X		
<i>External ID</i>					

References:

dbo.Person (*PersonID*)

Referenced by:

dbo.Pair (*StudentID*)

dbo.StudentCohort (*StudentID*)

dbo.StudentHours (*StudentID*)

dbo.StudentPairHours (*StudentID*)

dbo.StudentTermGrades (*StudentID*)

Used by:

View dbo.ViewAgencyStudentAssessments

View dbo.ViewAgencyStudentFiscalYearRecords

View dbo.ViewAgencyStudentGoals

View dbo.ViewPairKeyInfo

View dbo.ViewPairs

View dbo.ViewPairStudentEnrollments

View dbo.ViewPersonAssessments
View dbo.ViewPersonAuditHistory
View dbo.ViewStudentDocumentImage
View dbo.ViewStudentEducation
View dbo.ViewStudentEnrollments
View dbo.ViewStudentHeader
View dbo.ViewStudentHours
View dbo.ViewStudentKeyInfo
View dbo.ViewStudentPairHours
View dbo.ViewStudentQuickAdd
View dbo.ViewStudents
View dbo.ViewStudentSummary
View dbo.ViewTutorPairs

Table dbo.StudentCohort

	Column	Data Type	Identity	Nullable	Default
PK	StudentCohortID	int	X		
FK	StudentID	int			
<i>Student ID</i>					
	CohortTypeCode	int			
<i>Cohort</i>					
	LeftDate	datetime			
<i>Left Date</i>					
	AchievedOutcomeCode	int		X	
<i>Achieved Outcome</i>					
	SurveyIncluded	bit		X	
<i>Included in Survey</i>					
	SurveyResponded	bit		X	
<i>Responded to Survey</i>					
	FollowUpDate	datetime		X	
<i>Follow-Up Date</i>					
	MatchedByDeptOfLabor	bit		X	
<i>Matched by Dept. of Labor</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int			
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Student (*StudentID*)

Used by:

View dbo.ViewFollowUpOutcomes

View dbo.ViewStudentCohorts

Table dbo.StudentHistory

	Column	Data Type	Identity	Nullable	Default
PK	StudentHistoryID	int	X		
FK	PersonID	int			
	StatusCode	int		X	
<i>Enroll Status</i>					
	StartDate	datetime		X	
<i>Start Date</i>					
	DomainCode	int		X	
<i>Domain</i>					
FK	ProgramID	int		X	
<i>Program</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	Notes	varchar(255)		X	
<i>Notes / Meeting details</i>					
	TableName	varchar(100)		X	0
<i>Area</i>					
	TableID	int		X	0

References:

dbo.Person (*PersonID*)

dbo.Program (*ProgramID*)

Used by:

View dbo.ViewStudentHistory

Table dbo.StudentHours

	Column	Data Type	Identity	Nullable	Default
PK	StudentHoursID	int	X		
FK	StudentID	int			
<i>Student ID</i>					
	HoursDate	datetime			
<i>Date</i>					
	HoursTypeCode	int			

	HoursPresent	real			
<i>Hours Present</i>					
	HoursAbsent	real		X	
<i>Hours Absent</i>					
	Late	bit		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int			
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Student (*StudentID*)

Used by:

View **dbo.ViewStudentHours**

Table **dbo.StudentPairHours**

	Column	Data Type	Identity	Nullable	Default
PK	StudentPairHoursID	int	X		
FK StudentID					
<i>Student ID</i>					
FK	PairID	int			
<i>Pair ID</i>					
	PairHoursDate	smalldatetime			
<i>Date</i>					
	HoursTypeCode	int			
	HoursPresent	real			
<i>Hours Present</i>					
	HoursAbsent	real			
<i>Hours Absent</i>					
	Late	bit		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Pair (*PairID*)

dbo.Student (*StudentID*)

Used by:

View dbo.ViewStudentPairHours

Table dbo.StudentTermGrades

	Column	Data Type	Identity	Nullable	Default
PK	StudentTermGradesID	int	X		
FK	StudentID	int			
<i>Student ID</i>					
	TermCode	int		X	
<i>Term</i>					
	GradingPeriodBeginningDate	smalldatetime		X	
	GradingPeriodEndingDate	smalldatetime		X	
	TotalDaysinGradingPeriod	smallint		X	
	NumberofCreditsAttempted	real		X	
<i>Credits Attained</i>					
	NumberofCreditsReceived	real		X	
<i>Credits Received</i>					
	CreditsAttemptedGivenGradingPeriod	real		X	
	CreditsAttemptedGivenSession	real		X	
	CreditsAttemptedGivenSchoolYearTermEnding	real		X	
	CreditsAttemptedCumulative	real		X	
	CreditsReceivedGivenGradingPeriod	real		X	
	CreditsReceivedGivenSchoolYear	real		X	
	CreditsReceivedGivenSession	real		X	
	CreditsReceivedCumulative	real		X	
	GradePointsReceivedGivenGradingPeriod	real		X	
	GradePointsReceivedGivenSession	real		X	
<i>Grade Points Received</i>					
	GradePointsReceivedGivenSchoolYearTermEnding	real		X	
	GradePointsReceivedCumulative	real		X	
	GradePointAverageGivenSchoolYearTermEnding	real		X	
<i>Year to Date Grade Point Average</i>					
	GradePointAverageGivenSession	real		X	
<i>Term Grade Point Average</i>					
	GradePointAverageCumulative	real		X	
<i>Cumulative Grade Point Average</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Student (*StudentID*)

Used by:

View **dbo.ViewStudentTermGrades**

Table dbo.TranscriptClassRegistration

	Column	Data Type	Identity	Nullable	Default
PK	TranscriptCourseID	int	X		
FK	PersonID	int			
	RegistrationDate	datetime		X	
	<i>Enroll Date</i>				
	RegistrationStatusCode	int		X	
	<i>Status</i>				
	StartDate	datetime		X	
	<i>Start Date</i>				
	EndDate	datetime		X	
	<i>End Date</i>				
	ClassStartDate	smalldatetime		X	
	<i>Start Date</i>				
	ClassEndDate	smalldatetime		X	
	<i>End Date</i>				
	ClassUnits	tinyint		X	
	<i>Units</i>				
	FinalLetterGrade	varchar(10)		X	
	<i>Final Grade</i>				
	QualityPoints	real		X	
	<i>Quality Points</i>				
	GradePoints	real		X	
	<i>Grade Points</i>				
	HoursEarned	real		X	
	<i>Hours Earned</i>				
	DaysPresent	smallint		X	
	<i>Days Present</i>				
	RepeatIdentifier	bit		X	
	IsElective	bit		X	
	<i>Elective</i>				
	IsRemedial	bit		X	
	<i>Remedial</i>				
	IsHonors	bit		X	
	<i>Honors</i>				
	IsStandardizedTest	bit		X	
	<i>Standardized Test</i>				
	IsWorkCredit	bit		X	
	<i>Work Credit</i>				
	IsAdvancedPlacement	bit		X	
	<i>Advanced Placement</i>				
	EarnedCredits	real		X	
	<i>Earned Credits</i>				
	PossibleCredits	real		X	
	<i>Possible Credits</i>				
	IsVarCreditClass	bit		X	
	<i>Variable Credit Class</i>				
	InstitutionName	varchar(100)		X	
	<i>Institution</i>				
	CourseNumber	varchar(50)		X	

Course Number					
	CourseName	varchar(50)		X	
Course Name					
	TermCode	int		X	
Term					
	Instructor	varchar(150)		X	
	EnrollmentTypeCode	int		X	
Enrollment Type					
	ReasonLeftCode	int		X	
Reason Left					
	ClassMeetsRequirementCode	int		X	
Class Meets Requirement					
	ImportID	int		X	
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	
Update System User ID					
	UpdateAgencyID	int		X	
Update Agency ID					
	UpdateActionID	int		X	
Update Action ID					
	UpdateVersion	timestamp		X	
	TransferCreditTypeCode	int		X	
	SubjectCode	int		X	
Subject					
FK	CourseID	int		X	
Course ID					

References:

dbo.Course (*CourseID*)

dbo.Person (*PersonID*)

Used by:

View dbo.ViewPersonTranscriptClassRegistrations

Table **dbo.Tutor**

	Column	Data Type	Identity	Nullable	Default
PK	TutorID	int	X		
Tutor ID					
FK	PersonID	int			
	TutorSourceTypeCode	int		X	
Source Type					
	TutorSourceNameCode	int		X	
Source Name					
	PreviousTutoringExperience	bit		X	
Previous Tutoring Experience					
	CompletedInitialTraining	bit		X	
Completed Initial Training					
	DateFirstTutored	smalldatetime		X	
Date First Tutored					
	HighestLevelofEducationCompletedCode	int		X	

<i>Highest Education Completed</i>				
LifetimeDaysofMembership	real		X	
TutoringLocationCode	int		X	
<i>Tutoring Location Code</i>				
AdultEducationCredit	varchar(50)		X	
<i>Adult Education Credit</i>				
CreditCourses	varchar(50)		X	
<i>Credit Courses</i>				
PostSecondaryCertification	varchar(50)		X	
<i>Post Secondary Certification</i>				
LiteracyCertification	varchar(50)		X	
<i>Literacy Certification</i>				
ReadingCertification	varchar(50)		X	
<i>Reading Certification</i>				
LevelCode	int		X	
<i>Current Level</i>				
TutorKeywordCode	int		X	
<i>Tutor Keyword</i>				
TutorStatusCode	int		X	
<i>Overall Status</i>				
LastFiscalYearActiveCode	int		X	
CurFYInstructHours	real		X	
<i>Current FY Instr Hrs</i>				
FileLocation	varchar(50)		X	
<i>File Location</i>				
CreationDate	datetime		X	
<i>Creation Date</i>				
LastUpdate	datetime		X	
<i>Date</i>				
AgencyID	int		X	
<i>Agency ID</i>				
UpdateSystemUserID	int		X	
<i>Update System User ID</i>				
UpdateAgencyID	int		X	
<i>Update Agency ID</i>				
UpdateActionID	int		X	
<i>Update Action ID</i>				
UpdateVersion	timestamp		X	
ProgramID	int		X	
<i>Program</i>				
NumOfStudents	int		X	
<i>Num Of Students</i>				
WaitMatch	bit		X	
<i>Still available - Wait match</i>				
LifetimeAllHoursPresent	real		X	
<i>Lifetime Hours</i>				
LifetimeAllHoursAbsent	real		X	
<i>Lifetime Hours Absent</i>				
InstructionalHours	real		X	
<i>Instr Hrs</i>				
DateFirstIntake	datetime		X	
<i>Intake Date</i>				
ReasonLeft	varchar(80)		X	
<i>Reason Left</i>				
StatusChangeNotes	varchar(255)		X	
<i>Status Change Notes</i>				
DateLeft	datetime		X	
<i>Date Left</i>				

	InitialTrainingCompletionNote	varchar(50)		X	
<i>Initial Training Completion Note</i>					
	TutorReasonLeftCode	int		X	
<i>Reason Left</i>					

References:

dbo.Person (*PersonID*)

Referenced by:

dbo.Pair (*TutorID*)

dbo.TutorClassAssignment (*TutorID*)

dbo.TutorHistory (*TutorID*)

dbo.TutorHours (*TutorID*)

Used by:

View dbo.ViewGroups

View dbo.ViewGroupTutorHours

View dbo.ViewPairKeyInfo

View dbo.ViewPairs

View dbo.ViewStudentEnrollments

View dbo.ViewStudentPairHours

View dbo.ViewStudentPairs

View dbo.ViewTutorDocumentImage

View dbo.ViewTutorGroupAssignment

View dbo.ViewTutorHeader

View dbo.ViewTutorHours

View dbo.ViewTutorQuickAdd

View dbo.ViewTutors

View dbo.ViewTutorUnlinkedHours

Table dbo.TutorClassAssignment

	Column	Data Type	Identity	Nullable	Default
PK	TutorClassAssignmentID	int	X		
FK	ClassSectionID	int			
<i>Class ID</i>					
FK	TutorID	int			
<i>Tutor ID</i>					
	LevelCode	int		X	
<i>Current Level</i>					
	JobClassification	varchar(200)		X	
<i>Classification</i>					
	SessionType	varchar(150)		X	
<i>Session Type</i>					
	StartDate	datetime		X	
<i>Start Date</i>					
	EndDate	datetime		X	

End Date				
TotalDaysinSession	int		X	
NumberofHoursinSchoolDay	real		X	
AssignmentDescription	varchar(200)		X	
TeachingAssignment	varchar(200)		X	
Teaching Assignment				
ScopeofAssignment	varchar(200)		X	
Scope of Assignment				
ItinerantTeacher	bit		X	
EssentialPersonnelIdentifier	bit		X	
TimePeriodClassification	varchar(200)		X	
TimePeriod	varchar(200)		X	
NameofInstitution	varchar(200)		X	
Company				
IdentificationCode	varchar(200)		X	
Document or ID Number				
IdentificationSystem	int		X	
Identification System				
FulltimeEquivalency	real		X	
FTE-Percent				
FulltimeStatus	bit		X	
Full-time				
ScheduledWorkTimeDaily	varchar(200)		X	
Scheduled Work Time Daily				
ScheduledWorkDaysWeekly	varchar(200)		X	
Scheduled Work Days Weekly				
ScheduledWorkMonthsAnnually	varchar(200)		X	
Scheduled Work Months Annually				
ElementarySubjectCourse	varchar(200)		X	
CourseCodeSystem	varchar(200)		X	
CourseTitle	varchar(200)		X	
Course Title				
CourseNumber	varchar(50)		X	
Course Number				
UnitofWork	real		X	
TimeExpended	real		X	
PercentofTotalTime	real		X	
NumberofDaysinAttendance	real		X	
NumberofDaysAbsent	real		X	
NumberofTardies	real		X	
CreationDate	datetime		X	
Creation Date				
LastUpdate	datetime		X	
Date				
AgencyID	int		X	
Agency ID				
UpdateSystemUserID	int		X	
Update System User ID				
UpdateAgencyID	int		X	
Update Agency ID				
UpdateActionID	int		X	
Update Action ID				
UpdateVersion	timestamp		X	
PrimaryAssignment	bit		X	0
Primary Assignment				
AssignmentDate	datetime		X	
Assigned				
AssignmentStatusCode	int		X	

Status

References:

dbo.ClassSection (*ClassSectionID*)

dbo.Tutor (*TutorID*)

Used by:

View dbo.ViewGroups

View dbo.ViewStudentEnrollments

View dbo.ViewTutorGroupAssignment

Table dbo.TutorHistory

	Column	Data Type	Identity	Nullable	Default
PK	TutorHistoryID	int	X		
FK	TutorID	int			
<i>Tutor ID</i>					
	StartDate	datetime			
<i>Start Date</i>					
	EndDate	datetime		X	
<i>End Date</i>					
	StatusCode	int		X	
<i>Enroll Status</i>					
	KeywordCode	int		X	
<i>Student Keyword</i>					
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	
	Comments	varchar(1024)		X	
<i>Comment</i>					
	ProgramID	int		X	
<i>Program</i>					

References:

dbo.Tutor (*TutorID*)

Used by:

View dbo.ViewTutorHistory

Table dbo.TutorHours

	Column	Data Type	Identity	Nullable	Default
PK	TutorHoursID	int	X		

FK	TutorID	int			
<i>Tutor ID</i>					
FK	PairID	int		X	
<i>Pair ID</i>					
	ClassSectionID	int		X	
<i>Class ID</i>					
	HoursDate	datetime		X	
<i>Date</i>					
	HoursTypeCode	int			
	HoursPresent	real			
<i>Hours Present</i>					
	HoursAbsent	real			
<i>Hours Absent</i>					
	Late	bit		X	
	CreationDate	datetime		X	
<i>Creation Date</i>					
	LastUpdate	datetime		X	
<i>Date</i>					
	AgencyID	int		X	
<i>Agency ID</i>					
	UpdateSystemUserID	int		X	
<i>Update System User ID</i>					
	UpdateAgencyID	int		X	
<i>Update Agency ID</i>					
	UpdateActionID	int		X	
<i>Update Action ID</i>					
	UpdateVersion	timestamp		X	

References:

dbo.Pair (*PairID*)

dbo.Tutor (*TutorID*)

Used by:

View dbo.ViewGroupTutorHours

View dbo.ViewTutorHours

View dbo.ViewTutorUnlinkedHours

Table **dbo.Volunteer**

	Column	Data Type	Identity	Nullable	Default
PK	VolunteerID	int	X		
<i>Volunteer ID</i>					
FK	PersonID	int			
<i>Source Type</i>					
	VolunteerSourceTypeCode	int		X	
<i>Source Name</i>					
	VolunteerSourceNameCode	int		X	
<i>Completed Initial Training</i>					
	PreviousVolunteerExperience	bit		X	
	CompletedInitialTraining	bit		X	
<i>Highest Education Completed</i>					
	DateFirstVolunteered	smalldatetime		X	
	HighestLevelofEducationCompletedCode	int		X	
<i>Lifetime Days</i>					
	LifetimeDays	int		X	
<i>Lifetime Hours</i>					
	LifetimeHours	real		X	

Lifetime Hours					
LifetimeYears	real		X		
LastFiscalYearActiveCode	int		X		
LFYAHours	real		X		
VolunteerLocationCode	int		X		
Volunteer Location Code					
LevelCode	int		X		
Current Level					
VolunteerKeywordCode	int		X		
Volunteer Keyword					
VolunteerStatusCode	int		X		
Overall Status					
FileLocation	varchar(50)		X		
File Location					
CreationDate	datetime		X		
Creation Date					
LastUpdate	datetime		X		
Date					
AgencyID	int		X		
Agency ID					
UpdateSystemUserID	int		X		
Update System User ID					
UpdateAgencyID	int		X		
Update Agency ID					
UpdateActionID	int		X		
Update Action ID					
UpdateVersion	timestamp		X		
VolunteerTypeCode	int		X		
Volunteer Type					
PositionTitle	varchar(200)		X		
Position Title					
DateFirstIntake	datetime		X		
Intake Date					

References:

dbo.Person (*PersonID*)

Referenced by:

dbo.VolunteerHistory (*VolunteerID*)

dbo.VolunteerHours (*VolunteerID*)

Used by:

View dbo.ViewVolunteerHeader

View dbo.ViewVolunteerIntake

View dbo.ViewVolunteerKeyInfo

View dbo.ViewVolunteers

Table **dbo.VolunteerHistory**

	Column	Data Type	Identity	Nullable	Default
PK	VolunteerHistoryID	int	X		
FK	VolunteerID	int			
Volunteer ID					
	StartDate	datetime			

Start Date					
EndDate		datetime		X	
End Date					
StatusCode		int		X	
Enroll Status					
TypeCode		int		X	
CreationDate		datetime		X	
Creation Date					
LastUpdate		datetime		X	
Date					
AgencyID		int		X	
Agency ID					
UpdateSystemUserID		int		X	
Update System User ID					
UpdateAgencyID		int		X	
Update Agency ID					
UpdateActionID		int		X	
Update Action ID					
UpdateVersion		timestamp		X	

References:

dbo.Volunteer (*VolunteerID*)

Used by:

View dbo.ViewVolunteerStatusHistory

Table **dbo.VolunteerHours**

	Column	Data Type	Identity	Nullable	Default
PK	VolunteerHoursID	int	X		
FK	VolunteerID	int			
Volunteer ID					
	HoursDate	datetime		X	
Date					
	HoursTypeCode	int			
	CreationDate	datetime		X	
Creation Date					
	LastUpdate	datetime		X	
Date					
	AgencyID	int		X	
Agency ID					
	UpdateSystemUserID	int		X	
Update System User ID					
	UpdateAgencyID	int		X	
Update Agency ID					
	UpdateActionID	int		X	
Update Action ID					
	UpdateVersion	timestamp		X	
	HoursPresent	decimal(10,2)		X	
Hours Present					
	Comments	varchar(1024)		X	
Comment					

References:

dbo.Volunteer (*VolunteerID*)**Used by:**View **dbo.ViewVolunteerHours****Table dbo.WorkHistory**

	Column	Data Type	Identity	Nullable	Default
PK	WorkHistoryID	int	X		
FK	PersonID	int			
	Employer	varchar(50)		X	
	<i>Employer Name</i>				
	OccupationCode	int		X	
	<i>Occupation</i>				
	OccupationDescription	varchar(50)		X	
	<i>Description</i>				
	YearlyIncome	varchar(50)		X	
	<i>Salary</i>				
	StartDate	datetime		X	
	<i>Start Date</i>				
	EndDate	datetime		X	
	<i>End Date</i>				
	EmploymentStatusCode	int		X	
	<i>Employment Status</i>				
	CreationDate	datetime		X	
	<i>Creation Date</i>				
	LastUpdate	datetime		X	
	<i>Date</i>				
	AgencyID	int		X	
	<i>Agency ID</i>				
	UpdateSystemUserID	int		X	
	<i>Update System User ID</i>				
	UpdateAgencyID	int		X	
	<i>Update Agency ID</i>				
	UpdateActionID	int		X	
	<i>Update Action ID</i>				
	UpdateVersion	timestamp		X	
	EmployerAddress	varchar(1000)		X	
	<i>Employer Address</i>				
	EmployerContactPhoneNumber	varchar(100)		X	
	<i>Employer Contact</i>				
	TypeOfCompany	int		X	
	<i>Type Of Employer</i>				
	TableName	varchar(100)		X	
	<i>Area</i>				
	TableID	int		X	
	MostRecentPayRate	varchar(50)		X	
	<i>Most Recent Salary</i>				
	HasCredentials	bit		X	
	<i>Employment Certifications</i>				
	Promoted	bit		X	
	<i>Advancement in Job</i>				
	RetainedEmployment	bit		X	
	<i>Retained Employment</i>				

References:

dbo.Person (*PersonID*)

Used by:

View **dbo.ViewPersonWorkHistory**

Views:

View dbo.ViewAdminConfigurationSettings

Column	Data Type	Nullable
ConfigurationID	int	
AgencyID <i>Agency ID</i>	int	
ConfigGroup	varchar(25)	
ConfigurationName	varchar(64)	
DataProvider	varchar(2000)	X

Uses:

Table dbo.Configuration

View dbo.ViewAgencyEnrollmentsRegistration

Column	Data Type	Nullable
EnrollmentID <i>Enrollment ID</i>	int	X
FirstName <i>First Name</i>	varchar(50)	X
LastSurname <i>Last Name</i>	varchar(50)	X
LastName <i>Last Name</i>	varchar(50)	X
DisplayName <i>Display Name</i>	varchar(100)	X
MiddleName <i>Middle Name</i>	varchar(50)	X
StudentID <i>Student ID</i>	int	X
MatchDate <i>Match/Enrollment Date</i>	datetime	X
ClassType <i>Enrollment Type</i>	varchar(50)	X
ClassStartDate <i>Start Date</i>	datetime	X
ClassEndDate <i>End Date</i>	datetime	X
EnrollStatus <i>Enroll Status</i>	varchar(250)	X
Term	varchar(150)	X
CourseTitleName <i>Course Title/Name</i>	varchar(200)	X
ClassSectionTitleGrid <i>Title/Name</i>	varchar(100)	X
CourseNumber <i>Course Number</i>	varchar(50)	X
ClassMeetsRequirement <i>Class Meets Requirement</i>	varchar(150)	X
IsElectiveEnroll <i>Elective</i>	bit	X
IsHonorsEnroll <i>Honors</i>	bit	X
IsWorkCreditEnroll	bit	X

Work Credit		
IsRemedialEnroll	bit	X
<i>Remedial</i>		
IsStandardizedTestEnroll	bit	X
<i>Standardized Test</i>		
IsAdvancedPlacementEnroll	bit	X
<i>Advanced Placement</i>		
IntegratedEducationTrainingProgram	bit	X
<i>IETP</i>		
IsVarCreditClassEnroll	bit	X
<i>Variable Credit Class</i>		
PossibleCredits	real	X
<i>Possible Credits</i>		
EarnedCredits	real	X
<i>Earned Credits</i>		
Qtr1LetterGradeEnroll	varchar(10)	X
<i>Letter Grade</i>		
FinalLetterGrade	varchar(10)	X
<i>Final Grade</i>		
GradePoints	real	X
<i>Grade Points</i>		
QualityPoints	real	X
<i>Quality Points</i>		
ClassUnitsEnroll	tinyint	X
<i>Units</i>		
FeesPaidEnroll	bit	X
<i>Fees Paid</i>		
FeePaidDate	smalldatetime	X
<i>Date Paid</i>		
FeeAmountEnroll	money	X
<i>Fee Amount</i>		
HoursEarned	real	X
<i>Hours Earned</i>		
LifetimeHours	real	X
<i>Lifetime Hours</i>		
CurFYInstructHours	real	X
<i>Current FY Instr Hrs</i>		
InstructionalHours	real	X
<i>Instr Hrs</i>		
LastDateHoursEarned	datetime	X
<i>Last Date Hours Earned</i>		
InstructorName	varchar(250)	X
<i>Instructor Name</i>		
InstructorType	varchar(5)	
<i>Instructor Type</i>		
Keyword	varchar(150)	X
<i>Student Keyword</i>		
StudentStartDate	datetime	X
<i>Student Start Date</i>		
StudentEndDate	datetime	X
<i>Student End Date</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		

ZipCode	varchar(200)	X
Zip		
ElectronicEmailAddress	varchar(200)	X
Email		
State	varchar(150)	X
HomePhone	varchar(30)	X
Home Phone		
WorkPhone	varchar(30)	X
Work Phone		
Mobile	varchar(30)	X
Mobile Phone		
ProgramName	varchar(200)	X
Program		
Gender	varchar(150)	X
Birthdate	smalldatetime	X
Age	int	X
SocialSecurityNumber	varchar(200)	X
SSN		
StudentUniqueNumber	varchar(200)	X
Student Unique ID		
Keyword2	varchar(50)	X
Keyword 2		
String1	varchar(50)	X
Custom String 1		
String2	varchar(50)	X
Custom String 2		
String3	varchar(50)	X
Custom String 3		
Ethnicity	varchar(150)	X
AgencyID	int	X
Agency ID		
AgencyName	varchar(200)	X
Agency		
CreationDate	datetime	X
Creation Date		

Uses:

View dbo.ViewPairStudentEnrollments

View dbo.ViewStudentEnrollments

View dbo.ViewAgencyKeyInfo

Column	Data Type	Nullable
AgencyID	int	
Agency ID		
NameofInstitution	varchar(200)	X
Company		
AgencyName	varchar(200)	X
Agency		
FormerNameofInstitution	varchar(200)	X
IdentificationCode	varchar(200)	X
Document or ID Number		
AddressID	int	X
Address ID		
PrimaryContactID	int	X
Primary Contact ID		

GovernmentalJurisdictionName	varchar(200)	X
GovernmentalJurisdictionType	varchar(200)	X
FacilityType	varchar(200)	X
<i>Facility Type</i>		
CoEducationalStatus	varchar(50)	X
ReligiousAffiliationCode	int	X
<i>Religious Affiliation Code</i>		
AgencyStatus	varchar(200)	X
DateFounded	smalldatetime	X
DateOpened	smalldatetime	X
DateofClosure	smalldatetime	X
ReasonforClosure	varchar(200)	X
OffersAdultHighSchool	bit	X
LicenseCode	varchar(50)	X
InstitutionID	int	X
AddressTypeCode	int	X
<i>Address Type</i>		
StreetNumberName	varchar(200)	X
<i>Address 1</i>		
ApartmentRoomSuiteNumber	varchar(80)	X
<i>Address 2</i>		
BuildingSiteNumber	varchar(20)	X
ZoneNumber	varchar(10)	X
ResidenceBlockNumber	varchar(10)	X
City	varchar(200)	X
CountyFIPSCode	int	X
<i>County</i>		
County	varchar(150)	X
StateFIPSCode	int	X
<i>State</i>		
State	varchar(150)	X
StateName	varchar(200)	X
ZipCode	varchar(200)	X
<i>Zip</i>		
MetropolitanStatisticalAreaFIPSCode	smallint	X
MetroStatusCode	char(10)	X
CongressionalDistrict	char(10)	X
StartDate	datetime	X
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
Longitude	char(10)	X
Latitude	char(10)	X
WebsiteAddress	varchar(200)	X
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
AreaTypeCode	int	X
<i>Area</i>		
Area	varchar(150)	X
DistrictCode	int	X
<i>District</i>		
District	varchar(150)	X
<i>Ward</i>		
PrimaryContactTitle	varchar(200)	X
PrimaryContactInstitution	varchar(200)	X
PersonID	int	X

GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
PrimaryContactFirstName	varchar(50)	X
PrimaryContactLastName	varchar(50)	X
PrimaryContactName	varchar(100)	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.Address

Table dbo.Agency

Table dbo.OT_Area

Table dbo.OT_CountyFIPS

Table dbo.OT_District

Table dbo.OT_StateFIPS

Table dbo.Person

Table dbo.PrimaryContact

View dbo.ViewAgencyPersonWorkshops

Column	Data Type	Nullable
ClassRegistrationID	int	
<i>Class Enrollment</i>		
EnrollmentID	int	
<i>Enrollment ID</i>		
WorkshopID	int	
<i>Workshop ID</i>		
PersonID	int	
LastSurname	varchar(50)	X
<i>Last Name</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
PersonType	varchar(250)	X
<i>Person Type</i>		
RegistrationDate	datetime	X
<i>Enroll Date</i>		
StartDate	datetime	X

<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
StatusCode	int	X
<i>Enroll Status</i>		
EnrollStatus	varchar(150)	X
<i>Enroll Status</i>		
ClassSectionTitle	varchar(100)	X
<i>Title</i>		
WorkshopType	varchar(150)	X
<i>Workshop Type</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
WorkshopKeyword	varchar(150)	X
<i>Workshop Keyword</i>		
DaysPresent	smallint	X
<i>Days Present</i>		
HoursEarned	real	X
<i>Hours Earned</i>		
MetRequirement	varchar(1)	
<i>Met Requirement</i>		
Gender	varchar(150)	X
Ethnicity	varchar(150)	X
Birthday	smalldatetime	X
<i>Birthdate</i>		
Age	int	X
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
State	varchar(150)	X
ZipCode	varchar(200)	X
<i>Zip</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		

Uses:

Table dbo.Agency

View dbo.ViewPerson

View dbo.ViewWorkshopRegistration

View dbo.ViewWorkshops

View dbo.ViewAgencyStudentAssessments

Column	Data Type	Nullable
AssessmentID <i>Assessment ID</i>	int	
PersonID	int	
IdentificationCode <i>Document or ID Number</i>	varchar(200)	X
IdentificationSystem <i>Identification System</i>	int	X
TypeID	int	X
InstrumentID	int	X
FormID	int	X
LevelID	int	X
SubtestID <i>Subtest ID</i>	int	X
SubtestName <i>Subtest</i>	varchar(255)	X
FormName <i>Form</i>	varchar(255)	X
InstrumentName <i>Instrument</i>	varchar(255)	X
TypeName	varchar(20)	X
DateAssessed <i>Date Assessed</i>	datetime	X
AgeAtAssessment	real	X
GradeLevelAssessed	varchar(200)	X
AssessmentStandard	varchar(200)	X
GradeLevelwhenAssessed	real	X
RawScore <i>Raw Score</i>	decimal(10,1)	X
ScaledScore <i>Scaled Score</i>	decimal(10,1)	X
ScaledGain <i>Scaled Gain</i>	decimal(10,3)	X
Percentile	decimal(10,3)	X
SPLGLE <i>SPL/GLE</i>	decimal(10,1)	X
PassTest	char(1)	X
PreviousRelatedAssessmentID	int	X
SuperordinateAssessmentID <i>Superordinate Assessment ID</i>	int	X
ReportingandDocumentation	varchar(1024)	X
ScoreInterpretationInformation	varchar(1024)	X
ScoreResults	varchar(200)	X
LevelCode <i>Current Level</i>	int	X
SocialSecurityNumber <i>SSN</i>	varchar(200)	X
AssessedLevel <i>Assessed Level</i>	varchar(150)	X
FirstName <i>First Name</i>	varchar(50)	X
LastName <i>Last Name</i>	varchar(50)	X
LastSurname <i>Last Name</i>	varchar(50)	X
MiddleName	varchar(50)	X

Middle Name		
DisplayName	varchar(100)	X
<i>Display Name</i>		
Birthdate	smalldatetime	X
ElectronicMailAddress		
<i>Email</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
ZipCode	varchar(200)	X
<i>Zip</i>		
State	varchar(150)	X
PersonIdentificationCode	varchar(200)	X
StudentUniqueNumber	varchar(200)	X
<i>Student Unique ID</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
StudentID	int	
<i>Student ID</i>		
FileSecurity	int	X
<i>File Security</i>		
OverallStatusCode	int	X
<i>Overall Status</i>		
KeywordCode	int	X
<i>Student Keyword</i>		
Keyword	varchar(150)	X
<i>Student Keyword</i>		
StudentLevelCode	int	X
StaffName	varchar(100)	X
<i>Staff Name</i>		
StaffMemberID	int	X
<i>Staff ID</i>		
AssessDomain	varchar(150)	X
<i>Subject Area</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
DifficultyLevel	varchar(255)	X
<i>Level</i>		
StudentStatus	varchar(150)	X
<i>Overall Status</i>		

CurFYInstructHours	real	X
<i>Current FY Instr Hrs</i>		
LifetimeHours	real	X
<i>Lifetime Hours</i>		
InstructionalHours	real	X
<i>Instr Hrs</i>		
CurFYInstructHoursYN	varchar(3)	
InstructionalHoursSinceLastAssessment	real	X
<i>Instr Hrs Since Last Assess in Subj Area</i>		
FiscalYearCode	int	X
<i>Fiscal Year</i>		
FiscalYear	varchar(150)	X
<i>Fiscal Year</i>		
LastAssessmentInSubjectArea	char(1)	X
<i>Last Assessment In Subject Area</i>		
String1	varchar(50)	X
<i>Custom String 1</i>		
String2	varchar(50)	X
<i>Custom String 2</i>		
String3	varchar(50)	X
<i>Custom String 3</i>		
Keyword2	varchar(50)	X
<i>Keyword 2</i>		
Ethnicity	varchar(150)	X
Gender	varchar(150)	X
Program	varchar(200)	X
CurrentSchool	varchar(200)	X
<i>Current School Attending</i>		
Age	int	X

Uses:

Table dbo.Address
Table dbo.Agency
Table dbo.Assessment
Table dbo.AssessmentForm
Table dbo.AssessmentInstrument
Table dbo.AssessmentSubtest
Table dbo.AssessmentTestLevel
Table dbo.AssessmentTestType
Table dbo.CustomPersonFields
Table dbo.Demographic
Table dbo.OT_AssessmentMeasure
Table dbo.OT_Domain
Table dbo.OT_Ethnicity
Table dbo.OT_FiscalYear
Table dbo.OT_Gender
Table dbo.OT_Keyword

Table dbo.OT_Level

Table dbo.OT_StateFIPS

Table dbo.OT_Status

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

Table dbo.Program

Table dbo.Student

View dbo.ViewAgencyStudentFiscalYearRecords

Column	Data Type	Nullable
PersonID	int	
FiscalYearRecordID	int	
<i>Fiscal Year Reporting ID</i>		
ReportingSystemCode	int	X
<i>Reporting System</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
AgeUponEntry	int	X
EmploymentStatus	varchar(500)	X
<i>Employment Status</i>		
AssessStatus	varchar(500)	X
EntryLevel	varchar(500)	X
<i>Entry Level</i>		
EntryProgramType	varchar(500)	X
LeftDate	datetime	X
<i>Left Date</i>		
EntryDateFY	datetime	X
PosttestDate	datetime	X
PosttestForm	varchar(500)	X
PosttestInstrument	varchar(500)	X
PosttestScaledScore	decimal(6,2)	X
PretestDate	datetime	X
<i>Pretest Date</i>		
PretestForm	varchar(500)	X
PretestInstrument	varchar(500)	X
PretestScaledScore	decimal(6,2)	X
IsDistanceLearningStudent	varchar(500)	X
ExitLevel	varchar(500)	X
DesignatedProgram	varchar(500)	X
HoursInstruct	decimal(6,2)	X
HoursInstructPrePost	decimal(6,2)	X
HoursInstructDistance	decimal(6,2)	X
WorkBasedProjectLearnerInFY	varchar(500)	X
LeftInFY	varchar(500)	X
CompletedLevel	varchar(500)	X
<i>Completed Level</i>		
CompletedLevelAdvanced	varchar(500)	X

RemainingInLevel	varchar(500)	X
NRSParticipantThisFY	varchar(500)	X
NRSReportable	varchar(500)	X
FYRecordNotes	varchar(500)	X
FirstName	varchar(50)	X
<i>First Name</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
ReportingSystem	varchar(150)	X
<i>Reporting System</i>		
StudentID	int	X
<i>Student ID</i>		
StudentKeyword	varchar(150)	X
EducationalLevel	varchar(150)	X
<i>Current Level</i>		
StudentStatus	varchar(150)	X
<i>Overall Status</i>		
BeginDate	datetime	X
FiscalYear	char(9)	X
<i>Fiscal Year</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
ParentAgencyName	varchar(200)	X
SubjectAreaCode	varchar(500)	X
SubjectArea	varchar(150)	X
<i>Subject Area</i>		
County	varchar(500)	X
Ethnicity	varchar(150)	X

Uses:

Table dbo.Agency

Table dbo.AgencyTree

Table dbo.FiscalYearRecord

Table dbo.OT_Domain

Table dbo.OT_Ethnicity

Table dbo.OT_Keyword

Table dbo.OT_Level

Table dbo.OT_Reportingsystem

Table dbo.OT_Status

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.Student

View dbo.ViewFiscalYearDataPivot**View dbo.ViewAgencyStudentGoals**

Column	Data Type	Nullable
StudentID <i>Student ID</i>	int	
PersonID	int	
AgencyName <i>Agency</i>	varchar(200)	X
GoalID <i>Goal ID</i>	int	
SuperOrdinateGoalID	int	X
GoalCode <i>Goal</i>	int	
GoalStatusCode <i>Status</i>	int	
GoalOrder	tinyint	X
Priority	tinyint	X
DataSet <i>Date Set</i>	smalldatetime	
DateMet <i>Date Met</i>	smalldatetime	X
ShortDescription <i>Session Type</i>	varchar(255)	X
GoalShortDescription <i>Additional Details</i>	varchar(255)	X
PersonIdentificationCode	varchar(200)	X
SocialSecurityNumber <i>SSN</i>	varchar(200)	X
LastSurname <i>Last Name</i>	varchar(50)	X
LastName <i>Last Name</i>	varchar(50)	X
MiddleName <i>Middle Name</i>	varchar(50)	X
MiddleInitial <i>Middle Initial</i>	varchar(5)	X
DisplayName <i>Display Name</i>	varchar(100)	X
FirstName <i>First Name</i>	varchar(50)	X
FileSecurity <i>File Security</i>	int	X
OverallStatusCode <i>Overall Status</i>	int	X
KeywordCode <i>Student Keyword</i>	int	X
LevelCode <i>Current Level</i>	int	X
OverallStatus <i>Overall Status</i>	varchar(150)	X
Keyword <i>Student Keyword</i>	varchar(150)	X
GoalStatus <i>Status</i>	varchar(150)	X
GoalKeyword <i>Goal</i>	varchar(150)	X

GoalDescription	varchar(1024)	X
<i>Description</i>		
GoalTypeCode	int	X
<i>Creation Date</i>		
GoalType	varchar(150)	X
<i>Type</i>		
GoalCategoryCode	int	X
GoalCategory	varchar(150)	X
<i>Category</i>		
Gender	varchar(150)	X
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
SurveyFYCode	int	X
SurveyIncluded	bit	X
<i>Included in Survey</i>		
SurveyResponded	bit	X
<i>Responded to Survey</i>		
LastHoursDate	datetime	X
<i>Last Hours Date</i>		
CurFYInstructHours	real	X
<i>Current FY Instr Hrs</i>		
ProgramID	int	X
<i>Program</i>		
ProgramName	varchar(200)	X
<i>Program</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
GenderCode	int	X
<i>Gender</i>		
PrimaryEthnicity	varchar(150)	X
<i>Ethnicity</i>		
Birthdate	smalldatetime	X
Age	int	X
StudentUniqueNumber	varchar(200)	X
<i>Student Unique ID</i>		
String1	varchar(50)	X
<i>Custom String 1</i>		
String2	varchar(50)	X
<i>Custom String 2</i>		
String3	varchar(50)	X
<i>Custom String 3</i>		
Keyword2	varchar(50)	X
<i>Keyword 2</i>		

StreetNumberName	varchar(200)	X
<i>Address 1</i>		
ApartmentRoomSuiteNumber	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
State	varchar(150)	X
ZipCode	varchar(200)	X
<i>Zip</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		

Uses:

Table dbo.Address

Table dbo.Agency

Table dbo.CustomPersonFields

Table dbo.Demographic

Table dbo.Goals

Table dbo.OT_Ethnicity

Table dbo.OT_Gender

Table dbo.OT_Goal

Table dbo.OT_GoalCategory

Table dbo.OT_GoalStatus

Table dbo.OT_GoalType

Table dbo.OT_Keyword

Table dbo.OT_StateFIPS

Table dbo.OT_Status

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

Table dbo.Program

Table dbo.Student

View dbo.ViewCheckout

Column	Data Type	Nullable
CheckOutID	int	
MaterialID	int	
<i>Material ID</i>		
PersonID	int	
CheckoutDate	datetime	
<i>Checkout Date</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
DueDate	datetime	X

Due Date		
ReturnDate	datetime	X
Return Date		
AmtDue	money	X
Amount Due		
AmtPaid	money	X
CheckoutStatusCode	int	X
Checkout Status		
CheckoutStatus	varchar(150)	X
Checkout Status		
CheckoutTypeCode	int	X
Checkout Type		
CheckoutType	varchar(150)	X
Checkout Type		
AgencyID	int	X
Agency ID		
MaterialName	varchar(200)	X
Material Name		
MaterialTypeDescription	varchar(150)	X
Material Type		
FirstName	varchar(50)	X
First Name		
Nickname	varchar(50)	X
MiddleName	varchar(50)	X
Middle Name		
MiddleInitial	varchar(5)	X
Middle Initial		
LastSurname	varchar(50)	X
Last Name		
DisplayName	varchar(100)	X
Display Name		
Name	varchar(100)	X
GenerationCodeSuffix	varchar(10)	X
Suffix		
PersonalTitlePrefix	varchar(50)	X
Title/Prefix		
PersonType	varchar(250)	X
Person Type		

Uses:

Table dbo.CheckOut

Table dbo.Material

Table dbo.OT_CheckOutStatus

Table dbo.OT_CheckoutType

Table dbo.OT_MaterialType

Table dbo.Person

View dbo.ViewClassPersonHoursAttended

Column	Data Type	Nullable
AgencyID	int	X
Agency ID		
ClassHoursAttendedID	int	
ClassRegistrationID	int	

Class Enrollment		
ClassDate <i>Date</i>	datetime	
CreationDate <i>Creation Date</i>	datetime	X
HoursTypeCode <i>Hours Present</i>	int	
HoursPresent <i>Hours Absent</i>	real	
HoursAbsent <i>Hours Absent</i>	real	
Late	bit	X
LastUpdate <i>Date</i>	datetime	X
UpdateSystemUserID <i>Update System User ID</i>	int	X
UpdateAgencyID <i>Update Agency ID</i>	int	X
UpdateActionID <i>Update Action ID</i>	int	X
ClassSectionID <i>Class ID</i>	int	X
ClassSectionTypeCode <i>Class Section Type</i>	int	X
ClassSectionTitle <i>Title</i>	varchar(100)	X
MinimumRequiredDays <i>Min Required Days</i>	int	X
LastDateHoursAdded <i>Last Date Hours Added</i>	datetime	X
FiscalYearCode <i>Fiscal Year</i>	int	X
DisplayName <i>Display Name</i>	varchar(100)	X
Name	varchar(100)	X
FirstName <i>First Name</i>	varchar(50)	X
LastName <i>Last Name</i>	varchar(50)	X
MiddleName <i>Middle Name</i>	varchar(50)	X
PersonID	int	X
HoursType <i>Hours Type</i>	varchar(150)	X
PersonType <i>Person Type</i>	varchar(250)	X
ClassType <i>Enrollment Type</i>	varchar(50)	X

Uses:

Table dbo.ClassHoursAttended

Table dbo.ClassRegistration

Table dbo.ClassSection

Table dbo.OT_HoursType

Table dbo.Person

View dbo.ViewClassPersonRegistration

Column	Data Type	Nullable
ClassRegistrationID	int	
<i>Class Enrollment</i>		
ClassSectionID	int	
<i>Class ID</i>		
PersonID	int	
RegistrationDate	datetime	X
<i>Enroll Date</i>		
RegistrationStatusCode	int	X
<i>Status</i>		
StartDate	datetime	X
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
FeePaidDate	smalldatetime	X
<i>Date Paid</i>		
FeesPaid	bit	X
<i>Fees Paid (if applicable)</i>		
FeesBilledToStudent	money	X
<i>Fee Amount</i>		
RepeatIdentifier	bit	X
FundingSourceCode	int	X
<i>Funding Source</i>		
ProgramID	int	X
<i>Program</i>		
LastDateHoursEarned	smalldatetime	X
<i>Last Date Hours Earned</i>		
DaysAbsent	smallint	X
DaysLate	smallint	X
DaysPresent	smallint	X
<i>Days Present</i>		
HoursAbsent	real	X
<i>Hours Absent</i>		
HoursEarned	real	X
<i>Hours Earned</i>		
GradePoints	real	X
<i>Grade Points</i>		
QualityPoints	real	X
<i>Quality Points</i>		
FinalLetterGrade	varchar(10)	X
<i>Final Grade</i>		
ClassUnits	tinyint	X
<i>Units</i>		
ClassEndDate	smalldatetime	X
<i>End Date</i>		
ClassStartDate	smalldatetime	X
<i>Start Date</i>		
IsElective	bit	X
<i>Elective</i>		
IsRemedial	bit	X
<i>Remedial</i>		
IsHonors	bit	X
<i>Honors</i>		
IsStandardizedTest	bit	X
<i>Standardized Test</i>		

IsWorkCredit	bit	X
<i>Work Credit</i>		
IsAdvancedPlacement	bit	X
<i>Advanced Placement</i>		
ClassMeetsRequirementCode	int	X
<i>Class Meets Requirement</i>		
EarnedCredits	real	X
<i>Earned Credits</i>		
PossibleCredits	real	X
<i>Possible Credits</i>		
IsVarCreditClass	bit	X
<i>Variable Credit Class</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
Qtr1LetterGrade	varchar(10)	X
<i>Letter Grade</i>		
Qtr2LetterGrade	varchar(10)	X
<i>Q2 Grade</i>		
Qtr3LetterGrade	varchar(10)	X
<i>Q3 Grade</i>		
Qtr4LetterGrade	varchar(10)	X
<i>Q4 Grade</i>		
IntegratedEducationTrainingProgram	bit	X
<i>IETP</i>		
RegistrationStatus	varchar(150)	X
<i>Status</i>		
ClassMeetsRequirement	varchar(150)	X
<i>Class Meets Requirement</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		

Uses:

Table dbo.ClassRegistration

Table dbo.OT_ClassMeetsRequirement

Table dbo.OT_RegistrationStatus

Table dbo.Person

View dbo.ViewClassSectionComment

Column	Data Type	Nullable
RecordID	int	

SystemUserID	int	
ClassSectionID	int	
<i>Class ID</i>		
ClassSectionCommentTypeCode	int	
<i>Comment Type</i>		
ClassSectionCommentType	varchar(150)	X
<i>Comment Type</i>		
ClassCommentDate	smalldatetime	X
<i>Date</i>		
Comment	varchar(1024)	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.ClassComment

Table dbo.OT_ClassSectionCommentType

View dbo.ViewClassSectionQuickAdd

Column	Data Type	Nullable
ClassSectionID	int	
<i>Class ID</i>		
CourseID	int	X
<i>Course ID</i>		
Type	varchar(150)	X
ClassSectionTitle	varchar(100)	X
<i>Title</i>		
CourseNumber	varchar(50)	X
<i>Course Number</i>		
ShortClassStatusDescription	varchar(150)	X
Keyword	varchar(150)	X
<i>Student Keyword</i>		
Organization	varchar(150)	X
Site	varchar(150)	X
InstructionalArea	varchar(150)	X
<i>Instructional Area</i>		
ShortInstructionalDescription	varchar(150)	X
InstructionalLevel	varchar(150)	X
<i>Level</i>		
Department	varchar(150)	X
BuildingRoom	varchar(150)	X
<i>Bldg/Room</i>		
ClassBeginningTime	varchar(100)	X
<i>Times</i>		
ClassTime	varchar(100)	X
<i>Times</i>		

ClassMeetingDay	varchar(50)	X
<i>Days</i>		
Days	varchar(50)	X
Location	varchar(150)	X
TotalHoursOffered	real	X
<i>Total Hours Offered</i>		
MinimumStudents	smallint	X
<i>Min Enroll</i>		
MaximumStudents	smallint	X
<i>Max Enroll</i>		
ClassEnrolled	smallint	X
<i>Max Enroll</i>		
CurrentNumberWaiting	smallint	X
<i>Waiting</i>		
HighestNumberWaiting	smallint	X
<i>Highest Number Waiting</i>		
StudentsCompleted	smallint	X
<i>Completed</i>		
StudentsEnrolled	smallint	X
<i>Enrolled</i>		
LastDateHoursAdded	datetime	X
<i>Last Date Hours Added</i>		
ClassStartDate	smalldatetime	X
<i>Start Date</i>		
ClassEndDate	smalldatetime	X
<i>End Date</i>		
LocationofInstruction	varchar(50)	X
<i>Location Detail</i>		
CurrentHoursOffered	real	X
<i>Current Hours Offered</i>		
ClassEndingTime	varchar(100)	X
<i>Class Ending Time</i>		
MaxCredits	real	X
<i>Maximum Credits</i>		
MinCredits	real	X
<i>Min Credits</i>		
Credits	real	X
VariableCredit	bit	X
<i>Variable Credit</i>		
LastDateGradedItemAdded	datetime	X
<i>Last Date Graded Item Added</i>		
ClassStatusCode	int	X
<i>Status</i>		
ClassStatusList	int	X
<i>Status</i>		
ClassKeywordCode	int	X
<i>Class Keyword</i>		
ClassSiteCode	int	X
<i>Class Site Code</i>		
ClassSectionTypeCode	int	X
<i>Class Section Type</i>		
ClassSectionTypeCodeForGroup	int	X
<i>Class Section Type Code</i>		
ClassOrganizationCode	int	X
<i>Organization</i>		
TermCode	int	X
<i>Term</i>		
TermCodeReq	int	X

<i>Term</i>		
ProgramID	int	X
<i>Program</i>		
InstructionalLevelCode	int	X
<i>Level</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
DepartmentCode	int	X
<i>Department</i>		
BuildingRoomCode	int	X
<i>Bldg/Room</i>		
Qtr1StartDate	smalldatetime	X
<i>Qtr1 Start Date</i>		
Qtr1EndDate	smalldatetime	X
<i>Qtr1 End Date</i>		
Qtr2StartDate	smalldatetime	X
<i>Qtr2 Start Date</i>		
Qtr2EndDate	smalldatetime	X
<i>Qtr2 End Date</i>		
Qtr3StartDate	smalldatetime	X
<i>Qtr3 Start Date</i>		
Qtr3EndDate	smalldatetime	X
<i>Qtr3 End Date</i>		
Qtr4StartDate	smalldatetime	X
<i>Qtr4 Start Date</i>		
Qtr4EndDate	smalldatetime	X
<i>Qtr4 End Date</i>		
MinimumRequiredHours	real	X
<i>Min Required Hours</i>		
Title	varchar(200)	X
CourseStatusCode	int	X
<i>Status</i>		

Uses:

Table dbo.ClassSection

Table dbo.Course

Table dbo.OT_BuildingRoom

Table dbo.OT_ClassKeyword

Table dbo.OT_ClassOrganization

Table dbo.OT_ClassSectionType

Table dbo.OT_ClassSite

Table dbo.OT_ClassStatus

Table dbo.OT_Department

Table dbo.OT_InstructionalArea

Table dbo.OT_InstructionalLevel

Table dbo.OT_Location

Table dbo.OT_Term

View dbo.ViewClassSections

Column	Data Type	Nullable
ClassSectionID <i>Class ID</i>	int	
CourseID <i>Course ID</i>	int	X
Type <i>Title</i>	varchar(150)	X
ClassSectionTitle <i>Course Number</i>	varchar(100)	X
ClassStatus <i>Status</i>	varchar(150)	X
Keyword <i>Student Keyword</i>	varchar(150)	X
ClassKeyword <i>Class Keyword</i>	varchar(150)	X
Organization <i>Program</i>	varchar(150)	X
Site <i>Instructional Area</i>	varchar(150)	X
InstructionalArea <i>Level</i>	varchar(150)	X
Term <i>Course Title</i>	varchar(150)	X
ProgramName <i>Course Code</i>	varchar(200)	X
Department <i>Subject</i>	varchar(150)	X
CourseTitle <i>Subject</i>	varchar(200)	X
CourseCode <i>Bldg/Room</i>	varchar(50)	X
SubjectCode <i>Times</i>	int	X
Subject <i>Days</i>	varchar(150)	X
BuildingRoom <i>Days</i>	varchar(150)	X
ClassBeginningTime <i>Days</i>	varchar(100)	X
ClassMeetingDay <i>Hours Per Week</i>	varchar(50)	X
ClassMeetingDays <i>Hours Per Week</i>	varchar(50)	X
Location <i>Weeks of Class</i>	varchar(150)	X
HoursPerWeek <i>Weeks of Class</i>	real	X
WeeksOfClass <i>DaysOfClass</i>	int	X

Days Of Class		
HoursPerTerm	real	X
<i>Hours Per Term</i>		
TotalHoursOffered	real	X
<i>Total Hours Offered</i>		
MinimumStudents	smallint	X
<i>Min Enroll</i>		
MaximumStudents	smallint	X
<i>Max Enroll</i>		
CurrentNumberWaiting	smallint	X
<i>Waiting</i>		
HighestNumberWaiting	smallint	X
<i>Highest Number Waiting</i>		
StudentsCompleted	smallint	X
<i>Completed</i>		
StudentsEnrolled	smallint	X
<i>Enrolled</i>		
LastDateHoursAdded	datetime	X
<i>Last Date Hours Added</i>		
ClassStartDate	smalldatetime	X
<i>Start Date</i>		
ClassEndDate	smalldatetime	X
<i>End Date</i>		
MinCredits	real	X
<i>Min Credits</i>		
LocationofInstruction	varchar(50)	X
<i>Location Detail</i>		
CurrentHoursOffered	real	X
<i>Current Hours Offered</i>		
ClassEndingTime	varchar(100)	X
<i>Class Ending Time</i>		
ClassStatusCode	int	X
<i>Status</i>		
ClassKeywordCode	int	X
<i>Class Keyword</i>		
ClassSiteCode	int	X
<i>Class Site Code</i>		
ClassSectionTypeCode	int	X
<i>Class Section Type</i>		
ClassOrganizationCode	int	X
<i>Organization</i>		
TermCode	int	X
<i>Term</i>		
TermCodeReq	int	X
<i>Term</i>		
ProgramID	int	X
<i>Program</i>		
InstructionalLevelCode	int	X
<i>Level</i>		
PrimaryContactID	int	X
<i>Primary Contact ID</i>		
DepartmentCode	int	X
<i>Department</i>		
InstructionalAreaCode	int	X
<i>Instructional Area</i>		
ClassTransportCode	int	X
<i>Class Transport Code</i>		
FacilityType	varchar(200)	X

Facility Type		
TimetableDay <i>Timetable Day</i>	varchar(50)	X
<i>Bldg/Room</i>		
BuildingRoomCode <i>Max Credits</i>	int	X
<i>Maximum Credits</i>		
MaxCredits <i>Variable Credit</i>	real	X
<i>Variable Credit</i>		
VariableCredit <i>Credits</i>	bit	X
<i>Credits</i>		
Credits <i>Class Meets Requirement</i>	real	X
<i>Class Meets Requirement</i>		
ClassMeetsRequirementCode <i>Default Hours To Add</i>	int	X
<i>Last Date Graded Item Added</i>		
LastDateGradedItemAdded <i>Students Withdrawn</i>	datetime	X
<i>Students Withdrawn</i>		
StudentsWithdrawn <i>Students Dropout</i>	smallint	X
<i>Students Dropout</i>		
StudentsDropout <i>Location</i>	smallint	X
<i>Location</i>		
LocationCode <i>Class Period</i>	int	X
<i>Class Period</i>		
ClassPeriod <i>Course Code System Code</i>	varchar(50)	X
<i>Course Code System Code</i>		
CourseCodeSystemCode <i>Language of Instruction</i>	int	X
<i>Language of Instruction</i>		
LanguageCode <i>Instructional Language</i>	int	X
<i>Instructional Language</i>		
InstructionalLanguage <i>Notes / Meeting details</i>	varchar(150)	X
<i>Notes / Meeting details</i>		
Notes <i>Instructor Type</i>	varchar(255)	X
<i>Instructor Type</i>		
InstructorType <i>Assigned Instructor</i>	varchar(5)	
<i>Assigned Instructor</i>		
AssignedStaffName <i>Primary Contact Person ID</i>	varchar(100)	X
<i>Primary Contact Person ID</i>		
PrimaryContactPersonID <i>Primary Assignment</i>	int	X
<i>Primary Assignment</i>		
PrimaryAssignment <i>First Name</i>	bit	X
<i>First Name</i>		
FirstName <i>Middle Name</i>	varchar(50)	X
<i>Middle Name</i>		
MiddleName <i>Last Name</i>	varchar(50)	X
<i>Last Name</i>		
LastName <i>Alias</i>	varchar(50)	X
<i>Alias</i>		
Alias <i>Nickname</i>	varchar(50)	X
<i>Nickname</i>		
Nickname <i>Class Meets Requirement</i>	varchar(150)	X
<i>Class Meets Requirement</i>		
ClassMeetsRequirement <i>Cost</i>	varchar(150)	X
<i>Cost</i>		
Cost <i>Total Paid</i>	money	X
<i>Total Paid</i>		
TotalPay <i>Creation Date</i>	money	X
<i>Creation Date</i>		
CreationDate <i>Date</i>	datetime	X
<i>Date</i>		
LastUpdate <i>AgencyID</i>	datetime	X
<i>AgencyID</i>		

<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i> Update System User ID</i>		
UpdateAgencyID	int	X
<i> Update Agency ID</i>		
UpdateActionID	int	X
<i> Update Action ID</i>		
AgencyName	varchar(200)	X
<i> Agency</i>		
Qtr1StartDate	smalldatetime	X
<i> Qtr1 Start Date</i>		
Qtr1EndDate	smalldatetime	X
<i> Qtr1 End Date</i>		
Qtr2StartDate	smalldatetime	X
<i> Qtr2 Start Date</i>		
Qtr2EndDate	smalldatetime	X
<i> Qtr2 End Date</i>		
Qtr3StartDate	smalldatetime	X
<i> Qtr3 Start Date</i>		
Qtr3EndDate	smalldatetime	X
<i> Qtr3 End Date</i>		
Qtr4StartDate	smalldatetime	X
<i> Qtr4 Start Date</i>		
Qtr4EndDate	smalldatetime	X
<i> Qtr4 End Date</i>		
Availability	varchar(50)	X
MinimumRequiredHours	real	X
<i> Min Required Hours</i>		
ParentAgencyName	varchar(200)	X
ClassFundingSource	varchar(50)	X
<i> MHEC Code</i>		

Uses:

Table dbo.Agency
Table dbo.AgencyTree
Table dbo.ClassSection
Table dbo.Course
Table dbo.OT_BuildingRoom
Table dbo.OT_ClassKeyword
Table dbo.OT_ClassMeetsRequirement
Table dbo.OT_ClassOrganization
Table dbo.OT_ClassSectionType
Table dbo.OT_ClassSite
Table dbo.OT_ClassStatus
Table dbo.OT_Department
Table dbo.OT_InstructionalArea
Table dbo.OT_InstructionalLevel
Table dbo.OT_Language

Table dbo.OT_Location

Table dbo.OT_Subject

Table dbo.OT_Term

Table dbo.Person

Table dbo.Program

Table dbo.StaffClassAssignment

Table dbo.StaffMember

View dbo.ViewClassStaffAssignment

Column	Data Type	Nullable
PersonID	int	
StaffClassAssignmentID	int	
ClassSectionID	int	
<i>Class ID</i>		
GroupID	int	
<i>Group ID</i>		
StaffMemberID	int	
<i>Staff ID</i>		
NumberofTardies	real	X
NumberofDaysAbsent	real	X
NumberofDaysinAttendance	real	X
PercentofTotalTime	real	X
TimeExpended	real	X
UnitofWork	real	X
Expr1	varchar(50)	X
CourseTitle	varchar(200)	X
<i>Course Title</i>		
CourseCodeSystem	varchar(200)	X
ElementarySubjectCourse	varchar(200)	X
ScheduledWorkMonthsAnnually	varchar(200)	X
<i>Scheduled Work Months Annually</i>		
ScheduledWorkDaysWeekly	varchar(200)	X
<i>Scheduled Work Days Weekly</i>		
ScheduledWorkTimeDaily	varchar(200)	X
<i>Scheduled Work Time Daily</i>		
FulltimeStatus	bit	X
<i>Full-time</i>		
FulltimeEquivalency	real	X
<i>FTE-Percent</i>		
IdentificationSystem	int	X
<i>Identification System</i>		
IdentificationCode	varchar(200)	X
<i>Document or ID Number</i>		
NameofInstitution	varchar(200)	X
<i>Company</i>		
TimePeriod	varchar(200)	X
TimePeriodClassification	varchar(200)	X
EssentialPersonnelIdentifier	bit	X
ItinerantTeacher	bit	X
ScopeofAssignment	varchar(200)	X
<i>Scope of Assignment</i>		
TeachingAssignment	varchar(200)	X
<i>Teaching Assignment</i>		

AssignmentDescription	varchar(200)	X
NumberofHoursinSchoolDay	real	X
TotalDaysinSession	int	X
EndDate <i>End Date</i>	datetime	X
StartDate <i>Start Date</i>	datetime	X
SessionType <i>Session Type</i>	varchar(150)	X
JobClassification <i>Classification</i>	varchar(200)	X
LevelCode <i>Current Level</i>	int	X
FiscalYearCode <i>Fiscal Year</i>	int	X
FirstName <i>First Name</i>	varchar(50)	X
MiddleName <i>Middle Name</i>	varchar(50)	X
LastName <i>Last Name</i>	varchar(50)	X
DisplayName <i>Display Name</i>	varchar(100)	X
CreationDate <i>Creation Date</i>	datetime	X
LastUpdate <i>Date</i>	datetime	X
AgencyID <i>Agency ID</i>	int	X
UpdateSystemUserID <i>Update System User ID</i>	int	X
UpdateAgencyID <i>Update Agency ID</i>	int	X
UpdateActionID <i>Update Action ID</i>	int	X
AssignmentDate <i>Assigned</i>	datetime	X
AssignmentDateEditor <i>Assignment Date</i>	datetime	X
PrimaryAssignment <i>Primary Assignment</i>	bit	X
AssignmentStatusCode <i>Status</i>	int	X
StaffStatus <i>Overall Status</i>	varchar(150)	X
AssignmentStatus <i>Status</i>	varchar(150)	X
Address1 <i>Address 1</i>	varchar(200)	X
Address2 <i>Address 2</i>	varchar(80)	X
City	varchar(200)	X
StateFIPSCode <i>State</i>	int	X
State	varchar(150)	X
ZipCode <i>Zip</i>	varchar(200)	X
ElectronicMailAddress	varchar(200)	X

<i>Email</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		

Uses:

Table dbo.Address

Table dbo.OT_AssignmentStatus

Table dbo.OT_StaffStatus

Table dbo.OT_StateFIPS

Table dbo.Person

Table dbo.PersonPhone

Table dbo.StaffClassAssignment

Table dbo.StaffMember

View dbo.ViewClassStaffHours

Column	Data Type	Nullable
StaffHoursID	int	
PersonID	int	X
StaffMemberID	int	
<i>Staff ID</i>		
HoursDate	datetime	X
<i>Date</i>		
Late	bit	X
HoursAbsent	real	
<i>Hours Absent</i>		
HoursPresent	real	
<i>Hours Present</i>		
StaffHoursType	varchar(150)	X
<i>Type</i>		
HoursTypeCode	int	
FirstName	varchar(50)	X
<i>First Name</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
InstructorName	varchar(100)	X
<i>Instructor Name</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
ClassSectionID	int	X
<i>Class ID</i>		

ClassSectionTitle	varchar(100)	X
<i>Title</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
EnrollmentType	varchar(50)	X
<i>Enrollment Type</i>		

Uses:

Table dbo.ClassSection

Table dbo.OT_StaffHoursType

Table dbo.Person

Table dbo.StaffHours

View dbo.ViewContactHeader

Column	Data Type	Nullable
ContactID	int	
<i>Contact ID</i>		
PersonID	int	
Company	varchar(200)	
PositionTitle	varchar(200)	X
<i>Position Title</i>		
ContactTypeCode	int	X
<i>Type</i>		
ContactKeywordCode	int	X
<i>Contact Keyword</i>		
ContactStatusCode	int	X
<i>Overall Status</i>		
AgencyID	int	X
<i>Agency ID</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
ContactKeyword	varchar(150)	X
<i>Contact Keyword</i>		
ContactStatus	varchar(150)	X
<i>Overall Status</i>		
ContactType	varchar(150)	X
<i>Type</i>		

Uses:**Table dbo.Contact****Table dbo.OT_ContactKeyword****Table dbo.OT_ContactStatus****Table dbo.OT_ContactType****Table dbo.Person****View dbo.ViewContactIntake**

Column	Data Type	Nullable
PersonalTitlePrefix <i>Title/Prefix</i>	varchar(50)	X
FirstName <i>First Name</i>	varchar(50)	X
MiddleName <i>Middle Name</i>	varchar(50)	X
LastSurname <i>Last Name</i>	varchar(50)	X
GenerationCodeSuffix <i>Suffix</i>	varchar(10)	X
AddressID <i>Address ID</i>	int	
PrimaryAddress <i>Primary Address</i>	bit	X
Address1 <i>Address 1</i>	varchar(200)	X
Address2 <i>Address 2</i>	varchar(80)	X
City	varchar(200)	X
StateFIPSCode <i>State</i>	int	X
ZipCode <i>Zip</i>	varchar(200)	X
PhoneID <i>Phone ID</i>	int	
HomePhone <i>Home Phone</i>	varchar(30)	X
WorkPhone <i>Work Phone</i>	varchar(30)	X
Mobile <i>Mobile Phone</i>	varchar(30)	X
TelephoneContactPreferenceCode <i>Contact Preference</i>	int	X
ElectronicMailAddress <i>Email</i>	varchar(200)	X
DemographicID <i>Demographic ID</i>	int	
GenderCode <i>Gender</i>	int	X
GenderCodeNoReq <i>Gender</i>	int	X
Birthdate	smalldatetime	X
BirthdateNoReq <i>Birthdate</i>	smalldatetime	X

PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
IdentificationSystemCode	int	
<i>Identification System Code</i>		
PersonIdentifierID	int	
<i>Person Identifier ID</i>		
Fax	varchar(30)	X
Pager	varchar(30)	X
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
ResidenceAreaCode	int	X
<i>Residence Area</i>		
DistrictCode	int	X
<i>District</i>		
EmploymentStatusCode	int	X
<i>Employment Status</i>		
FamilyPublicAssistance	bit	X
<i>Public Assistance</i>		
ApparentOrDisclosedDisability	bit	X
<i>Apparent or Disclosed Disability</i>		
Homeless	bit	X
DislocatedWorker	bit	X
<i>Dislocated Worker</i>		
SingleParentGuardian	bit	X
<i>Single Parent or Guardian</i>		
EconomicDisadvantage	bit	X
<i>Economic Disadvantage</i>		
SpecificLearningDisabilityCode	int	X
<i>Specific Learning Disability</i>		
DisplacedHomemaker	bit	X
<i>Displaced Homemaker</i>		
MinorAdultStatus	bit	X
<i>Minor with Adult Status</i>		
Migrant	bit	X
<i>Migrant Worker</i>		
CountyFIPSCode	int	X
<i>County</i>		
StudentUniqueNumber	varchar(200)	X
<i>Student Unique ID</i>		
Immigrant	bit	X
CorrectionalCode	int	X
<i>Correctional</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
DisabilityID	int	
ContactID	int	
<i>Contact ID</i>		
PersonID	int	
PositionTitle	varchar(200)	X
<i>Position Title</i>		
ContactTypeCode	int	X
<i>Type</i>		
ContactKeywordCode	int	X
<i>Contact Keyword</i>		

ContactStatusCode	int	X
<i>Overall Status</i>		
AgencyID	int	X
<i>Agency ID</i>		
PersonRoleID	int	
PersonRoleCode	int	
PersonRoleCodeContact	int	
<i>PersonRoleCode</i>		
Company	varchar(200)	
DateFirstIntake	datetime	X
<i>Intake Date</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		

Uses:

Table dbo.Address

Table dbo.Contact

Table dbo.Demographic

Table dbo.Disability

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

Table dbo.PersonRole

View dbo.ViewContactKeyInfo

Column	Data Type	Nullable
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
TelephoneContactPreference	varchar(150)	X
<i>Contact Preference</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		

Mobile	varchar(30)	X
<i>Mobile Phone</i>		
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
OtherPhoneType	varchar(150)	X
<i>Other Phone Type</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
State	varchar(150)	X
City	varchar(200)	X
CountyFIPSCode	int	X
<i>County</i>		
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
PrimaryAddress	bit	X
<i>Primary Address</i>		
ContactID	int	
<i>Contact ID</i>		
PersonID	int	
PositionTitle	varchar(200)	X
<i>Position Title</i>		
Title	varchar(200)	X
ContactTypeCode	int	X
<i>Type</i>		
ContactKeywordCode	int	X
<i>Contact Keyword</i>		
ContactStatusCode	int	X
<i>Overall Status</i>		
AgencyID	int	X
<i>Agency ID</i>		
Fax	varchar(30)	X
Pager	varchar(30)	X
Note	varchar(255)	X
<i>Comment</i>		
Company	varchar(200)	
DateFirstIntake	datetime	X
<i>Intake Date</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
MailingPreference	varchar(150)	X
<i>Mail Preference</i>		
ElectronicEmailAddress	varchar(200)	X
<i>Email</i>		

Uses:

Table dbo.Address

Table dbo.Contact

Table dbo.OT_MailingPreference

Table dbo.OT_StateFIPS

Table dbo.OT_TelephoneContactPreference

Table dbo.OT_TelephoneType

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

View dbo.ViewContacts

Column	Data Type	Nullable
FirstName <i>First Name</i>	varchar(50)	X
MiddleName <i>Middle Name</i>	varchar(50)	X
MiddleInitial <i>Middle Initial</i>	varchar(5)	X
LastSurname <i>Last Name</i>	varchar(50)	X
DisplayName <i>Display Name</i>	varchar(100)	X
GenerationCodeSuffix <i>Suffix</i>	varchar(10)	X
PersonalTitlePrefix <i>Title/Prefix</i>	varchar(50)	X
SocialSecurityNumber <i>SSN</i>	varchar(200)	X
GenderCode <i>Gender</i>	int	X
Birthday <i>Birthdate</i>	smalldatetime	X
USCitizen <i>US Citizen</i>	bit	X
Immigrant	bit	X
PrimaryEthnicityCode <i>Ethnicity</i>	int	X
Ethnicity	varchar(150)	X
LastName <i>Last Name</i>	varchar(50)	X
EmploymentStatus <i>Employment Status</i>	varchar(100)	X
EmploymentStatusCode <i>Employment Status</i>	int	X
TelephoneContactPreferenceCode <i>Contact Preference</i>	int	X
TelephoneContactPreference <i>Contact Preference</i>	varchar(150)	X
HomePhone <i>Home Phone</i>	varchar(30)	X
WorkPhone <i>Work Phone</i>	varchar(30)	X
Mobile <i>Mobile Phone</i>	varchar(30)	X
OtherPhone	varchar(30)	X

<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
OtherPhoneType	varchar(150)	X
<i>Other Phone Type</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
State	varchar(150)	X
City	varchar(200)	X
CountyFIPSCode	int	X
<i>County</i>		
County	varchar(150)	X
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
FamilyIncomeRange	varchar(150)	X
<i>Family Income Range</i>		
SingleParentGuardian	bit	X
<i>Single Parent or Guardian</i>		
Migrant	bit	X
<i>Migrant Worker</i>		
Homeless	bit	X
ResidenceAreaCode	int	X
<i>Residence Area</i>		
ResidenceArea	varchar(150)	X
<i>Residence Area</i>		
MinorAdultStatus	bit	X
<i>Minor with Adult Status</i>		
NumberofDependents	tinyint	X
<i>Number of Dependents</i>		
FamilyIncomeRangeCode	int	X
<i>Family Income Range</i>		
FamilyPublicAssistance	bit	X
<i>Public Assistance</i>		
DisplacedHomemaker	bit	X
<i>Displaced Homemaker</i>		
DislocatedWorker	bit	X
<i>Dislocated Worker</i>		
EconomicDisadvantage	bit	X
<i>Economic Disadvantage</i>		
CorrectionalCode	int	X
<i>Correctional</i>		
Correctional	varchar(150)	X
InstitutionalCode	int	X
<i>Institutional</i>		
Institutional	varchar(150)	X
PrimaryAddress	bit	X
<i>Primary Address</i>		
Age	int	X
ContactID	int	
<i>Contact ID</i>		
PersonID	int	
PositionTitle	varchar(200)	X

<i>Position Title</i>		
ContactTitle	varchar(200)	X
<i>Title</i>		
ContactTypeCode	int	X
<i>Type</i>		
ContactKeywordCode	int	X
<i>Contact Keyword</i>		
ContactStatusCode	int	X
<i>Overall Status</i>		
DateFirstIntake	datetime	X
<i>Intake Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
ContactKeyword	varchar(150)	X
<i>Contact Keyword</i>		
ContactType	varchar(150)	X
<i>Type</i>		
ContactStatus	varchar(150)	X
<i>Overall Status</i>		
Fax	varchar(30)	X
Pager	varchar(30)	X
Note	varchar(255)	X
<i>Comment</i>		
Company	varchar(200)	
ElectronicEmailAddress	varchar(200)	X
<i>Email</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
MailingPreference	varchar(150)	X
<i>Mail Preference</i>		

Uses:

Table dbo.Address

Table dbo.Agency

Table dbo.Contact

Table dbo.Demographic

Table dbo.OT_Area

Table dbo.OT_ContactKeyword

Table dbo.OT_ContactStatus

Table dbo.OT_ContactType

Table dbo.OT_Correctional

Table dbo.OT_CountyFIPS

Table dbo.OT_Ethnicity

Table dbo.OT_FamilyIncomeRange

Table dbo.OT_Institution

Table dbo.OT_MailingPreference

Table dbo.OT_StateFIPS

Table dbo.OT_TelephoneContactPreference

Table dbo.OT_TelephoneType

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

Table dbo.PersonRole

View dbo.ViewContactStatusHistory

Column	Data Type	Nullable
ContactHistoryID	int	
ContactID	int	
<i>Contact ID</i>		
StartDate	datetime	
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
ContactStatusCode	int	X
<i>Overall Status</i>		
AgencyID	int	X
<i>Agency ID</i>		
ContactStatus	varchar(150)	X
<i>Overall Status</i>		
ContactTypeCode	int	X
<i>Type</i>		

Uses:

Table dbo.ContactHistory

Table dbo.OT_ContactStatus

View dbo.ViewCustomPersonFields

Column	Data Type	Nullable
CustomPersonFieldsID	int	
PersonID	int	
String1	varchar(50)	X
<i>Custom String 1</i>		
String2	varchar(50)	X
<i>Custom String 2</i>		
String3	varchar(50)	X
<i>Custom String 3</i>		
String4	varchar(50)	X
<i>Keyword 2</i>		
Date1	datetime	X
<i>Custom Date 1</i>		
Date2	datetime	X
<i>Custom Date 2</i>		
Number1	real	X
<i>Custom Number 1</i>		
Number2	real	X
<i>Custom Number 2</i>		

CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.CustomPersonFields

View dbo.ViewDeleteLogs

Column	Data Type	Nullable
DeleteLogID	int	
DeletedPersonLastName	varchar(50)	X
<i>Deleted Person Last Name</i>		
DeletedPersonFirstName	varchar(50)	X
<i>Deleted Person First Name</i>		
TableName	varchar(100)	X
<i>Area</i>		
DeletedPersonID	int	X
<i>Deleted Person ID</i>		
DeletionDate	datetime	X
<i>Deletion Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
LegacyDeleterUserID	int	X
LegacyDeleterUserName	varchar(50)	X
<i>Legacy Account Who Deleted</i>		
NexGenDeleterSystemUserID	int	X
NexGenDeleterUserName	varchar(100)	X
<i>NexGen Account Who Deleted</i>		
NameOfInstitution	varchar(200)	X
<i>Company</i>		

Uses:

Table dbo.Agency

Table dbo.DeleteLog

View dbo.ViewDonationsReceived

Column	Data Type	Nullable
DonorDisplayName	varchar(100)	X
<i>Display Donor Name As</i>		
DonationReceivedID	int	
DonorID	int	
<i>Donor ID</i>		
DateReceived	smalldatetime	
<i>Date</i>		

DonationTypeCode	int	X
<i>Donation Type</i>		
DonationType	varchar(150)	X
<i>Donation Type</i>		
DonationValue	decimal(11,2)	X
<i>Value</i>		
Deductable	decimal(11,2)	X
<i>Deductible</i>		
ReceiptNumber	varchar(50)	X
CampaignCode	int	X
<i>Campaign</i>		
Memorial	bit	X
Note	varchar(255)	X
<i>Comment</i>		
AgencyID	int	X
<i>Agency ID</i>		
Campaign	varchar(150)	X
CreationDate	datetime	X
<i>Creation Date</i>		

Uses:

Table dbo.DonationReceived

Table dbo.Donor

Table dbo.OT_Campaign

Table dbo.OT_DonationType

View dbo.ViewDonorComments

Column	Data Type	Nullable
DonorCommentType	varchar(150)	X
<i>Comment Type</i>		
DonorID	int	
<i>Donor ID</i>		
DonorCommentID	int	
DonorCommentTypeCode	int	
<i>Comment Type</i>		
DonorCommentDate	smalldatetime	X
<i>Date</i>		
SystemUserID	int	
Comment	varchar(1024)	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
UpdateVersion	timestamp	X
UpdateAgencyID	int	X
<i>Update Agency ID</i>		

Uses:**Table dbo.DonorComment****Table dbo.OT_DonorCommentType****View dbo.ViewDonorHeader**

Column	Data Type	Nullable
DonorID <i>Donor ID</i>	int	
DonorDisplayName <i>Display Donor Name As</i>	varchar(100)	X
DonorSourceTypeCode <i>Donor Source Type</i>	int	X
DonorSourceNameCode <i>Donor Source Name</i>	int	X
DonationTypeCode <i>Donation Type</i>	int	X
DonationType <i>Donation Type</i>	varchar(150)	X
TotalDonated <i>Total Donations</i>	decimal(11,2)	X
TotalPledged <i>Total Pledged</i>	decimal(11,2)	X
CurrentBalance <i>Current Balance</i>	decimal(11,2)	X
LastGiftAmount <i>Amount of Last Donation</i>	decimal(11,2)	X
LastGiftDate <i>Date of Last Donation</i>	smalldatetime	X
LastPledgeAmount <i>Last Pledge Amount</i>	decimal(11,2)	X
LastPledgeDate <i>Last Pledge Date</i>	smalldatetime	X
LastContactDate <i>Last Contact Date</i>	smalldatetime	X
NextContactDate <i>Next Contact Date</i>	smalldatetime	X
DonorKeywordCode <i>Donor Keyword</i>	int	X
DonorKeyword <i>Donor Keyword</i>	varchar(150)	X
DonorStatusCode <i>Overall Status</i>	int	X
DonorStatus <i>Overall Status</i>	varchar(150)	X
AgencyID <i>Agency ID</i>	int	X
PersonID	int	X
InstitutionID	int	X
DonationAsPrivatePerson <i>Donation as Person</i>	bit	X

Uses:**Table dbo.Donor**

Table dbo.OT_DonationType

Table dbo.OT_DonorKeyword

Table dbo.OT_DonorStatus

View dbo.ViewDonorKeyInfo

Column	Data Type	Nullable
DonorID <i>Donor ID</i>	int	
DonorDisplayName <i>Display Donor Name As</i>	varchar(100)	X
DonationTypeCode <i>Donation Type</i>	int	X
DonorMailPreferenceCode <i>Donor Mail Preference</i>	int	X
DonorCallPreferenceCode <i>Donor Call Preference</i>	int	X
TotalDonated <i>Total Donations</i>	decimal(11,2)	X
TotalPledged <i>Total Pledged</i>	decimal(11,2)	X
CurrentBalance <i>Current Balance</i>	decimal(11,2)	X
LastGiftAmount <i>Amount of Last Donation</i>	decimal(11,2)	X
LastGiftDate <i>Date of Last Donation</i>	smalldatetime	X
LastPledgeAmount <i>Last Pledge Amount</i>	decimal(11,2)	X
LastPledgeDate <i>Last Pledge Date</i>	smalldatetime	X
VolunteerLocationCode <i>Volunteer Location Code</i>	int	X
LastContactDate <i>Last Contact Date</i>	smalldatetime	X
LastPersonIDContacting <i>Last Person ID Contacting</i>	smalldatetime	X
NextContactDate <i>Next Contact Date</i>	smalldatetime	X
DonorKeywordCode <i>Donor Keyword</i>	int	X
DonorStatusCode <i>Overall Status</i>	int	X
AgencyID <i>Agency ID</i>	int	X
PersonID	int	X
InstitutionID	int	X
DonationAsPrivatePerson <i>Donation as Person</i>	bit	X
FirstName <i>First Name</i>	varchar(50)	X
MiddleName <i>Middle Name</i>	varchar(50)	X
MiddleInitial <i>Middle Initial</i>	varchar(5)	X
LastSurname	varchar(50)	X

<i>Last Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
PrimaryAddress	bit	X
<i>Primary Address</i>		
StreetNumberName	varchar(200)	X
<i>Address 1</i>		
ApartmentRoomSuiteNumber	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
TelephoneNumberType	varchar(200)	X
ElectronicEmailAddress	varchar(200)	X
<i>Email</i>		
State	varchar(150)	X
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Fax	varchar(30)	X
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
Pager	varchar(30)	X
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
TelephoneType	varchar(150)	X
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
TelephoneContactPreference	varchar(150)	X
<i>Contact Preference</i>		
DateFirstIntake	datetime	X
<i>Intake Date</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
MailingPreference	varchar(150)	X
<i>Mail Preference</i>		
NameofInstitution	varchar(200)	X
<i>Company</i>		
AddressID	int	
<i>Address ID</i>		
PrimaryContactID	int	X
<i>Primary Contact ID</i>		
PositionTitle	varchar(200)	X
<i>Position Title</i>		
CountyFIPSCode	int	X
<i>County</i>		
County	varchar(150)	X

Uses:

Table dbo.Address
Table dbo.AffiliatedInstitution
Table dbo.Donor
Table dbo.OT_CountyFIPS
Table dbo.OT_MailingPreference
Table dbo.OT_StateFIPS
Table dbo.OT_TelephoneContactPreference
Table dbo.OT_TelephoneType
Table dbo.Person
Table dbo.PersonPhone
Table dbo.PrimaryContact

View dbo.ViewDonorQuickAdd

Column	Data Type	Nullable
DonorID <i>Donor ID</i>	int	
DonorDisplayName <i>Display Donor Name As</i>	varchar(100)	X
DonorSourceTypeCode <i>Donor Source Type</i>	int	X
DonorSourceNameCode <i>Donor Source Name</i>	int	X
DonationTypeCode <i>Donation Type</i>	int	X
DonorMailPreferenceCode <i>Donor Mail Preference</i>	int	X
DonorCallPreferenceCode <i>Donor Call Preference</i>	int	X
TotalDonated <i>Total Donations</i>	decimal(11,2)	X
TotalPledged <i>Total Pledged</i>	decimal(11,2)	X
CurrentBalance <i>Current Balance</i>	decimal(11,2)	X
DonorKeywordCode <i>Donor Keyword</i>	int	X
DonorStatusCode <i>Overall Status</i>	int	X
NextContactDate <i>Next Contact Date</i>	smalldatetime	X
AgencyID <i>Agency ID</i>	int	X
InstitutionID	int	X
NameofInstitution <i>Company</i>	varchar(200)	X
TypeofCollaboration	varchar(200)	X
AffiliatedInstitutionType	varchar(200)	X
PrimaryContactID <i>Primary Contact ID</i>	int	X

PositionTitle	varchar(200)	X
<i>Position Title</i>		
PersonID	int	
<i>First Name</i>		
FirstName	varchar(50)	X
<i>Middle Name</i>		
MiddleName	varchar(50)	X
<i>Middle Initial</i>		
MiddleInitial	varchar(5)	X
<i>Last Name</i>		
LastSurname	varchar(50)	X
<i>Display Name</i>		
DisplayName	varchar(100)	X
<i>GenerationCodeSuffix</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
StreetNumberName	varchar(200)	X
<i>Address 1</i>		
ApartmentRoomSuiteNumber	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
CountyFIPSCode	int	X
<i>County</i>		
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
CountryCode	int	X
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
AddressID	int	
<i>Address ID</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
PhoneID	int	
<i>Phone ID</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Fax	varchar(30)	X
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
Pager	varchar(30)	X
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
DonationAsPrivatePerson	bit	X
<i>Donation as Person</i>		
PrimaryAddress	bit	X

Primary Address		
DemographicID	int	
<i>Demographic ID</i>		
GenderCode	int	X
<i>Gender</i>		
GenderCodeNoReq	int	X
<i>Gender</i>		
Birthdate	smalldatetime	X
BirthdateNoReq	smalldatetime	X
<i>Birthdate</i>		
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
DateFirstIntake	datetime	X
<i>Intake Date</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
PersonRoleCode	int	
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
IdentificationSystemCode	int	X
<i>Identification System Code</i>		
PersonIdentifierID	int	X
<i>Person Identifier ID</i>		

Uses:

Table dbo.Address

Table dbo.AffiliatedInstitution

Table dbo.Demographic

Table dbo.Donor

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

Table dbo.PersonRole

Table dbo.PrimaryContact

View dbo.ViewDonors

Column	Data Type	Nullable
AddressID	int	
<i>Address ID</i>		
ApartmentRoomSuiteNumber	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
ElectronicEmailAddress	varchar(200)	X
<i>Email</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
StateFIPSCode	int	X
<i>State</i>		
StreetNumberName	varchar(200)	X
<i>Address 1</i>		
TelephoneNumber	varchar(200)	X

Phone at Address		
ZipCode	varchar(200)	X
<i>Zip</i>		
NameofInstitution	varchar(200)	X
<i>Company</i>		
EmploymentStatus	varchar(100)	X
<i>Employment Status</i>		
BirthCountryCode	int	X
<i>Country of Birth</i>		
Birthday	smalldatetime	X
<i>Birthdate</i>		
BirthdateVerification	varchar(100)	X
<i>Birthdate Verification</i>		
BornOutsideoftheUS	bit	X
<i>Born outside US</i>		
CountryofCitizenshipCode	int	X
<i>Country of Citizenship</i>		
GenderCode	int	X
<i>Gender</i>		
Immigrant	bit	X
MaritalStatusCode	int	X
<i>Marital Status</i>		
NumberofDependents	tinyint	X
<i>Number of Dependents</i>		
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
RegisteredVoter	bit	X
<i>Registered Voter</i>		
USCitizen	bit	X
<i>US Citizen</i>		
AgencyID	int	X
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
CurrentBalance	decimal(11,2)	X
<i>Current Balance</i>		
DateFirstIntake	datetime	X
<i>Intake Date</i>		
DonationAsPrivatePerson	bit	X
<i>Donation as Person</i>		
DonorCallPreferenceCode	int	X
<i>Donor Call Preference</i>		
DonorDisplayName	varchar(100)	X
<i>Display Donor Name As</i>		
DonorID	int	
<i>Donor ID</i>		
DonorKeywordCode	int	X
<i>Donor Keyword</i>		
DonorSourceNameCode	int	X
<i>Donor Source Name</i>		
DonorSourceTypeCode	int	X
<i>Donor Source Type</i>		
DonorStatusCode	int	X
<i>Overall Status</i>		
FileLocation	varchar(50)	X
<i>File Location</i>		

LastContactDate	smalldatetime	X
<i>Last Contact Date</i>		
LastGiftAmount	decimal(11,2)	X
<i>Amount of Last Donation</i>		
LastGiftDate	smalldatetime	X
<i>Date of Last Donation</i>		
LastPersonIDContacting	smalldatetime	X
<i>Last Person ID Contacting</i>		
LastPledgeAmount	decimal(11,2)	X
<i>Last Pledge Amount</i>		
LastPledgeDate	smalldatetime	X
<i>Last Pledge Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
NextContactDate	smalldatetime	X
<i>Next Contact Date</i>		
PersonID	int	X
TotalDonated	decimal(11,2)	X
<i>Total Donations</i>		
TotalPledged	decimal(11,2)	X
<i>Total Pledged</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
VolunteerLocationCode	int	X
<i>Volunteer Location Code</i>		
BirthCountry	varchar(150)	X
<i>Country of Birth</i>		
CountryOfCitizenship	varchar(150)	X
<i>Country of Citizenship</i>		
DonorCallPreference	varchar(150)	X
<i>Donor Call Preference</i>		
DonorKeyword	varchar(150)	X
<i>Donor Keyword</i>		
DonorSourceName	varchar(150)	X
<i>Donor Source Name</i>		
DonorSourceType	varchar(150)	X
<i>Donor Source Type</i>		
DonorStatus	varchar(150)	X
<i>Overall Status</i>		
Ethnicity	varchar(150)	X
Gender	varchar(150)	X
MailingPreference	varchar(150)	X
<i>Mail Preference</i>		
MaritalStatus	varchar(150)	X
<i>Marital Status</i>		
StateFIPS	varchar(150)	X
<i>State</i>		
TelephoneContactPreference	varchar(150)	X
<i>Contact Preference</i>		
OtherPhoneType	varchar(150)	X
<i>Other Phone Type</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
FirstName	varchar(50)	X

<i>First Name</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
Fax	varchar(30)	X
HomePhone	varchar(30)	X
<i>Home Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
Pager	varchar(30)	X
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
PositionTitle	varchar(200)	X
<i>Position Title</i>		
LastName	varchar(50)	X

Uses:

Table dbo.Address

Table dbo.AffiliatedInstitution

Table dbo.Agency

Table dbo.Demographic

Table dbo.Donor

Table dbo.OT_BirthCountry

Table dbo.OT_CountryOfCitizenship

Table dbo.OT_DonorCallPreference

Table dbo.OT_DonorKeyword

Table dbo.OT_DonorSourceName

Table dbo.OT_DonorSourceType

Table dbo.OT_DonorStatus

Table dbo.OT_Ethnicity

Table dbo.OT_Gender

Table dbo.OT_MailingPreference

Table dbo.OT_MaritalStatus

Table dbo.OT_StateFIPS

Table dbo.OT_TelephoneContactPreference

Table dbo.OT_TelephoneType

Table dbo.Person

Table dbo.PersonPhone

Table dbo.PrimaryContact

View dbo.ViewDonorStatusHistory

Column	Data Type	Nullable
DonorHistoryID	int	
DonorID <i>Donor ID</i>	int	
StartDate <i>Start Date</i>	datetime	
EndDate <i>End Date</i>	datetime	X
StatusCode <i>Enroll Status</i>	int	X
AgencyID <i>Agency ID</i>	int	X
DonorStatus <i>Overall Status</i>	varchar(150)	X
CreationDate <i>Creation Date</i>	datetime	X

Uses:

Table dbo.DonorHistory

Table dbo.OT_DonorStatus

View dbo.ViewFamily

Column	Data Type	Nullable
FamilyID <i>Family ID</i>	int	
FamilyName <i>Family Name</i>	varchar(100)	
FamilyStatusCode <i>Status</i>	int	
FamilyTypeCode <i>Family Type</i>	int	X
FamilyKeywordCode <i>Family Keyword</i>	int	X
HeadHouseholdPersonID <i>Head of Household Person ID</i>	int	X
EmergencyContactPersonID <i>Emergency Contact Person ID</i>	int	X
TotalAdults	int	X
TotalChildren	int	X
TotalDependents	int	X
TotalAdultStudents	int	X
TotalChildrenServed	int	X
DateIntake <i>Intake Date</i>	datetime	X

FirstActiveDate	datetime	X
LastHoursDate	datetime	X
<i>Last Hours Date</i>		
CurFYHours	real	X
LifetimeHoursServed	real	X
LifetimeDays	int	X
CurFYDays	int	X
FamilyAnnualIncomeCode	int	X
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
FamilyUniqueNumber	varchar(100)	X
<i>Family Unique Number</i>		
AgencyID	int	X
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
FamilyKeyword	varchar(150)	X
<i>Family Keyword</i>		
FamilyStatus	varchar(150)	X
<i>Status</i>		
FamilyType	varchar(150)	X
<i>Family Type</i>		
FamilyIncomeRange	varchar(150)	X
<i>Family Income Range</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
EmergencyContactFirstName	varchar(50)	X
<i>Emergency Contact First Name</i>		
EmergencyContactMiddleName	varchar(50)	X
<i>Emergency Contact Middle Name</i>		
EmergencyContactMiddleInitial	varchar(5)	X
<i>Emergency Contact Middle Initial</i>		
EmergencyContactLastName	varchar(50)	X
<i>Emergency Contact Last Name</i>		
EmergencyContactDisplayName	varchar(100)	X
<i>Emergency Contact Display Name</i>		

Uses:

Table dbo.Agency

Table dbo.Family

Table dbo.OT_FamilyIncomeRange

Table dbo.OT_FamilyKeyword

Table dbo.OT_FamilyStatus

Table dbo.OT_FamilyType

Table dbo.Person

View dbo.ViewFamilyHeader

Column	Data Type	Nullable
FamilyID <i>Family ID</i>	int	
FamilyName <i>Family Name</i>	varchar(100)	
FamilyStatusCode <i>Status</i>	int	
FamilyTypeCode <i>Family Type</i>	int	X
FamilyKeywordCode <i>Family Keyword</i>	int	X
HeadHouseholdPersonID <i>Head of Household Person ID</i>	int	X
EmergencyContactPersonID <i>Emergency Contact Person ID</i>	int	X
TotalAdults	int	X
TotalChildren	int	X
TotalDependents	int	X
TotalAdultStudents	int	X
TotalChildrenServed	int	X
DateIntake <i>Intake Date</i>	datetime	X
FirstActiveDate	datetime	X
LastHoursDate <i>Last Hours Date</i>	datetime	X
CurFYHours	real	X
LifetimeHoursServed	real	X
LifetimeDays	int	X
CurFYDays	int	X
FamilyAnnualIncomeCode	int	X
PrimaryEthnicityCode <i>Ethnicity</i>	int	X
AgencyID <i>Agency ID</i>	int	X
FamilyKeyword <i>Family Keyword</i>	varchar(150)	X
FamilyStatus <i>Status</i>	varchar(150)	X
FamilyType <i>Family Type</i>	varchar(150)	X
FamilyUniqueNumber <i>Family Unique Number</i>	varchar(100)	X

Uses:

Table dbo.Family

Table dbo.OT_FamilyKeyword

Table dbo.OT_FamilyStatus**Table dbo.OT_FamilyType****View dbo.ViewFamilyMemberQuickAdd**

Column	Data Type	Nullable
FamilyMemberID	int	
FamilyID	int	
<i>Family ID</i>		
PersonID	int	
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
FamilyMemberRoleCode	int	X
<i>Role</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
GenderCode	int	X
<i>Gender</i>		
DemographicID	int	
<i>Demographic ID</i>		
Birthdate	smalldatetime	X
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
CalculatedAge	int	X
<i>Age</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
HeadHouseholdPersonID	int	X
<i>Head of Household Person ID</i>		
HeadofHousehold	bit	X
<i>Head of Household</i>		

EmergencyContactPersonID	int	X
<i>Emergency Contact Person ID</i>		
EmergencyContact	bit	X
PrimaryAddress	bit	X
<i>Primary Address</i>		

Uses:

Table dbo.Address

Table dbo.Demographic

Table dbo.Disability

Table dbo.Family

Table dbo.FamilyMember

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

Table dbo.PersonRole

View dbo.ViewFamilyMembers

Column	Data Type	Nullable
FamilyMemberID	int	
FamilyID	int	
<i>Family ID</i>		
PersonID	int	
AgencyID	int	X
<i>Agency ID</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
GenderCode	int	X
<i>Gender</i>		
DemographicID	int	
<i>Demographic ID</i>		
Birthdate	smalldatetime	X
Gender	varchar(150)	X
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
Ethnicity	varchar(150)	X
FamilyMemberRole	varchar(150)	X
<i>Role</i>		
FamilyMemberRoleCode	int	X

Role		
Age	int	X
CalculatedAge	int	X
<i>Age</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
HeadHouseholdPersonID	int	X
<i>Head of Household Person ID</i>		
HeadofHousehold	bit	X
<i>Head of Household</i>		
EmergencyContactPersonID	int	X
<i>Emergency Contact Person ID</i>		
EmergencyContact	bit	X
CreationDate	datetime	X
<i>Creation Date</i>		

Used by:

[View dbo.ViewStudentFamilyMembers](#)

Uses:

Table dbo.Demographic

Table dbo.Family

Table dbo.FamilyMember

Table dbo.OT_Ethnicity

Table dbo.OT_FamilyMemberRole

Table dbo.OT_Gender

Table dbo.Person

Table dbo.PersonPhone

[View dbo.ViewFamilyQuickAdd](#)

Column	Data Type	Nullable
FamilyID	int	
<i>Family ID</i>		
FamilyName	varchar(100)	
<i>Family Name</i>		
FamilyStatusCode	int	
<i>Status</i>		
FamilyTypeCode	int	X
<i>Family Type</i>		
FamilyKeywordCode	int	X
<i>Family Keyword</i>		
HeadHouseholdPersonID	int	X
<i>Head of Household Person ID</i>		
EmergencyContactPersonID	int	X
<i>Emergency Contact Person ID</i>		
DateIntake	datetime	X
<i>Intake Date</i>		

FirstActiveDate	datetime	X
FamilyAnnualIncomeCode	int	X
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
AgencyID	int	X
<i>Agency ID</i>		
FamilyUniqueNumber	varchar(100)	X
<i>Family Unique Number</i>		

Uses:

Table dbo.Family

View dbo.ViewFamilyStatusHistory

Column	Data Type	Nullable
FamilyStatusHistoryID	int	
FamilyID	int	X
<i>Family ID</i>		
FamilyStatusCode	int	X
<i>Status</i>		
StatusDate	smalldatetime	X
<i>Start Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
FamilyStatus	varchar(150)	X
<i>Status</i>		

Uses:

Table dbo.FamilyStatusHistory

Table dbo.OT_FamilyStatus

View dbo.ViewFiscalYearData

Column	Data Type	Nullable
FiscalYearDataID	int	
FiscalYearRecordID	int	
<i>Fiscal Year Reporting ID</i>		
PersonID	int	
FiscalYear	char(9)	X
<i>Fiscal Year</i>		
BeginDate	datetime	X
FieldNameCode	int	
FieldValue	varchar(100)	
<i>Value</i>		
FieldType	int	X
<i>Type</i>		
ReportingSystemCode	int	X
<i>Reporting System</i>		
ReportingSystem	varchar(150)	X
<i>Reporting System</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X

<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i> Update System User ID</i>		
UpdateAgencyID	int	X
<i> Update Agency ID</i>		
UpdateActionID	int	X
<i> Update Action ID</i>		
FieldName	varchar(150)	X
<i> Property</i>		
DataCategory	varchar(150)	X
FieldDescription	varchar(1024)	X
<i> Field Description</i>		

Uses:

Table dbo.FiscalYearData

Table dbo.FiscalYearDataCategory

Table dbo.FiscalYearDataFieldName

Table dbo.FiscalYearRecord

Table dbo.OT_Reportingsystem

View dbo.ViewFiscalYearDataPivot

Column	Data Type	Nullable
FiscalyearRecordID	int	
<i> Fiscal Year Reporting ID</i>		
AgeUponEntry	int	X
EmploymentStatus	varchar(500)	X
<i> Employment Status</i>		
AssessStatus	varchar(500)	X
EntryDateFY	datetime	X
EntryLevel	varchar(500)	X
<i> Entry Level</i>		
EntryProgramType	varchar(500)	X
ExitLevel	varchar(500)	X
DesignatedProgram	varchar(500)	X
HoursInstruct	decimal(6,2)	X
HoursInstructDistance	decimal(6,2)	X
HoursInstructPrePost	decimal(6,2)	X
PosttestDate	datetime	X
PosttestForm	varchar(500)	X
PosttestInstrument	varchar(500)	X
PosttestScaledScore	decimal(6,2)	X
PretestDate	datetime	X
<i> Pretest Date</i>		
PretestForm	varchar(500)	X
PretestInstrument	varchar(500)	X
PretestScaledScore	decimal(6,2)	X
WorkBasedProjectLearnerInFY	varchar(500)	X
LeftInFY	varchar(500)	X
CompletedLevel	varchar(500)	X
<i> Completed Level</i>		
CompletedLevelAdvanced	varchar(500)	X
RemainingInLevel	varchar(500)	X
NRSParticipantThisFY	varchar(500)	X

NRSReportable	varchar(500)	X
IsDistanceLearningStudent	varchar(500)	X
SubjectAreaCode	varchar(500)	X
LeftDate	datetime	X
<i>Left Date</i>		
County	varchar(500)	X
EthnicityCode	varchar(500)	X
<i>Ethnicity</i>		
FYRecordNotes	varchar(500)	X

Used by:

View dbo.ViewAgencyStudentFiscalYearRecords

Uses:

Table dbo.AssessmentForm

Table dbo.AssessmentInstrument

Table dbo.FiscalYearData

Table dbo.FiscalYearDataFieldName

Table dbo.OT_Level

View dbo.ViewFiscalYearRecords

Column	Data Type	Nullable
PersonID	int	
FiscalYearRecordID	int	
<i>Fiscal Year Reporting ID</i>		
FiscalYear	char(9)	X
<i>Fiscal Year</i>		
BeginDate	datetime	X
ReportingSystemCode	int	X
<i>Reporting System</i>		
Completed	bit	X
DateCompleted	datetime	X
<i>Date Completed</i>		
Reviewed	bit	X
ReviewedBySystemUserID	int	X
FirstName	varchar(50)	X
<i>First Name</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
ReportingSystem	varchar(150)	X
<i>Reporting System</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		

UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.FiscalYearRecord

Table dbo.OT_ReportSystem

Table dbo.Person

Table dbo.PersonIdentifier

View dbo.ViewFollowUpOutcomes

Column	Data Type	Nullable
OutcomeID	int	
AgencyName	varchar(200)	X
<i>Agency</i>		
AgencyID	int	X
<i>Agency ID</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
StudentID	int	
<i>Student ID</i>		
PersonID	int	
SocialSecurityNumberExists	varchar(3)	
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
Birthday	smalldatetime	X
<i>Birthdate</i>		
Gender	varchar(150)	X
Program	varchar(200)	X
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
FiscalYearDataID	int	X
CohortTypeCode	int	
<i>Cohort</i>		
Outcome	varchar(150)	X
Origin	varchar(6)	
DateLeft	datetime	
<i>Date Left</i>		
LeftQuarter	varchar(182)	X
<i>Left Quarter</i>		
OutcomeStatus	varchar(150)	X

Outcome Status		
DataSet	smalldatetime	X
<i>Date Set</i>		
DateMet	smalldatetime	X
<i>Date Met</i>		
FollowUpDate	datetime	X
<i>Follow-Up Date</i>		
SurveyIncluded	bit	X
<i>Included in Survey</i>		
SurveyResponded	bit	X
<i>Responded to Survey</i>		
MatchedByDeptOfLabor	bit	X
<i>Matched by Dept. of Labor</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
Keyword	varchar(150)	X
<i>Student Keyword</i>		

Uses:

Table dbo.OT_CohortType

Table dbo.OT_ReportSystem

Table dbo.OT_YesNoUnknown

Table dbo.StudentCohort

View dbo.ViewGroupKeyInfo

Column	Data Type	Nullable
ClassSectionID	int	
<i>Class ID</i>		
GroupID	int	
<i>Group ID</i>		
CourseNumber	varchar(50)	X
<i>Course Number</i>		
ClassSectionTitle	varchar(100)	X
<i>Title</i>		
CourseID	int	X
<i>Course ID</i>		
CourseTitle	varchar(200)	X
<i>Course Title</i>		
CourseCode	varchar(50)	X
<i>Course Code</i>		
ClassSectionTypeCode	int	X
<i>Class Section Type</i>		
ClassSectionType	varchar(150)	X
<i>Class Section Type</i>		
ClassStatusCode	int	X
<i>Status</i>		
ClassStatus	varchar(150)	X
<i>Status</i>		
GroupKeyCode	int	X
<i>Group Keyword</i>		
GroupKeyword	varchar(150)	X
<i>Group Keyword</i>		
ProgramID	int	X
<i>Program</i>		

ProgramName	varchar(200)	X
<i>Program</i>		
TermCode	int	X
<i>Term</i>		
Term	varchar(150)	X
ClassStartDate	smalldatetime	X
<i>Start Date</i>		
ClassEndDate	smalldatetime	X
<i>End Date</i>		
ClassSiteCode	int	X
<i>Class Site Code</i>		
ClassSite	varchar(150)	X
ClassOrganizationCode	int	X
<i>Organization</i>		
ClassOrganization	varchar(150)	X
InstructionalAreaCode	int	X
<i>Instructional Area</i>		
InstructionalArea	varchar(150)	X
<i>Instructional Area</i>		
InstructionalLevelCode	int	X
<i>Level</i>		
InstructionalLevel	varchar(150)	X
<i>Level</i>		
DepartmentCode	int	X
<i>Department</i>		
Department	varchar(150)	X
BuildingRoomCode	int	X
<i>Bldg/Room</i>		
BuildingRoom	varchar(150)	X
<i>Bldg/Room</i>		
LocationCode	int	X
<i>Location</i>		
Location	varchar(150)	X
ClassBeginningTime	varchar(100)	X
<i>Times</i>		
ClassEndingTime	varchar(100)	X
<i>Class Ending Time</i>		
ClassMeetingDay	varchar(50)	X
<i>Days</i>		
MinimumStudents	smallint	X
<i>Min Enroll</i>		
MaximumStudents	smallint	X
<i>Max Enroll</i>		
StudentsEnrolled	smallint	X
<i>Enrolled</i>		
CurrentNumberWaiting	smallint	X
<i>Waiting</i>		
HighestNumberWaiting	smallint	X
<i>Highest Number Waiting</i>		
StudentsCompleted	smallint	X
<i>Completed</i>		
StudentsDropout	smallint	X
<i>Students Dropout</i>		
StudentsWithdrawn	smallint	X
<i>Students Withdrawn</i>		
LocationofInstruction	varchar(50)	X
<i>Location Detail</i>		
FacilityType	varchar(200)	X

Facility Type		
HoursPerWeek	real	X
<i>Hours Per Week</i>		
WeeksOfClass	int	X
<i>Weeks of Class</i>		
DaysOfClass	int	X
<i>Days Of Class</i>		
HoursPerTerm	real	X
<i>Hours Per Term</i>		
TotalHoursOffered	real	X
<i>Total Hours Offered</i>		
CourseCodeSystemCode	int	X
<i>Course Code System Code</i>		
ClassTransportCode	int	X
<i>Class Transport Code</i>		
ClassPeriod	varchar(50)	X
<i>Class Period</i>		
LanguageCode	int	X
<i>Language of Instruction</i>		
SEASponsoredCode	int	X
<i>SEA Sponsored Code</i>		
AgencyID	int	X
<i>Agency ID</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.ClassSection
Table dbo.Course
Table dbo.OT_BuildingRoom
Table dbo.OT_ClassOrganization
Table dbo.OT_ClassSectionType
Table dbo.OT_ClassSite
Table dbo.OT_ClassStatus
Table dbo.OT_Department
Table dbo.OT_InstructionalArea
Table dbo.OT_InstructionalLevel
Table dbo.OT_Location
Table dbo.OT_Term
Table dbo.Program

View dbo.ViewGroupQuickAdd

Column	Data Type	Nullable
GroupID <i>Group ID</i>	int	
CourseID <i>Course ID</i>	int	X
ClassSectionTitle <i>Title</i>	varchar(100)	X
CourseNumber <i>Course Number</i>	varchar(50)	X
ClassBeginningTime <i>Times</i>	varchar(100)	X
ClassEndingTime <i>Class Ending Time</i>	varchar(100)	X
ClassMeetingDay <i>Days</i>	varchar(50)	X
TotalHoursOffered <i>Total Hours Offered</i>	real	X
MinimumStudents <i>Min Enroll</i>	smallint	X
MaximumStudents <i>Max Enroll</i>	smallint	X
CurrentNumberWaiting <i>Waiting</i>	smallint	X
HighestNumberWaiting <i>Highest Number Waiting</i>	smallint	X
StudentsCompleted <i>Completed</i>	smallint	X
StudentsEnrolled <i>Enrolled</i>	smallint	X
LastDateHoursAdded <i>Last Date Hours Added</i>	datetime	X
StartDate <i>Start Date</i>	smalldatetime	X
EndDate <i>End Date</i>	smalldatetime	X
ClassStartDate <i>Start Date</i>	smalldatetime	X
ClassEndDate <i>End Date</i>	smalldatetime	X
MinCredits <i>Min Credits</i>	real	X
LocationofInstruction <i>Location Detail</i>	varchar(50)	X
CurrentHoursOffered <i>Current Hours Offered</i>	real	X
CreationDate <i>Creation Date</i>	datetime	X
LastUpdate <i>Date</i>	datetime	X
AgencyID <i>Agency ID</i>	int	X
UpdateSystemUserID <i>Update System User ID</i>	int	X
UpdateAgencyID <i>Update Agency ID</i>	int	X
UpdateActionID <i>Update Action ID</i>	int	X

ShortDescription	varchar(150)	X
<i>Session Type</i>		
ClassStatusCode	int	X
<i>Status</i>		
GroupKeywordCode	int	X
<i>Group Keyword</i>		
ClassSiteCode	int	X
<i>Class Site Code</i>		
GroupTypeCode	int	X
<i>Group Type Code</i>		
TermCode	int	X
<i>Term</i>		
ProgramID	int	X
<i>Program</i>		
InstructionalLevelCode	int	X
<i>Level</i>		
PrimaryContactID	int	X
<i>Primary Contact ID</i>		
DepartmentCode	int	X
<i>Department</i>		
InstructionalAreaCode	int	X
<i>Instructional Area</i>		
ClassPeriod	varchar(50)	X
<i>Class Period</i>		
BuildingRoomCode	int	X
<i>Bldg/Room</i>		
HoursPerWeek	real	X
<i>Hours Per Week</i>		
DaysOfClass	int	X
<i>Days Of Class</i>		
WeeksOfClass	int	X
<i>Weeks of Class</i>		
HoursPerTerm	real	X
<i>Hours Per Term</i>		
ClassOrganizationCode	int	X
<i>Organization</i>		
ClassTransportCode	int	X
<i>Class Transport Code</i>		
Location	varchar(150)	X
LocationCode	int	X
<i>Location</i>		

Uses:

Table dbo.ClassSection

Table dbo.OT_ClassSectionType

Table dbo.OT_Location

View dbo.ViewGroups

Column	Data Type	Nullable
GroupID	int	
<i>Group ID</i>		
ClassSectionID	int	
<i>Class ID</i>		
CourseID	int	X
<i>Course ID</i>		

GroupType	varchar(150)	X
<i>Group Type</i>		
ClassSectionTitle	varchar(100)	X
<i>Title</i>		
GroupName	varchar(100)	X
<i>Title</i>		
GroupTitleGrid	varchar(100)	X
<i>Group Title</i>		
CourseNumber	varchar(50)	X
<i>Course Number</i>		
GroupClassStatus	varchar(150)	X
<i>Status</i>		
ShortDescription	varchar(150)	X
<i>Session Type</i>		
Keyword	varchar(150)	X
<i>Student Keyword</i>		
GroupKeyword	varchar(150)	X
<i>Group Keyword</i>		
Organization	varchar(150)	X
Site	varchar(150)	X
InstructionalArea	varchar(150)	X
<i>Instructional Area</i>		
InstructionalLevel	varchar(150)	X
<i>Level</i>		
Term	varchar(150)	X
ProgramName	varchar(200)	X
<i>Program</i>		
Department	varchar(150)	X
GroupDetailDepartment	varchar(150)	X
<i>Department</i>		
CourseTitleName	varchar(200)	X
<i>Course Title/Name</i>		
CourseCode	varchar(50)	X
<i>Course Code</i>		
BuildingRoom	varchar(150)	X
<i>Bldg/Room</i>		
ClassBeginningTime	varchar(100)	X
<i>Times</i>		
ClassEndingTime	varchar(100)	X
<i>Class Ending Time</i>		
MeetingDay	varchar(50)	X
<i>Days</i>		
Location	varchar(150)	X
TotalHoursOffered	real	X
<i>Total Hours Offered</i>		
MinimumStudents	smallint	X
<i>Min Enroll</i>		
MaximumStudents	smallint	X
<i>Max Enroll</i>		
CurrentNumberWaiting	smallint	X
<i>Waiting</i>		
HighestNumberWaiting	smallint	X
<i>Highest Number Waiting</i>		
StudentsCompleted	smallint	X
<i>Completed</i>		
StudentsEnrolled	smallint	X
<i>Enrolled</i>		
LastDateHoursAdded	datetime	X

Last Date Hours Added		
ClassStartDate	smalldatetime	X
<i>Start Date</i>		
ClassEndDate	smalldatetime	X
<i>End Date</i>		
GroupDetailStartDate	smalldatetime	X
<i>Start Date</i>		
GroupDetailEndDate	smalldatetime	X
<i>End Date</i>		
MinCredits	real	X
<i>Min Credits</i>		
LocationofInstruction	varchar(50)	X
<i>Location Detail</i>		
CurrentHoursOffered	real	X
<i>Current Hours Offered</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
PersonID	int	X
FirstName	varchar(50)	X
<i>First Name</i>		
Nickname	varchar(50)	X
MiddleName	varchar(50)	X
<i>Middle Name</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
InstructorType	varchar(50)	X
<i>Instructor Type</i>		
MainGroupInstructor	varchar(100)	X
<i>Main Instructor</i>		
PrimaryAssignment	bit	X
<i>Primary Assignment</i>		
ClassStatusCode	int	X
<i>Status</i>		
GroupDetailClassStatus	int	X
<i>Status</i>		
ClassKeywordCode	int	X
<i>Class Keyword</i>		
GroupDetailKeyword	int	X
<i>Group Keyword</i>		
ClassSiteCode	int	X
<i>Class Site Code</i>		
ClassSectionTypeCode	int	X
<i>Class Section Type</i>		
TermCode	int	X
<i>Term</i>		
ProgramID	int	X

<i>Program</i>		
InstructionalLevelCode	int	X
<i>Level</i>		
DepartmentCode	int	X
<i>Department</i>		
InstructionalAreaCode	int	X
<i>Instructional Area</i>		
BuildingRoomCode	int	X
<i>Bldg/Room</i>		
ClassOrganizationCode	int	X
<i>Organization</i>		
ClassTransportCode	int	X
<i>Class Transport Code</i>		
ClassPeriod	varchar(50)	X
<i>Class Period</i>		
FacilityType	varchar(200)	X
<i>Facility Type</i>		
LocationCode	int	X
<i>Location</i>		
TimetableDay	varchar(50)	X
<i>Timetable Day</i>		
TimeElement	real	X
<i>Time Element</i>		
LanguageCode	int	X
<i>Language of Instruction</i>		
ApplicableGrades	varchar(50)	X
<i>Applicable Grades</i>		
ReportingMeansCode	int	X
<i>Reporting Means Code</i>		
ReportingMethodCode	int	X
<i>Reporting Method Code</i>		
HoursPerWeek	real	X
<i>Hours Per Week</i>		
WeeksOfClass	int	X
<i>Weeks of Class</i>		
DaysOfClass	int	X
<i>Days Of Class</i>		
HoursPerTerm	real	X
<i>Hours Per Term</i>		
StudentsDropout	smallint	X
<i>Students Dropout</i>		
StudentsWithdrawn	smallint	X
<i>Students Withdrawn</i>		
LastDateGradedItemAdded	datetime	X
<i>Last Date Graded Item Added</i>		
DefaultHoursToAdd	real	X
<i>Default Hours To Add</i>		
Cost	money	X
TotalPay	money	X
<i>Total Paid</i>		
Credits	real	X
VariableCredit	bit	X
<i>Variable Credit</i>		
ClassMeetsRequirementCode	int	X
<i>Class Meets Requirement</i>		
MaxCredits	real	X
<i>Maximum Credits</i>		
StudentPopulation	char(1)	X

Student Population		
Notes	varchar(255)	X
<i>Notes / Meeting details</i>		
SEASponsoredCode	int	X
<i>SEA Sponsored Code</i>		
MinimumRequiredDays	int	X
<i>Min Required Days</i>		
Availability	varchar(50)	X

Uses:

Table dbo.Agency

Table dbo.ClassSection

Table dbo.Course

Table dbo.OT_BuildingRoom

Table dbo.OT_ClassOrganization

Table dbo.OT_ClassSectionType

Table dbo.OT_ClassSite

Table dbo.OT_ClassStatus

Table dbo.OT_Department

Table dbo.OT_InstructionalArea

Table dbo.OT_InstructionalLevel

Table dbo.OT_Location

Table dbo.OT_Term

Table dbo.Person

Table dbo.Program

Table dbo.Tutor

Table dbo.TutorClassAssignment

View dbo.ViewGroupStudents

Column	Data Type	Nullable
GroupStudentID	int	
GroupID	int	
<i>Group ID</i>		
PersonID	int	
CourseNumber	varchar(50)	X
<i>Course Number</i>		
CourseID	int	X
<i>Course ID</i>		
CourseTitle	varchar(200)	X
<i>Course Title</i>		
RegistrationDate	datetime	X
<i>Enroll Date</i>		
StatusCode	int	X
<i>Enroll Status</i>		
Status	varchar(150)	X
<i>Enroll Status</i>		

Term	varchar(150)	X
StartDate	datetime	X
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
ClassStartDate	smalldatetime	X
<i>Start Date</i>		
ClassEndDate	smalldatetime	X
<i>End Date</i>		
ClassUnits	tinyint	X
<i>Units</i>		
FinalLetterGrade	varchar(10)	X
<i>Final Grade</i>		
QualityPoints	real	X
<i>Quality Points</i>		
GradePoints	real	X
<i>Grade Points</i>		
HoursEarned	real	X
<i>Hours Earned</i>		
HoursAbsent	real	X
<i>Hours Absent</i>		
DaysPresent	smallint	X
<i>Days Present</i>		
DaysLate	smallint	X
DaysAbsent	smallint	X
LastDateHoursEarned	smalldatetime	X
<i>Last Date Hours Earned</i>		
ProgramID	int	X
<i>Program</i>		
FundingSourceCode	int	X
<i>Funding Source</i>		
RepeatIdentifier	bit	X
FeesBilledToStudent	money	X
<i>Fee Amount</i>		
FeesPaid	bit	X
<i>Fees Paid (if applicable)</i>		
FeePaidDate	smalldatetime	X
<i>Date Paid</i>		
ProgramName	varchar(200)	X
<i>Program</i>		
GroupName	varchar(100)	X
<i>Title</i>		
GroupLevel	varchar(150)	X
TotalHoursOffered	real	X
<i>Total Hours Offered</i>		
DaysOfClass	int	X
<i>Days Of Class</i>		
WeeksOfClass	int	X
<i>Weeks of Class</i>		
ClassSectionType	varchar(150)	X
<i>Class Section Type</i>		
IsElective	bit	X
<i>Elective</i>		
IsRemedial	bit	X
<i>Remedial</i>		
IsHonors	bit	X
<i>Honors</i>		
IsStandardizedTest	bit	X

Standardized Test		
IsWorkCredit	bit	X
<i>Work Credit</i>		
IsAdvancedPlacement	bit	X
<i>Advanced Placement</i>		
ClassMeetsRequirementCode	int	X
<i>Class Meets Requirement</i>		
ClassMeetsRequirement	varchar(150)	X
<i>Class Meets Requirement</i>		
EarnedCredits	real	X
<i>Earned Credits</i>		
PossibleCredits	real	X
<i>Possible Credits</i>		
IsVarCreditClass	bit	X
<i>Variable Credit Class</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
LastSurnameatBirth	varchar(50)	X
<i>Last Name at Birth</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		

Uses:

Table dbo.ClassRegistration
Table dbo.ClassSection
Table dbo.Course
Table dbo.OT_ClassMeetsRequirement
Table dbo.OT_ClassSectionType
Table dbo.OT_InstructionalLevel
Table dbo.OT_RegistrationStatus
Table dbo.OT_Term
Table dbo.Person
Table dbo.Program

View dbo.ViewGroupTutorHours

Column	Data Type	Nullable
TutorHoursID	int	
InstructorID	int	
TutorID	int	
<i>Tutor ID</i>		
ClassSectionID	int	X
<i>Class ID</i>		
HoursDate	datetime	X
<i>Date</i>		
HoursTypeCode	int	
HoursPresent	real	
<i>Hours Present</i>		
HoursAbsent	real	
<i>Hours Absent</i>		
Late	bit	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
PairID	int	X
<i>Pair ID</i>		
HoursType	varchar(150)	X
<i>Hours Type</i>		
ClassSectionTypeCode	int	X
<i>Class Section Type</i>		
TermCode	int	X
<i>Term</i>		
ClassKeywordCode	int	X
<i>Class Keyword</i>		
ProgramID	int	X
<i>Program</i>		
ClassSectionTitle	varchar(100)	X
<i>Title</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
InstructorName	varchar(100)	X
<i>Instructor Name</i>		
Name	varchar(100)	X
PersonID	int	

TutorKeywordCode	int	X
<i>Tutor Keyword</i>		

Uses:

Table dbo.ClassSection

Table dbo.OT_TutorHoursType

Table dbo.Person

Table dbo.Tutor

Table dbo.TutorHours

View dbo.ViewMaterialQuickAdd

Column	Data Type	Nullable
MaterialID <i>Material ID</i>	int	
MaterialName <i>Material Name</i>	varchar(200)	X
CopyNumber <i>Copy Number</i>	int	X
MaterialStatusCode <i>Material Status</i>	int	X
MaterialTypeCode <i>Material Type</i>	int	X
MaterialKeywordCode <i>Material Keyword</i>	int	X
MaterialLevelCode <i>Material Level</i>	int	X
Description	varchar(1000)	X
Cost	money	X

Uses:

Table dbo.Material

View dbo.ViewMaterials

Column	Data Type	Nullable
MaterialID <i>Material ID</i>	int	
MaterialName <i>Material Name</i>	varchar(200)	X
Description	varchar(1000)	X
CopyNumber <i>Copy Number</i>	int	X
Cost	money	X
MaterialTypeCode <i>Material Type</i>	int	X
MaterialType <i>Material Type</i>	varchar(150)	X
MaterialKeywordCode <i>Material Keyword</i>	int	X
MaterialKeyword <i>Material Keyword</i>	varchar(150)	X
MaterialLevelCode	int	X

<i>Material Level</i>		
MaterialLevel	varchar(150)	X
<i>Material Level</i>		
ProgramID	int	X
<i>Program</i>		
MaterialStatusCode	int	X
<i>Material Status</i>		
MaterialStatus	varchar(150)	X
<i>Material Status</i>		
DateAcquired	datetime	X
AgencyID	int	X
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
DateRemovedFromService	datetime	X
Custom1	varchar(50)	
Custom2	varchar(50)	X
Custom3	varchar(50)	X
CreationDate	datetime	X

Uses:

Table dbo.Agency

Table dbo.Material

Table dbo.OT_MaterialKeyword

Table dbo.OT_MaterialLevel

Table dbo.OT_MaterialStatus

Table dbo.OT_MaterialType

View dbo.ViewPairComment

Column	Data Type	Nullable
RecordID	int	
PairCommentTypeCode	int	
<i>Comment Type</i>		
PairCommentType	varchar(150)	X
<i>Comment Type</i>		
SystemUserID	int	
PairCommentDate	smalldatetime	X
<i>Date</i>		
PairID	int	
<i>Pair ID</i>		
Comment	varchar(1024)	X
CreationDate	datetime	X
<i>Creation Date</i>		
PairCreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		

UpdateActionID	int	X
<i>Update Action ID</i>		
StudentID	int	
<i>Student ID</i>		
TutorID	int	
<i>Tutor ID</i>		

Uses:

Table dbo.OT_PairCommentType

Table dbo.Pair

Table dbo.PairComment

View dbo.ViewPairHistory

Column	Data Type	Nullable
PairHistoryID	int	
PairID	int	
<i>Pair ID</i>		
StatusCode	int	X
<i>Enroll Status</i>		
PairStatusCode	int	X
<i>Status</i>		
StartDate	datetime	X
<i>Start Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
PairStatus	varchar(150)	X
<i>Status</i>		
CreationDate	datetime	X
<i>Creation Date</i>		

Uses:

Table dbo.OT_PairStatus

Table dbo.PairHistory

View dbo.ViewPairInstructionalHours

Column	Data Type	Nullable
PairInstructionalHoursID	int	
PairID	int	
<i>Pair ID</i>		
PairHoursDate	smalldatetime	
<i>Date</i>		
HoursPresent	real	
<i>Hours Present</i>		
HoursAbsent	real	
<i>Hours Absent</i>		
Late	bit	X
StudentID	int	
<i>Student ID</i>		
TutorID	int	
<i>Tutor ID</i>		
StudentDisplayName	varchar(50)	X

<i>Student Name</i>		
TutorDisplayName	varchar(50)	X
<i>Tutor Name</i>		
AgencyID	int	X
<i>Agency ID</i>		
HoursTypeCode	int	
HoursType	varchar(150)	X
<i>Hours Type</i>		

Uses:

Table dbo.OT_HoursType

Table dbo.Pair

Table dbo.PairInstructionalHours

View dbo.ViewPairKeyInfo

Column	Data Type	Nullable
PairID <i>Pair ID</i>	int	
StudentID <i>Student ID</i>	int	
StudentTutorPair <i>Tutor ID</i>	varchar(203)	X
TutorID <i>Tutor ID</i>	int	
PairStatusCode <i>Status</i>	int	X
LevelCode <i>Current Level</i>	int	X
PairKeywordCode <i>Pair Keyword</i>	int	X
EducationalLevel <i>Current Level</i>	varchar(150)	X
MatchDate <i>Match/Enrollment Date</i>	smalldatetime	X
PairMatchDate <i>Match Date</i>	smalldatetime	X
PairMatchDateRequired <i>Match Date</i>	smalldatetime	X
StartDate <i>Start Date</i>	datetime	X
PairStartDate <i>Start Date</i>	datetime	X
EndDate <i>End Date</i>	datetime	X
EndDateNotReq <i>End Date</i>	datetime	X
ProgramID <i>Program</i>	int	X
CurFYInstructHours <i>Current FY Instr Hrs</i>	real	X
LastFiscalYearActiveCode <i>Tutor Total Hours In Pair</i>	int	X
TutorTotalHours <i>Student Total Hours in Pair</i>	real	X
InstructionalHours <i>Hours Type</i>	real	X

Instr Hrs		
LastDateStatusChanged	datetime	X
<i>Last Date Status Changed</i>		
TutorLocationCode	int	X
<i>Location</i>		
WeeklyTime	varchar(50)	X
<i>Weekly Time</i>		
WeeklyTimeCode	int	X
<i>Weekly Time Code</i>		
WeeklyTimes	varchar(150)	X
<i>Weekly Times</i>		
Program	varchar(200)	X
PairKeyword	varchar(150)	X
<i>Pair Keyword</i>		
PairStatus	varchar(150)	X
<i>Status</i>		
LastFiscalYearActive	varchar(150)	X
TutorLocation	varchar(150)	X
<i>Location</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
StudentDisplayName	varchar(50)	X
<i>Student Name</i>		
TutorDisplayName	varchar(50)	X
<i>Tutor Name</i>		
StudentName	varchar(100)	X
StudentWorkPhone	varchar(30)	X
<i>Student Work Phone</i>		
StudentHomePhone	varchar(30)	X
<i>Student Home Phone</i>		
StudentMobile	varchar(30)	X
<i>Student Mobile Phone</i>		
StudentEmail	varchar(200)	X
StudentStatusPair	varchar(150)	X
<i>Student Overall Status</i>		
TutorName	varchar(100)	X
TutorStatusPair	varchar(150)	X
<i>Tutor Overall Status</i>		
TutorHomePhone	varchar(30)	X
<i>Tutor Home Phone</i>		
TutorWorkPhone	varchar(30)	X
<i>Tutor Work Phone</i>		
TutorMobile	varchar(30)	X
<i>Tutor Mobile Phone</i>		
TutorElectronicEmailAddress	varchar(200)	X
<i>Tutor Email</i>		

Uses:

Table dbo.Address
Table dbo.OT_FiscalYear
Table dbo.OT_Level
Table dbo.OT_PairKeyword
Table dbo.OT_PairStatus
Table dbo.OT_Status
Table dbo.OT_Times
Table dbo.OT_TutorLocation
Table dbo.OT_TutorStatus
Table dbo.Pair
Table dbo.Person
Table dbo.PersonPhone
Table dbo.Program
Table dbo.Student
Table dbo.Tutor

View dbo.ViewPairs

Column	Data Type	Nullable
PairID <i>Pair ID</i>	int	
StudentID <i>Student ID</i>	int	
TutorID <i>Tutor ID</i>	int	
PairStatusCode <i>Status</i>	int	X
LevelCode <i>Current Level</i>	int	X
PairKeyCode <i>Pair Keyword</i>	int	X
EducationalLevel <i>Current Level</i>	varchar(150)	X
PairMatchDate <i>Match Date</i>	smalldatetime	X
MatchDate <i>Match/Enrollment Date</i>	smalldatetime	X
StartDate <i>Start Date</i>	datetime	X
EndDate <i>End Date</i>	datetime	X
ProgramID <i>Program</i>	int	X
CurFYInstructHours <i>Current FY Instr Hrs</i>	real	X
LastFiscalYearActiveCode	int	X
TutorTotalHours <i>Tutor Total Hours In Pair</i>	real	X

StudentTotalHours	real	X
<i>Student Total Hours in Pair</i>		
InstructionalHours	real	X
<i>Instr Hrs</i>		
LastDateStatusChanged	datetime	X
<i>Last Date Status Changed</i>		
TutorLocationCode	int	X
<i>Location</i>		
WeeklyTime	varchar(50)	X
<i>Weekly Time</i>		
WeeklyTimeCode	int	X
<i>Weekly Time Code</i>		
WeeklyTimes	varchar(150)	X
<i>Weekly Times</i>		
Program	varchar(200)	X
PairKeyword	varchar(150)	X
<i>Pair Keyword</i>		
PairStatus	varchar(150)	X
<i>Status</i>		
LastFiscalYearActive	varchar(150)	X
TutorLocation	varchar(150)	X
<i>Location</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
StudentDisplayName	varchar(100)	X
<i>Student Name</i>		
StudentFirstName	varchar(50)	X
<i>Student First Name</i>		
StudentLastName	varchar(50)	X
<i>Student Last Name</i>		
StudentMiddleName	varchar(50)	X
<i>Student Middle Name</i>		
TutorDisplayName	varchar(100)	X
<i>Tutor Name</i>		
TutorFirstName	varchar(50)	X
<i>Tutor First name</i>		
TutorLastName	varchar(50)	X
<i>Tutor Last Name</i>		
TutorMiddleName	varchar(50)	X
<i>Tutor Middle Name</i>		
TutorPersonID	int	
StudentHomePhone	varchar(30)	X
<i>Student Home Phone</i>		
StudentWorkPhone	varchar(30)	X
<i>Student Work Phone</i>		
StudentFax	varchar(30)	X

Student Fax		
StudentMobile	varchar(30)	X
<i>Student Mobile Phone</i>		
StudentPager	varchar(30)	X
<i>Student Pager</i>		
StudentOtherPhone	varchar(30)	X
<i>Student Other Phone</i>		
StudentElectronicMailAddress	varchar(250)	X
<i>Student Email</i>		
StudentOtherPhoneTypeCode	int	X
<i>Student Other Phone Type Code</i>		
StudentOtherPhoneType	varchar(150)	X
<i>Student Other Phone Type</i>		
StudentTelephoneContactPreferenceCode	int	X
<i>Student Telephone Contact Preference Code</i>		
StudentTelephoneContactPreference	varchar(150)	X
<i>Student Telephone Contact Preference</i>		
TutorTelephoneContactPreferenceCode	int	X
<i>Tutor Telephone Contact Preference Code</i>		
TutorTelephoneContactPreference	varchar(150)	X
<i>Tutor Telephone Contact Preference</i>		
TutorHomePhone	varchar(30)	X
<i>Tutor Home Phone</i>		
TutorWorkPhone	varchar(30)	X
<i>Tutor Work Phone</i>		
TutorFax	varchar(30)	X
<i>Tutor Fax</i>		
TutorMobile	varchar(30)	X
<i>Tutor Mobile Phone</i>		
TutorPager	varchar(30)	X
<i>Tutor Pager</i>		
TutorOtherPhone	varchar(30)	X
<i>Tutor Other Phone</i>		
TutorOtherPhoneTypeCode	int	X
<i>Tutor Other Phone Type Code</i>		
TutorOtherPhoneType	varchar(150)	X
<i>Tutor Other Phone Type</i>		
AddressID	int	X
<i>Address ID</i>		
PrimaryAddress	bit	X
<i>Primary Address</i>		
TutorStreetNumberName	varchar(200)	X
<i>Tutor Street Number Name</i>		
TutorApartmentRoomSuiteNumber	varchar(80)	X
<i>Tutor Apartment Room Suite Number</i>		
TutorCity	varchar(200)	X
<i>Tutor City</i>		
TutorStateFIPSCode	int	X
<i>Tutor State FIPS Code</i>		
TutorZipCode	varchar(200)	X
<i>Tutor Zip Code</i>		
TutorState	varchar(150)	X
<i>Tutor State</i>		
TutorCountyFIPSCode	int	X
<i>Tutor County FIPS Code</i>		
TutorPhoneAtAddress	varchar(200)	X
<i>Tutor Phone At Address</i>		
TutorCounty	varchar(150)	X

<i>Tutor County</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
TutorMailingPreference	varchar(150)	X
<i>Tutor Mailing Preference</i>		
TutorElectronicEmailAddress	varchar(200)	X
<i>Tutor Email</i>		
StudentStatusCode	int	X
<i>Student Status Code</i>		
StudentStatus	varchar(150)	X
<i>Overall Status</i>		
StudentStatusPair	varchar(150)	X
<i>Student Overall Status</i>		
TutorStatusCode	int	X
<i>Overall Status</i>		
TutorStatus	varchar(150)	X
<i>Overall Status</i>		
TutorStatusPair	varchar(150)	X
<i>Tutor Overall Status</i>		

Uses:

Table dbo.Address

Table dbo.Agency

Table dbo.OT_CountyFIPS

Table dbo.OT_FiscalYear

Table dbo.OT_Level

Table dbo.OT_MailingPreference

Table dbo.OT_PairKeyword

Table dbo.OT_PairStatus

Table dbo.OT_StateFIPS

Table dbo.OT_Status

Table dbo.OT_TelephoneContactPreference

Table dbo.OT_TelephoneType

Table dbo.OT_Times

Table dbo.OT_TutorLocation

Table dbo.OT_TutorStatus

Table dbo.Pair

Table dbo.Person

Table dbo.PersonPhone

Table dbo.Program

Table dbo.Student

Table dbo.Tutor

View dbo.ViewPairStudentEnrollments

Column	Data Type	Nullable
FirstName <i>First Name</i>	varchar(50)	X
LastSurname <i>Last Name</i>	varchar(50)	X
MiddleName <i>Middle Name</i>	varchar(50)	X
DisplayName <i>Display Name</i>	varchar(100)	X
StudentID <i>Student ID</i>	int	X
ClassType <i>Enrollment Type</i>	varchar(4)	
MatchDate <i>Match/Enrollment Date</i>	smalldatetime	X
ClassStartDate <i>Start Date</i>	datetime	X
ClassEndDate <i>End Date</i>	datetime	X
PairStatusCode <i>Status</i>	int	X
EnrollStatus <i>Enroll Status</i>	varchar(250)	X
EnrollmentID <i>Enrollment ID</i>	int	X
Term	varchar(1)	
CourseTitleName <i>Course Title/Name</i>	varchar(1)	
CourseNumber <i>Course Number</i>	varchar(1)	
FinalLetterGrade <i>Final Grade</i>	varchar(1)	
LifetimeHours <i>Lifetime Hours</i>	real	X
CurFYInstructHours <i>Current FY Instr Hrs</i>	real	X
InstructionalHours <i>Instr Hrs</i>	real	X
InstructorName <i>Instructor Name</i>	varchar(250)	X
InstructorType <i>Instructor Type</i>	varchar(5)	
PairKeywordCode <i>Pair Keyword</i>	int	X
Keyword <i>Student Keyword</i>	varchar(150)	X
PairID <i>Pair ID</i>	int	X
WeeklyTimeCode <i>Weekly Time Code</i>	int	X
WeeklyTime <i>Weekly Time</i>	varchar(50)	X
TutorLocation <i>Location</i>	varchar(150)	X
StartDate <i>Start Date</i>	datetime	X
EndDate	datetime	X

End Date		
PersonID	int	
LastHoursDate	datetime	X
<i>Last Hours Date</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
State	varchar(150)	X
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
ProgramName	varchar(200)	X
<i>Program</i>		
ProgramID	int	X
<i>Program</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
FiscalYearCode	int	X
<i>Fiscal Year</i>		
FiscalYear	varchar(150)	X
<i>Fiscal Year</i>		
Gender	varchar(150)	X
Birthdate	smalldatetime	X
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
StudentUniqueNumber	varchar(200)	X
<i>Student Unique ID</i>		
Keyword2	varchar(50)	X
<i>Keyword 2</i>		
String1	varchar(50)	X
<i>Custom String 1</i>		
String2	varchar(50)	X
<i>Custom String 2</i>		
String3	varchar(50)	X
<i>Custom String 3</i>		
Ethnicity	varchar(150)	X
AgencyID	int	X
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
TutorID	int	X
<i>Tutor ID</i>		
ClassSectionTitleGrid	varchar(4)	
<i>Title/Name</i>		
StudentTotalHours	real	X
<i>Student Total Hours in Pair</i>		

Used by:

View dbo.ViewAgencyEnrollmentsRegistration

Uses:

Table dbo.Address

Table dbo.Agency

Table dbo.CustomPersonFields

Table dbo.Demographic

Table dbo.OT_Ethnicity

Table dbo.OT_FiscalYear

Table dbo.OT_Gender

Table dbo.OT_PairKeyword

Table dbo.OT_StateFIPS

Table dbo.OT_Times

Table dbo.OT_TutorLocation

Table dbo.Pair

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

Table dbo.Program

Table dbo.Student

View dbo.ViewPerson

Column	Data Type	Nullable
FirstName <i>First Name</i>	varchar(50)	X
MiddleName <i>Middle Name</i>	varchar(50)	X
MiddleInitial <i>Middle Initial</i>	varchar(5)	X
LastSurname <i>Last Name</i>	varchar(50)	X
DisplayName <i>Display Name</i>	varchar(100)	X
GenerationCodeSuffix <i>Suffix</i>	varchar(10)	X
PersonalTitlePrefix <i>Title/Prefix</i>	varchar(50)	X
SocialSecurityNumber <i>SSN</i>	varchar(200)	X
GenderCode <i>Gender</i>	int	X
Birthday <i>Birthdate</i>	smalldatetime	X
USCitizen <i>US Citizen</i>	bit	X

Immigrant	bit	X
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
Ethnicity	varchar(150)	X
LastName	varchar(50)	X
<i>Last Name</i>		
EmploymentStatus	varchar(150)	X
<i>Employment Status</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
TelephoneContactPreference	varchar(150)	X
<i>Contact Preference</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
OtherPhoneType	varchar(150)	X
<i>Other Phone Type</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
State	varchar(150)	X
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
FamilyIncomeRange	varchar(150)	X
<i>Family Income Range</i>		
SingleParentGuardian	bit	X
<i>Single Parent or Guardian</i>		
Migrant	bit	X
<i>Migrant Worker</i>		
Homeless	bit	X
ResidenceAreaCode	int	X
<i>Residence Area</i>		
ResidenceArea	varchar(150)	X
<i>Residence Area</i>		
MinorAdultStatus	bit	X
<i>Minor with Adult Status</i>		
EmploymentStatusCode	int	X
<i>Employment Status</i>		
NumberofDependents	tinyint	X
<i>Number of Dependents</i>		
FamilyIncomeRangeCode	int	X
<i>Family Income Range</i>		
FamilyPublicAssistance	bit	X
<i>Public Assistance</i>		
DisplacedHomemaker	bit	X

<i>Displaced Homemaker</i>		
DislocatedWorker	bit	X
<i>Dislocated Worker</i>		
EconomicDisadvantage	bit	X
<i>Economic Disadvantage</i>		
CorrectionalCode	int	X
<i>Correctional</i>		
Correctional	varchar(150)	X
InstitutionalCode	int	X
<i>Institutional</i>		
Institutional	varchar(150)	X
PrimaryAddress	bit	X
<i>Primary Address</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
Gender	varchar(150)	X
Age	int	X
IsStudent	varchar(1)	
<i>Is Student</i>		
IsStaff	varchar(1)	
<i>Is Staff</i>		
IsTutor	varchar(1)	
<i>Is Tutor</i>		
IsVolunteer	varchar(1)	
<i>Is Volunteer</i>		
IsContact	varchar(1)	
<i>Is Contact</i>		
IsDonor	varchar(1)	
<i>Is Donor</i>		
IsFamily	varchar(1)	
roles	varchar(250)	X
PersonID	int	
AgencyID	int	X
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
MailingPreference	varchar(150)	X
<i>Mail Preference</i>		
PersonType	varchar(250)	X
<i>Person Type</i>		

Used by:

View dbo.ViewAgencyPersonWorkshops

Uses:

Table dbo.Address

Table dbo.Agency

Table dbo.Demographic

Table dbo.OT_Area

Table dbo.OT_Correctional

Table dbo.OT_EmploymentStatus

Table dbo.OT_Ethnicity

Table dbo.OT_FamilyIncomeRange

Table dbo.OT_Gender

Table dbo.OT_Institution

Table dbo.OT_MailingPreference

Table dbo.OT_StateFIPS

Table dbo.OT_TelephoneContactPreference

Table dbo.OT_TelephoneType

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

View dbo.ViewPersonAccommodations

Column	Data Type	Nullable
PersonAccommodationID	int	
PersonID	int	
PersonAccommodationCode	int	
<i>Accommodation</i>		
AccommodationName	varchar(150)	X
<i>Accommodation</i>		
AccommodationCause	varchar(200)	X
<i>Reason/Cause</i>		
AccommodationNotes	varchar(200)	X
<i>Notes</i>		
RequestedDate	smalldatetime	X
<i>Requested Date</i>		
ProvidedDate	smalldatetime	X
<i>Provided Date</i>		
EndDate	datetime	X
<i>End Date</i>		
AccommodationEndDate	datetime	X
<i>End Date</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.OT_Accommodation

Table dbo.PersonAccommodation

View dbo.ViewPersonAddresses

Column	Data Type	Nullable
AddressID <i>Address ID</i>	int	
PersonID	int	X
AddressTypeCode <i>Address Type</i>	int	X
AddressType <i>Address Type</i>	varchar(150)	X
BuildingSiteNumber	varchar(20)	X
ZoneNumber	varchar(10)	X
ResidenceBlockNumber	varchar(10)	X
City	varchar(200)	X
CountyFIPSCode <i>County</i>	int	X
County	varchar(150)	X
StateFIPSCode <i>State</i>	int	X
State	varchar(150)	X
StateName	varchar(200)	X
MetropolitanStatisticalAreaFIPSCode	smallint	X
DistrictCode <i>District</i>	int	X
DistrictCodeReq <i>District</i>	int	X
District <i>Ward</i>	varchar(150)	X
PrimaryAddress <i>Primary Address</i>	bit	X
EndDate <i>End Date</i>	datetime	X
EndDateNotReq <i>End Date</i>	datetime	X
StartDate <i>Start Date</i>	datetime	X
StartDateNotReq <i>Start Date</i>	datetime	X
CongressionalDistrict	char(10)	X
Longitude	char(10)	X
Latitude	char(10)	X
WebsiteAddress	varchar(200)	X
HeadOfHouseHoldPersonID	int	X
DwellingOwnership	varchar(200)	X
DwellingArrangement	varchar(200)	X
NonResidentAttendanceRationale	varchar(200)	X
PublicSchoolResidenceStatus	varchar(200)	X
OtherGeographicalDesignation	varchar(200)	X
ElectronicMailAddress <i>Email</i>	varchar(200)	X
ElectronicMailAddressType	varchar(200)	X
EMailType	varchar(150)	X
InternationalCodeNumber	varchar(200)	X
TelephoneNumberTypeCode	varchar(200)	X
TelephoneNumberType	varchar(150)	X
TelephoneNumber	varchar(200)	X
Telephone at Address		
TelephoneStatus	varchar(200)	X

ResidenceAreaCode	int	X
<i>Residence Area</i>		
ResidenceAreaCodeNotReq	int	X
<i>Residence Area</i>		
ResidenceArea	varchar(150)	X
<i>Residence Area</i>		
Area	varchar(150)	X
NameofCountry	varchar(200)	X
CountryCode	int	X
ZipCode	varchar(200)	X
<i>Zip</i>		
AreaTypeCode	int	X
<i>Area</i>		
AreaType	varchar(150)	X
<i>Area</i>		
MetroStatusCode	char(10)	X
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		

Uses:

Table dbo.Address

Table dbo.OT_AddressType

Table dbo.OT_Area

Table dbo.OT_AreaType

Table dbo.OT_Country

Table dbo.OT_CountyFIPS

Table dbo.OT_District

Table dbo.OT_ElectronicMailAddressType

Table dbo.OT_StateFIPS

Table dbo.OT_TelephoneType

View dbo.ViewPersonAssessments

Column	Data Type	Nullable
AssessmentID	int	

Assessment ID		
PersonID	int	
StudentID	int	
Student ID		
IdentificationCode	varchar(200)	X
Document or ID Number		
IdentificationSystem	int	X
Identification System		
TypeID	int	X
InstrumentID	int	X
FormID	int	X
LevelID	int	X
SubtestID	int	X
Subtest ID		
SubtestName	varchar(255)	X
Subtest		
FormName	varchar(255)	X
Form		
InstrumentName	varchar(255)	X
Instrument		
TypeName	varchar(20)	X
DateAssessed	datetime	X
Date Assessed		
AgeAtAssessment	real	X
GradeLevelAssessed	varchar(200)	X
AssessmentStandard	varchar(200)	X
GradeLevelwhenAssessed	real	X
RawScore	decimal(10,1)	X
Raw Score		
ScaledScore	decimal(10,1)	X
Scaled Score		
ScaledGain	decimal(10,3)	X
Scaled Gain		
Percentile	decimal(10,3)	X
SPLGLE	decimal(10,1)	X
SPL/GLE		
PassTest	char(1)	X
PreviousRelatedAssessmentID	int	X
SuperordinateAssessmentID	int	X
Superordinate Assessment ID		
HoursSinceLastAssessment	real	X
ReportingandDocumentation	varchar(1024)	X
ScoreInterpretationInformation	varchar(1024)	X
ScoreResults	varchar(200)	X
LevelCode	int	X
Current Level		
InstructionalHoursSinceLastAssessment	real	X
Instr Hrs Since Last Assess in Subj Area		
AssessedLevel	varchar(150)	X
Assessed Level		
CreationDate	datetime	X
Creation Date		
LastUpdate	datetime	X
Date		
AgencyID	int	
Agency ID		
UpdateSystemUserID	int	X
Update System User ID		

UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
LevelName	varchar(255)	X
<i>Level</i>		
FiscalYearCode	int	X
<i>Fiscal Year</i>		
FiscalYear	varchar(150)	X
<i>Fiscal Year</i>		
SPGain	decimal(10,3)	X
StaffName	varchar(100)	X
<i>Staff Name</i>		
StaffMemberID	int	X
<i>Staff ID</i>		
OverrideSubjectArea	int	X
AssessmentMeasureCode	int	X
<i>Assessment Measure</i>		
SubjectAreaCode	int	X
SubjectArea	varchar(150)	X
<i>Subject Area</i>		
OrdinalValue	int	X
HighSchoolEquivalency	bit	X
Practice	bit	X
InstrumentFormLevel	varchar(771)	X
PrePostCode	int	X
PrePost	varchar(150)	X
ScaledScoreGain	decimal(10,1)	X
SPLGLEGain	decimal(10,1)	X
InstructionalHoursSincePreviousAssessmentInDomain	decimal(10,2)	X
InstructionalHoursSinceLastAssessmentInDomain	decimal(10,2)	X
ExternalProviderID	int	X
<i>External Provider ID</i>		
ExternalID	int	X
<i>External ID</i>		
ExternalCustomerID	int	X
<i>External Customer ID</i>		

Uses:

Table dbo.Assessment
Table dbo.AssessmentForm
Table dbo.AssessmentInstrument
Table dbo.AssessmentSubtest
Table dbo.AssessmentTestLevel
Table dbo.AssessmentTestType
Table dbo.OT_AssessmentMeasure
Table dbo.OT_Domain
Table dbo.OT_FiscalYear
Table dbo.OT_Level
Table dbo.OT_PrePost

Table dbo.Student**View dbo.ViewPersonAuditHistory**

Column	Data Type	Nullable
PersonID	int	X
AgencyID <i>Agency ID</i>	int	X
TableName <i>Area</i>	varchar(21)	
CreationDate <i>Creation Date</i>	datetime	X
LastUpdate <i>Date</i>	datetime	X
LastUpdateDate <i>Date</i>	datetime	X
UpdateActionID <i>Update Action ID</i>	int	X
AccountName <i>Account Name</i>	varchar(100)	
DisplayName <i>Display Name</i>	varchar(202)	X
UserName <i>Account Name</i>	varchar(202)	X
UpdateAction <i>Action</i>	varchar(7)	

Uses:**Table dbo.Address****Table dbo.Corrections****Table dbo.Demographic****Table dbo.Disability****Table dbo.HealthData****Table dbo.Person****Table dbo.PersonIdentifier****Table dbo.PersonPhone****Table dbo.Student****View dbo.ViewPersonCheckout**

Column	Data Type	Nullable
CheckOutID	int	
MaterialID <i>Material ID</i>	int	
PersonID	int	
CheckoutDate <i>Checkout Date</i>	datetime	
DueDate <i>Due Date</i>	datetime	X
ReturnDate <i>Return Date</i>	datetime	X

AmtDue	money	X
<i>Amount Due</i>		
AmtPaid	money	X
<i>Checkout Status Code</i>		
<i>Checkout Status</i>		
CheckoutStatus	varchar(150)	X
<i>Checkout Status</i>		
CheckoutTypeCode	int	X
<i>Checkout Type</i>		
AgencyID	int	X
<i>Agency ID</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
MaterialName	varchar(200)	X
<i>Material Name</i>		
Description	varchar(1000)	X
CopyNumber	int	X
<i>Copy Number</i>		
Cost	money	X
MaterialKeywordCode	int	X
<i>Material Keyword</i>		
MaterialLevelCode	int	X
<i>Material Level</i>		
MaterialLevel	varchar(150)	X
<i>Material Level</i>		
MaterialType	varchar(150)	X
<i>Material Type</i>		

Uses:

Table dbo.CheckOut

Table dbo.Material

Table dbo.OT_CheckOutStatus

Table dbo.OT_MaterialLevel

Table dbo.OT_MaterialType

View dbo.ViewPersonClassHoursAttended

Column	Data Type	Nullable
PersonID	int	X
ClassSectionID	int	X
<i>Class ID</i>		
ClassDate	datetime	
<i>Date</i>		
HoursDate	datetime	
<i>Date</i>		
ClassHoursAttendedID	int	
ClassRegistrationID	int	
<i>Class Enrollment</i>		
HoursTypeCode	int	
HoursPresent	real	
<i>Hours Present</i>		
HoursAbsent	real	
<i>Hours Absent</i>		
ClassType	varchar(50)	X

Enrollment Type		
Late	bit	X
ClassSectionTitle	varchar(100)	X
<i>Title</i>		
CourseNumber	varchar(50)	X
<i>Course Number</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
ClassSectionTypeCode	int	X
<i>Class Section Type</i>		
FiscalYearCode	int	X
<i>Fiscal Year</i>		
EnrollmentType	varchar(50)	X
<i>Enrollment Type</i>		
ClassSectionType	varchar(150)	X
<i>Class Section Type</i>		
HoursType	varchar(150)	X
<i>Hours Type</i>		
InstructorName	varchar(100)	X
<i>Instructor Name</i>		
Name	varchar(100)	X

Uses:

Table dbo.ClassHoursAttended

Table dbo.ClassRegistration

Table dbo.ClassSection

Table dbo.OT_ClassSectionType

Table dbo.OT_HoursType

Table dbo.Person

View dbo.ViewPersonComments

Column	Data Type	Nullable
CommentID	int	
CommentTypeCode	int	
<i>Comment Type</i>		
CommentType	varchar(150)	X
<i>Comment Type</i>		
CommentDate	smalldatetime	X
<i>Date</i>		
PersonID	int	
Comment	varchar(1024)	X
CreationDate	datetime	X
<i>Creation Date</i>		

LastUpdate	datetime	X
<i>Date</i>		
CommentatorFirstName	varchar(50)	X
CommentatorDisplayName	varchar(100)	X
CommentatorLastName	varchar(50)	X
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.Comment

Table dbo.OT_CommentType

Table dbo.Person

View dbo.ViewPersonDemographic

Column	Data Type	Nullable
PersonID	int	
DemographicID	int	
<i>Demographic ID</i>		
GenderCode	int	X
<i>Gender</i>		
GenderCodeNoReq	int	X
<i>Gender</i>		
Birthdate	smalldatetime	X
BirthdateNoReq	smalldatetime	X
<i>Birthdate</i>		
Age	int	X
Birthplace	varchar(200)	X
BirthdateVerification	varchar(100)	X
<i>Birthdate Verification</i>		
CityofBirth	varchar(100)	X
<i>City of Birth</i>		
BirthCountryCode	int	X
<i>Country of Birth</i>		
FamilyIncomeRange	varchar(150)	X
<i>Family Income Range</i>		
MaritalStatus	varchar(150)	X
<i>Marital Status</i>		
Institutional	varchar(150)	X
PrimaryEthnicity	varchar(150)	X
<i>Ethnicity</i>		
ReligiousAffiliation	varchar(150)	X
BornOutsideoftheUS	bit	X
<i>Born outside US</i>		
FirstEntryDate	smalldatetime	X
USCitizen	bit	X
<i>US Citizen</i>		
Immigrant	bit	X
CountryofCitizenshipCode	int	X
<i>Country of Citizenship</i>		

ResidenceAreaCode	int	X
<i>Residence Area</i>		
ResidenceAreaCodeNotReq	int	X
<i>Residence Area</i>		
DistrictCode	int	X
<i>District</i>		
InstitutionalCode	int	X
<i>Institutional</i>		
Migrant	bit	X
<i>Migrant Worker</i>		
MaritalStatusCode	int	X
<i>Marital Status</i>		
EmploymentStatusCode	int	X
<i>Employment Status</i>		
NumberofDependents	tinyint	X
<i>Number of Dependents</i>		
FamilyIncomeRangeCode	int	X
<i>Family Income Range</i>		
CorrectionalCode	int	X
<i>Correctional</i>		
DislocatedWorker	bit	X
<i>Dislocated Worker</i>		
FamilyPublicAssistance	bit	X
<i>Public Assistance</i>		
HispanicorLatinoEthnicity	bit	X
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
PrimaryTutorEthnicityCode	int	X
<i>Ethnicity</i>		
NationalEthnicOriginSubgroup	int	X
ReligiousAffiliationCode	int	X
<i>Religious Affiliation Code</i>		
EnglishProficiency	bit	X
LanguagesOtherThanEnglish	bit	X
<i>Languages Other Than English</i>		
MilitaryServiceExperienceCode	int	X
<i>Military Service Experience</i>		
MinorAdultStatus	bit	X
<i>Minor with Adult Status</i>		
AbuseCode	int	X
<i>Abuse</i>		
AtRiskCode	int	X
<i>At Risk</i>		
EmploymentStatus	varchar(100)	X
<i>Employment Status</i>		
CountryOfCitizenship	varchar(150)	X
<i>Country of Citizenship</i>		
BirthCountry	varchar(150)	X
<i>Country of Birth</i>		
RegisteredVoter	bit	X
<i>Registered Voter</i>		
Correctional	varchar(150)	X
AtRisk	varchar(150)	X
<i>At Risk</i>		
Abuse	varchar(150)	X
District	varchar(150)	X
<i>Ward</i>		
Area	varchar(150)	X

Gender	varchar(150)	X
BirthCountyFIPSCode	int	X
BirthStateFIPSCode	int	X
AgencyID <i>Agency ID</i>	int	X
MilitaryServiceExperience <i>Military Service Experience</i>	varchar(150)	X
CreationDate <i>Creation Date</i>	datetime	X
LastUpdate <i>Date</i>	datetime	X
UpdateSystemUserID <i>Update System User ID</i>	int	X
UpdateAgencyID <i>Update Agency ID</i>	int	X
UpdateActionID <i>Update Action ID</i>	int	X
ParentsHighestLevelofEducationCompletedCode <i>Parents' Highest Education Completed</i>	int	X
ParentsHighestLevelofEducationCompleted <i>Parents' Highest Education Completed</i>	varchar(150)	X
L6OnFile <i>L6 on File</i>	bit	X
F1Visa <i>F1 Visa</i>	bit	X
EnteredCountryOn <i>Entered Country On</i>	smalldatetime	X
StayInUSA <i>Plan to Stay in USA</i>	bit	X
StudiedEnglishBefore <i>Studied English Before</i>	bit	X
ImproveSpeaking <i>Improve Speaking</i>	bit	X
ImproveWriting <i>Improve Writing</i>	bit	X
ImproveReading <i>Improve Reading</i>	bit	X
ImproveListening <i>Improve Listening</i>	bit	X
Culture <i>Learn Culture</i>	bit	X
USCitizenshipPrep <i>US Citizenship Preparation</i>	bit	X
CulturalBarrier <i>Cultural Barriers</i>	bit	X
Disabled	bit	X
DisplacedHomemaker <i>Displaced Homemaker</i>	bit	X
EconomicDisadvantage <i>Economic Disadvantage</i>	bit	X
EnglishLanguageLearner <i>English Language Learner</i>	bit	X
ExOffender <i>Ex Offender</i>	bit	X
ExhaustingTanfWithinTwoYears	bit	X
FosterCareYouth <i>Foster Care Youth</i>	bit	X
Homeless	bit	X

LongTermUnemployed	bit	X
<i>Long Term Unemployed</i>		
LowLiteracyLevels	bit	X
<i>Low Literacy Levels</i>		
MigrantFarmworker	bit	X
<i>Migrant Farmworker</i>		
SeasonalFarmworker	bit	X
<i>Seasonal Farmworker</i>		
SingleParentGuardian	bit	X
<i>Single Parent or Guardian</i>		
IsHispanic	int	X
<i>Is this person Hispanic/Latino</i>		
IsNativeIndian	bit	X
<i>American Indian or Alaska Native</i>		
IsAsian	bit	X
<i>Asian</i>		
IsBlack	bit	X
<i>Black or African American</i>		
IsNativeHawaiian_PacificIslander	bit	X
<i>Native Hawaiian or Other Pacific Islander</i>		
IsWhite	bit	X
<i>White</i>		
IsTwoOrMore	bit	X
IsChinese	bit	X
<i>Chinese</i>		
IsIndochinese	bit	X
<i>Indo Chinese</i>		
IsJapanese	bit	X
<i>Japanese</i>		
IsKorean	bit	X
<i>Korean</i>		
IsOtherAsian	bit	X
<i>Other Asian</i>		
IsOtherMinorities	bit	X
<i>Other Minorities</i>		
IsHawn	bit	X
<i>Hawaiian/Part Hawaiian</i>		
IsFilipino	bit	X
<i>Filipino</i>		
IsMicronesian	bit	X
<i>Micronesian</i>		
IsSamoan	bit	X
<i>Samoan</i>		
IsHIHispanic	bit	X
<i>Hispanic or Latino</i>		
HispanicEthnicity	varchar(150)	X
DemographicCustomBit1	bit	X
<i>ITA-Individual Training Account</i>		
DemographicCustomBit2	bit	X
<i>One Stop Center Referral</i>		
WIATitle1Funded	bit	X
<i>WIA/Title-1</i>		
ChildrenInAgeRange1	int	X
<i>Children Ages 0-5</i>		
ChildrenInAgeRange2	int	X
<i>Children Ages 6-13</i>		
ChildrenInAgeRange3	int	X
<i>Children Ages 14-21</i>		

TwoOrMoreEthnicities	int	
RaceText	varchar(1)	

Uses:

Table dbo.Address
Table dbo.Demographic
Table dbo.OT_Abuse
Table dbo.OT_Area
Table dbo.OT_AtRisk
Table dbo.OT_BirthCountry
Table dbo.OT_Correctional
Table dbo.OT_CountryOfCitizenship
Table dbo.OT_District
Table dbo.OT_EmploymentStatus
Table dbo.OT_Ethnicity
Table dbo.OT_FamilyIncomeRange
Table dbo.OT_Gender
Table dbo.OT_HighestLevelofEducationCompleted
Table dbo.OT_Institution
Table dbo.OT_MaritalStatus
Table dbo.OT_MilitaryServiceExperience
Table dbo.OT_ReligiousAffiliation
Table dbo.OT_YesNoUnknown
Table dbo.PersonIdentifier

View dbo.ViewPersonDiplomaCredential

Column	Data Type	Nullable
DiplomaCredentialID	int	
PersonID	int	
DiplomaCredentialTypeCode	int	X
<i>Diploma/Credential Type</i>		
DiplomaCredentialTypeName	varchar(150)	X
<i>Diploma/Credential Type</i>		
DiplomaCredentialType	varchar(150)	X
<i>Diploma/Credential Type</i>		
AnticipatedAwardDate	datetime	X
<i>Expected Award Date</i>		
ExamLastTaken	datetime	X
<i>Date HSE or Certification Exam Last Taken But Not Passed</i>		
DiplomaCredentialEarnDate	datetime	X
<i>Date Earned</i>		
DiplomaCredentialAwardDate	datetime	X
<i>Actual Award Date</i>		
ExpirationDate	datetime	X
CredentialExpirationDate	datetime	X

Credential or Certificate Expiration Date		
DiplomaCredentialName	varchar(50)	X
<i>Diploma/Credential Name</i>		
CredentialCertificateName	varchar(50)	X
<i>Name of Credential or Certificate</i>		
DiplomaCredentialLlevelandHonorsDescription	varchar(200)	X
<i>Description/Number</i>		
PersonName	varchar(100)	X
<i>Person's Name Displayed on Diploma/Credential</i>		
CompletedRequirements	bit	X
<i>Completed Requirements</i>		
ByExamOnly	bit	X
<i>By Exam Only</i>		
CredentialCertificationTypeCode	int	X
<i>Credential/Certification Type</i>		
CredentialCertificationType	varchar(150)	X
<i>Credential/Certification Type</i>		
AccreditingBodyCode	int	X
<i>Diploma/Credential Accrediting Body</i>		
AccreditingBody	varchar(150)	X
<i>Diploma/Credential Accrediting Body</i>		
IndustryCode	int	X
<i>Diploma/Credential Industry</i>		
Industry	varchar(150)	X
<i>Diploma/Credential Industry</i>		
AgencyID	int	X
<i>Agency ID</i>		
CreationDate	datetime	X
<i>Creation Date</i>		

Uses:

Table dbo.DiplomaCredential

Table dbo.OT_AccreditingBody

Table dbo.OT_CredentialCertificationType

Table dbo.OT_DiplomaCredentialType

Table dbo.OT_Industry

View dbo.ViewPersonFeesAndPayments

Column	Data Type	Nullable
FeesAndPaymentsID	int	
PersonID	int	X
<i>Last Name</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
FeePaymentDate	datetime	X
<i>Date</i>		
FeePaymentTypeCode	int	X
<i>Type</i>		

FeePaymentType	varchar(150)	X
<i>Type</i>		
Visible	smallint	X
<i>Due Amount</i>		
PaidAmount	money	X
<i>Paid Amount</i>		
BalanceAmount	money	X
<i>Balance Amount</i>		
PaymentMethodCode	int	X
<i>Payment Method</i>		
PaymentMethod	varchar(150)	X
<i>Payment Method</i>		
Receipt	varchar(25)	X
Comment	varchar(1024)	X
ClassRegistrationID	int	X
<i>Class Enrollment</i>		
ClassSectionID	int	X
<i>Class ID</i>		
ClassSectionTitle	varchar(100)	X
<i>Title</i>		
CourseNumber	varchar(50)	X
<i>Course Number</i>		
ClassStartDate	smalldatetime	X
<i>Start Date</i>		
ClassEndDate	smalldatetime	X
<i>End Date</i>		
TermCode	int	X
<i>Term</i>		
StartDate	datetime	X
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
Term	varchar(150)	X
ProgramName	varchar(200)	X
<i>Program</i>		
FiscalYear	varchar(150)	X
<i>Fiscal Year</i>		

Uses:

Table dbo.Agency

Table dbo.ClassRegistration

Table dbo.ClassSection

Table dbo.FeesAndPayments

Table dbo.OT_FeePaymentType

Table dbo.OT_PaymentMethod

Table dbo.OT_ReportingSystem

Table dbo.OT_Term

Table dbo.Person

Table dbo.Program

View dbo.ViewPersonGoals

Column	Data Type	Nullable
PersonID	int	
GoalID	int	
<i>Goal ID</i>		
SuperOrdinateGoalID	int	X
GoalCode	int	
<i>Goal</i>		
GoalStatusCode	int	
<i>Status</i>		
GoalStatus	varchar(150)	X
<i>Status</i>		
GoalKeyword	varchar(150)	X
<i>Goal</i>		
GoalDescription	varchar(1024)	X
<i>Description</i>		
GoalType	varchar(150)	X
<i>Type</i>		
GoalCategory	varchar(150)	X
<i>Category</i>		
Priority	tinyint	X
GoalOrder	tinyint	X
DataSet	smalldatetime	
<i>Date Set</i>		
DataSetReq	smalldatetime	
<i>Date Set</i>		
DateMet	smalldatetime	X
<i>Date Met</i>		
ShortDescription	varchar(255)	X
<i>Session Type</i>		
GoalShortDescription	varchar(255)	X
<i>Additional Details</i>		
GoalTypeCode	int	X
GoalCategoryCode	int	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X

<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
SurveyFYCode	int	X
SurveyIncluded	bit	X
<i>Included in Survey</i>		
SurveyResponded	bit	X
<i>Responded to Survey</i>		
ApplicablePersonRoleCode	int	X
SevenDayFollowup	bit	X
<i>7 Day Follow-up</i>		
FourteenDayFollowup	bit	X
<i>14 Day Follow-up</i>		
ThirtyDayFollowup	bit	X
<i>30 Day Follow-up</i>		
SixtDayFollowup	bit	X
<i>60 Day Follow-up</i>		
NinetyDayFollowup	bit	X
<i>90 Day Follow-up</i>		
OneTwentyDayFollowup	bit	X
<i>120 Day Follow-up</i>		
Beyond120DayFollowup	bit	X
<i>Beyond 120 Day Follow-up</i>		
MatchedByDeptOfLabor	bit	X
<i>Matched by Dept. of Labor</i>		

Uses:

Table dbo.Goals

Table dbo.OT_Goal

Table dbo.OT_GoalCategory

Table dbo.OT_GoalStatus

Table dbo.OT_GoalType

View dbo.ViewPersonHealthData

Column	Data Type	Nullable
HealthDataID	int	X
PersonID	int	
DiseasesIllnessesandOtherHealthConditions	varchar(200)	X
<i>Medical Condition</i>		
MedicalTreatment	varchar(200)	X
<i>Medical Treatment</i>		
SchoolHealthEmergencyAction	varchar(2048)	X
MedicalConditionType	varchar(200)	X
SubstanceAbuseDescription	varchar(200)	X
RoutineHealthCareProcedureRequiredatSchool	varchar(200)	X
<i>Health Care Required at School</i>		
HealthConditionProgressReport	varchar(200)	X
HealthCareHistoryEpisodeDate	varchar(200)	X
OverallDiagnosisInterpretationofVision	varchar(200)	X
<i>Vision Evaluation</i>		
OverallDiagnosisInterpretationofHearing	varchar(200)	X
<i>Hearing Evaluation</i>		
OverallDiagnosisInterpretationofSpeechandLanguage	varchar(200)	X

Speech and Language Evaluation		
ServiceAlternatives	varchar(200)	X
CorrectiveEquipmentPrescribed	varchar(200)	X
CorrectiveEquipmentPurpose	varchar(200)	X
DiagnosisofCausativeFactor	varchar(200)	X
ConditionOnsetDate	varchar(200)	X
TuberculosisTestType	varchar(200)	X
MedicalLaboratoryProcedureResults	varchar(200)	X
SpecialDietConsiderations	varchar(200)	X
<i>Special Diet Considerations</i>		
EmergencyFactor	varchar(200)	X
RelatedEmergencyNeeds	varchar(200)	X
InsuranceCoverage	varchar(200)	X
HealthCarePlan	varchar(200)	X
HospitalPreference	varchar(200)	X
MedicalWaiver	varchar(200)	X
ReligiousConsideration	varchar(200)	X
CreationDate	datetime	X
<i>Creation Date</i>		
OtherSpecialHealthNeedsInformationorInstructions	varchar(200)	X
Allergies	varchar(200)	X
NonmedicalTherapy	varchar(200)	X
<i>Non-medical Therapy</i>		
HandednessCode	int	X
<i>Handedness</i>		
Handedness	varchar(150)	X
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.HealthData

Table dbo.OT_Handedness

Table dbo.Person

View dbo.ViewPersonIdentifier

Column	Data Type	Nullable
PersonIdentifierID	int	
<i>Person Identifier ID</i>		
PersonID	int	
IdentificationCode	varchar(200)	X
<i>Document or ID Number</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
SocialSecurityNumberReq	varchar(200)	X
<i>SSN</i>		
IdentificationSystemCode	int	
<i>Identification System Code</i>		

IdentificationSystemDescription	varchar(150)	X
<i>Identification Type</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
StartDate	datetime	X
<i>Start Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.OT_IdentificationSystem

Table dbo.PersonIdentifier

View dbo.ViewPersonInstructionalArea

Column	Data Type	Nullable
PersonInstructionalAreaID	int	
PersonID	int	
InstructionalAreaCode		
<i>Instructional Area</i>		
InstructionalArea	varchar(150)	X
<i>Instructional Area</i>		
InstructionalAreaStatusCode	int	X
<i>Instructional Area Status</i>		
InstructionalAreaStatus	varchar(150)	X
<i>Instructional Area Status</i>		
TestDate	datetime	X
<i>Test Date</i>		
TestScore	real	X
<i>Test Score</i>		
TestForm	varchar(50)	X
<i>Test Form</i>		
RetestDate	datetime	X
<i>Retest Date</i>		
RetestScore	real	X
<i>Retest Score</i>		
RetestForm	varchar(50)	X
<i>Retest Form</i>		
Completed	bit	X
DateCompleted	datetime	X
<i>Date Completed</i>		
Hours	real	X
StaffName	varchar(100)	X
<i>Staff Name</i>		
StaffID	int	X
ItemOrder	tinyint	X
<i>Item Order</i>		
Notes	varchar(255)	X

Notes / Meeting details		
SiteName	varchar(100)	X
ImportID	int	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.OT_InstructionalArea

Table dbo.OT_InstructionalAreaStatus

Table dbo.PersonInstructionalArea

View dbo.ViewPersonLanguages

Column	Data Type	Nullable
PersonLanguageID	int	
PersonID	int	
LanguageCode	int	X
<i>Language of Instruction</i>		
PersonLanguageCode	int	X
<i>Language</i>		
PersonLanguage	varchar(150)	X
<i>Language</i>		
LanguageTypeCode	int	X
<i>Language Type</i>		
LanguageType	varchar(150)	X
<i>Language Type</i>		
NativeLanguage	bit	X
<i>Native</i>		
CanSpeak	bit	X
<i>Speak</i>		
CanRead	bit	X
<i>Read</i>		
CanWrite	bit	X
<i>Write</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

NotedDate	datetime	X
<i>Date</i>		

Uses:

Table dbo.OT_Language

Table dbo.OT_LanguageType

Table dbo.PersonLanguage

View dbo.ViewPersonLevelHistory

Column	Data Type	Nullable
LevelHistoryID	int	
PersonID	int	
LevelHistoryDate	smalldatetime	X
<i>Date</i>		
LevelCode	int	X
<i>Current Level</i>		
LevelCodeHistory	int	X
<i>Level</i>		
EducationalLevel	varchar(150)	X
<i>Current Level</i>		
DomainCode	int	X
<i>Domain</i>		
DomainCodeHistory	int	X
<i>Subject Area</i>		
AssessDomain	varchar(150)	X
<i>Subject Area</i>		
AssessmentID	int	X
<i>Assessment ID</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.LevelHistory

Table dbo.OT_Domain

Table dbo.OT_Level

View dbo.ViewPersonPostsecondaryInstruction

Column	Data Type	Nullable
PostsecondaryInstructionID	int	
PersonID	int	X
AddressID	int	X

<i>Address ID</i>		
PostsecondaryCredentialCode	int	X
<i>Course of Study</i>		
PostsecondaryCredential	varchar(150)	X
<i>Course of Study</i>		
PostsecondaryInstructionTypeCode	int	X
<i>Postsecondary Institution Type</i>		
PostsecondaryInstructionType	varchar(150)	X
<i>Postsecondary Institution Type</i>		
PostsecondaryInstitutionCode	int	X
<i>Name of Postsecondary School or Training Program</i>		
PostsecondaryInstitution	varchar(150)	X
<i>Name of Postsecondary School or Training Program</i>		
PostsecondaryIndustryCode	int	X
<i>Industry</i>		
PostsecondaryIndustry	varchar(150)	X
<i>Industry</i>		
EntryDate	datetime	X
<i>Entry Date</i>		
ExitDate	datetime	X
<i>Exit Date</i>		
TotalHours	decimal(10,2)	X
<i>Total Hours Attended</i>		
EarnedCredits	real	X
<i>Earned Credits</i>		
CredentialAttained	varchar(50)	X
<i>Credential Attained</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
State	varchar(150)	X
DistrictCode	int	X
<i>District</i>		
District	varchar(150)	X
<i>Ward</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
AgencyID	int	X
<i>Agency ID</i>		
CreationDate	datetime	X
<i>Creation Date</i>		

Uses:

Table dbo.Address

Table dbo.OT_District

Table dbo.OT_PostsecondaryCredential

Table dbo.OT_PostsecondaryIndustry

Table dbo.OT_PostsecondaryInstitution

Table dbo.OT_PostsecondaryInstructionType

Table dbo.OT_StateFIPS

Table dbo.PostsecondaryInstruction

View dbo.ViewPersonPreferences

Column	Data Type	Nullable
PersonalPreferenceID	int	
PersonID	int	
PersonRoleCode	int	X
PersonalDataItemCode	int	X
<i>Item</i>		
PersonalDataItem	varchar(150)	X
<i>Item</i>		
Choice	varchar(50)	X
<i>Preference</i>		
Weight	real	X
<i>Importance</i>		
EffectiveDate	smalldatetime	X
<i>Effective Date</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
PersonRole	varchar(150)	X
Comment	varchar(150)	X

Uses:

Table dbo.OT_PersonalDataItem

Table dbo.OT_PersonRole

Table dbo.PersonalPreference

View dbo.ViewPersonProgramHistory

Column	Data Type	Nullable
PersonID	int	X
ProgramHistoryID	int	
ProgramRegistrationID	int	
StatusCode	int	X
<i>Enroll Status</i>		
StartDate	datetime	X
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
EndDateNotReq	datetime	X
<i>End Date</i>		

ProgramType	varchar(150)	X
ProgramName	varchar(200)	X
<i>Program</i>		
ProgramNameHistory	varchar(200)	X
<i>Program</i>		
ProgramStatus	varchar(150)	X
<i>Status</i>		
ReasonLeftCode	int	X
<i>Reason Left</i>		
ReasonLeft	varchar(150)	X
<i>Reason Left</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
ProgramID	int	X
<i>Program</i>		
Notes	varchar(255)	X
<i>Notes / Meeting details</i>		
NotesHistory	varchar(255)	X
<i>Notes</i>		

Uses:

Table dbo.OT_ProgramType

Table dbo.OT_ReasonLeft

Table dbo.OT_RegistrationStatus

Table dbo.Program

Table dbo.ProgramHistory

Table dbo.ProgramRegistration

View dbo.ViewPersonProperties

Column	Data Type	Nullable
PersonPropertiesID	int	
PersonID	int	
FieldName		
<i>Property</i>		
FieldValue	varchar(50)	X
<i>Value</i>		
FieldType	varchar(10)	X
<i>Type</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	

Agency ID

Uses:

Table dbo.PersonProperties

View dbo.ViewPersonReferrals

Column	Data Type	Nullable
ReferralID	int	
PersonID	int	
ReferralDate	smalldatetime	X
<i>Date</i>		
ReferralAgencyCode	int	X
ReferralStatusCode	int	X
<i>Referral Status</i>		
ReferralTypeCode	int	X
<i>Referral Type</i>		
ReferralPurposeCode	int	X
<i>Referral Purpose</i>		
OtherPurpose	varchar(50)	X
ReferralCauseCode	int	X
<i>Cause</i>		
OtherCause	varchar(50)	X
CompletionDate	smalldatetime	X
<i>Completion Date</i>		
CompletionReport	varchar(1024)	X
ReferralStatus	varchar(150)	X
<i>Referral Status</i>		
ReferralType	varchar(150)	X
<i>Referral Type</i>		
ReferralPurpose	varchar(150)	X
<i>Purpose</i>		
ReferralCause	varchar(150)	X
<i>Cause</i>		
ReferralAgency	varchar(150)	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.OT_ReferralAgency

Table dbo.OT_ReferralCause

Table dbo.OT_ReferralPurpose

Table dbo.OT_ReferralStatus

Table dbo.OT_ReferralType**View dbo.ViewPersonSocialService**

Column	Data Type	Nullable
PersonSocialServiceID	int	
PersonID	int	
PersonSocialServiceTypeCode	int	
<i>Type</i>		
ServiceNote	varchar(100)	X
<i>Notes</i>		
AgencyID	int	
<i>Agency ID</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
SocialServiceType	varchar(150)	X
<i>Type</i>		

Uses:**Table dbo.OT_SocialServiceType****Table dbo.PersonSocialService****View dbo.ViewPersonTranscriptClassRegistrations**

Column	Data Type	Nullable
TranscriptCourseID	int	
PersonID	int	
TransferCreditTypeCode	int	X
TransferCreditType	varchar(150)	X
<i>Transfer Credit Type</i>		
RegistrationDate	datetime	X
<i>Enroll Date</i>		
TranscriptRegistrationDate	datetime	X
<i>Registration Date</i>		
RegistrationStatusCode	int	X
<i>Status</i>		
RegistrationStatus	varchar(150)	X
<i>Status</i>		
StartDate	datetime	X
<i>Start Date</i>		
StartDateNotReq	datetime	X
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
EndDateNotReq	datetime	X
<i>End Date</i>		
ClassStartDate	smalldatetime	X
<i>Start Date</i>		
ClassEndDate	smalldatetime	X
<i>End Date</i>		
ClassUnits	tinyint	X
<i>Units</i>		
FinalLetterGrade	varchar(10)	X

<i>Final Grade</i>		
TranscriptFinalLetterGrade	varchar(10)	X
<i>Grade</i>		
QualityPoints	real	X
<i>Quality Points</i>		
GradePoints	real	X
<i>Grade Points</i>		
HoursEarned	real	X
<i>Hours Earned</i>		
DaysPresent	smallint	X
<i>Days Present</i>		
RepeatIdentifier	bit	X
IsElective	bit	X
<i>Elective</i>		
IsRemedial	bit	X
<i>Remedial</i>		
IsHonors	bit	X
<i>Honors</i>		
IsStandardizedTest	bit	X
<i>Standardized Test</i>		
IsWorkCredit	bit	X
<i>Work Credit</i>		
IsAdvancedPlacement	bit	X
<i>Advanced Placement</i>		
EarnedCredits	real	X
<i>Earned Credits</i>		
PossibleCredits	real	X
<i>Possible Credits</i>		
IsVarCreditClass	bit	X
<i>Variable Credit Class</i>		
InstitutionName	varchar(100)	X
<i>Institution</i>		
CourseNumber	varchar(50)	X
<i>Course Number</i>		
CourseName	varchar(50)	X
<i>Course Name</i>		
TermCode	int	X
<i>Term</i>		
Term	varchar(150)	X
Instructor	varchar(150)	X
EnrollmentTypeCode	int	X
<i>Enrollment Type</i>		
TranscriptEnrollmentTypeCode	int	X
<i>Enrollment Type</i>		
EnrollmentType	varchar(150)	X
<i>Enrollment Type</i>		
ReasonLeftCode	int	X
<i>Reason Left</i>		
TranscriptReasonLeftCode	int	X
<i>Status Detail</i>		
TranscriptReasonLeft	varchar(150)	X
<i>Status Detail</i>		
ClassMeetsRequirementCode	int	X
<i>Class Meets Requirement</i>		
ClassMeetsRequirement	varchar(150)	X
<i>Class Meets Requirement</i>		
SubjectCode	int	X
<i>Subject</i>		

Subject	varchar(150)	X
CourseID	int	X
<i>Course ID</i>		
CourseTitle	varchar(200)	X
<i>Course Title</i>		
ImportID	int	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.Course

Table dbo.OT_ClassMeetsRequirement

Table dbo.OT_EnrollmentType

Table dbo.OT_ReasonLeft

Table dbo.OT_RegistrationStatus

Table dbo.OT_Subject

Table dbo.OT_Term

Table dbo.OT_TransferCreditType

Table dbo.TranscriptClassRegistration

View dbo.ViewPersonWorkHistory

Column	Data Type	Nullable
WorkHistoryID	int	
PersonID	int	
StartDate	datetime	X
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
StartDateNotReq	datetime	X
<i>Start Date</i>		
EndDateNotReq	datetime	X
<i>End Date</i>		
EmploymentStatusCode	int	X
<i>Employment Status</i>		
EmploymentStatusCodeNotReq	int	X
<i>Employment Status</i>		
EmploymentStatus	varchar(150)	X
<i>Employment Status</i>		
Employer	varchar(50)	X
<i>Employer Name</i>		
EmployerContactPhoneNumber	varchar(100)	X

Employer Contact		
EmployerAddress	varchar(1000)	X
<i>Employer Address</i>		
TypeOfCompany	int	X
<i>Type Of Employer</i>		
TypeOfCompanyDesc	varchar(150)	X
<i>Type of Employer</i>		
OccupationCode	int	X
<i>Occupation</i>		
Occupation	varchar(150)	X
OccupationDescription	varchar(50)	X
<i>Description</i>		
YearlyIncome	varchar(50)	X
<i>Salary</i>		
MostRecentPayRate	varchar(50)	X
<i>Most Recent Salary</i>		
HasCredentials	bit	X
<i>Employment Certifications</i>		
Promoted	bit	X
<i>Advancement in Job</i>		
RetainedEmployment	bit	X
<i>Retained Employment</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
TableName	varchar(100)	X
<i>Area</i>		

Uses:

Table dbo.OT_EmploymentStatus

Table dbo.OT_Occupation

Table dbo.OT_TypeOfCompany

Table dbo.WorkHistory

View dbo.ViewPersonWorkshops

Column	Data Type	Nullable
ClassRegistrationID	int	
<i>Class Enrollment</i>		
ClassSectionID	int	
<i>Class ID</i>		
PersonID	int	
RegistrationDate	datetime	X
<i>Enroll Date</i>		
StatusCode	int	X
<i>Enroll Status</i>		

StartDate	datetime	X
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
ClassStartDate	smalldatetime	X
<i>Start Date</i>		
ClassEndDate	smalldatetime	X
<i>End Date</i>		
ClassUnits	tinyint	X
<i>Units</i>		
CourseNumber	varchar(50)	X
<i>Course Number</i>		
ClassMeetingDay	varchar(50)	X
<i>Days</i>		
ClassBeginningTime	varchar(100)	X
<i>Times</i>		
CourseID	int	X
<i>Course ID</i>		
CourseTitle	varchar(200)	X
<i>Course Title</i>		
ProgramName	varchar(200)	X
<i>Program</i>		
ClassSectionTitle	varchar(100)	X
<i>Title</i>		
ClassLevel	varchar(150)	X
TotalHoursOffered	real	X
<i>Total Hours Offered</i>		
DaysOfClass	int	X
<i>Days Of Class</i>		
WeeksOfClass	int	X
<i>Weeks of Class</i>		
Type	varchar(150)	X
FinalLetterGrade	varchar(10)	X
<i>Final Grade</i>		
QualityPoints	real	X
<i>Quality Points</i>		
GradePoints	real	X
<i>Grade Points</i>		
HoursEarned	real	X
<i>Hours Earned</i>		
HoursAbsent	real	X
<i>Hours Absent</i>		
DaysPresent	smallint	X
<i>Days Present</i>		
DaysLate	smallint	X
DaysAbsent	smallint	X
LastDateHoursEarned	smalldatetime	X
<i>Last Date Hours Earned</i>		
ProgramID	int	X
<i>Program</i>		
FundingSourceCode	int	X
<i>Funding Source</i>		
RepeatIdentifier	bit	X
FeesBilledToStudent	money	X
<i>Fee Amount</i>		
FeesPaid	bit	X
<i>Fees Paid (if applicable)</i>		
FeePaidDate	smalldatetime	X

<i>Date Paid</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
MinimumRequiredDays	int	X
<i>Min Required Days</i>		
MinimumRequiredHours	real	X
<i>Min Required Hours</i>		
Status	varchar(150)	X
<i>Enroll Status</i>		
ClassType	varchar(50)	X
<i>Enrollment Type</i>		
Term	varchar(150)	X
BuildingRoom	varchar(150)	X
<i>Bldg/Room</i>		
ClassMeetsRequirementCode	int	X
<i>Class Meets Requirement</i>		
MetRequirement	varchar(1)	
<i>Met Requirement</i>		

Uses:

Table dbo.ClassRegistration

Table dbo.ClassSection

Table dbo.Course

Table dbo.OT_BuildingRoom

Table dbo.OT_ClassSectionType

Table dbo.OT_InstructionalLevel

Table dbo.OT_RegistrationStatus

Table dbo.OT_Term

Table dbo.Program

View dbo.ViewStaffClassAssignment

Column	Data Type	Nullable
StaffClassAssignmentID	int	
ClassSectionID	int	
<i>Class ID</i>		
StaffMemberID	int	
<i>Staff ID</i>		
LevelCode	int	X
<i>Current Level</i>		
JobClassification	varchar(200)	X
<i>Classification</i>		

SessionType	varchar(150)	X
<i>Session Type</i>		
AssignmentDate	datetime	X
<i>Assigned</i>		
AssignmentDateEditor	datetime	X
<i>Assignment Date</i>		
StartDate	datetime	X
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
TotalDaysinSession	int	X
NumberofHoursinSchoolDay	real	X
AssignmentDescription	varchar(200)	X
TeachingAssignment	varchar(200)	X
<i>Teaching Assignment</i>		
ScopeofAssignment	varchar(200)	X
<i>Scope of Assignment</i>		
ItinerantTeacher	bit	X
EssentialPersonnelIdentifier	bit	X
TimePeriodClassification	varchar(200)	X
TimePeriod	varchar(200)	X
NameofInstitution	varchar(200)	X
<i>Company</i>		
IdentificationCode	varchar(200)	X
<i>Document or ID Number</i>		
IdentificationSystem	int	X
<i>Identification System</i>		
FulltimeEquivalency	real	X
<i>FTE-Percent</i>		
FulltimeStatus	bit	X
<i>Full-time</i>		
ScheduledWorkTimeDaily	varchar(200)	X
<i>Scheduled Work Time Daily</i>		
ScheduledWorkDaysWeekly	varchar(200)	X
<i>Scheduled Work Days Weekly</i>		
ScheduledWorkMonthsAnnually	varchar(200)	X
<i>Scheduled Work Months Annually</i>		
ElementarySubjectCourse	varchar(200)	X
CourseCodeSystem	varchar(200)	X
CourseTitle	varchar(200)	X
<i>Course Title</i>		
CourseNumber	varchar(50)	X
<i>Course Number</i>		
UnitofWork	real	X
TimeExpended	real	X
PercentofTotalTime	real	X
NumberofDaysinAttendance	real	X
NumberofDaysAbsent	real	X
NumberofTardies	real	X
StudentLevel	varchar(150)	X
FirstName	varchar(50)	X
<i>First Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
InstructorName	varchar(100)	X
<i>Instructor Name</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		

LastName	varchar(50)	X
<i>Last Name</i>		
ClassSectionTitle	varchar(100)	X
<i>Title</i>		
ClassStartDateHeader	smalldatetime	X
<i>Class Start Date</i>		
ClassEndDateHeader	smalldatetime	X
<i>Class End Date</i>		
WorkshopStartDate	smalldatetime	X
<i>Workshop Start Date</i>		
WorkshopEndDate	smalldatetime	X
<i>Workshop End Date</i>		
Term	varchar(150)	X
PrimaryAssignment	bit	X
<i>Primary Assignment</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
AssignmentStatusCode	int	X
<i>Status</i>		
BuildingRoom	varchar(150)	X
<i>Bldg/Room</i>		
ClassMeetingDay	varchar(50)	X
<i>Days</i>		
ClassBeginningTime	varchar(100)	X
<i>Times</i>		
ProgramName	varchar(200)	X
<i>Program</i>		
ClassType	varchar(50)	X
<i>Enrollment Type</i>		
AssignmentStatus	varchar(150)	X
<i>Status</i>		
Status	varchar(150)	X
<i>Enroll Status</i>		
WorkshopType	varchar(50)	X
<i>Workshop Type</i>		

Uses:

Table dbo.ClassSection
Table dbo.OT_AssignmentStatus
Table dbo.OT_BuildingRoom
Table dbo.OT_ClassSectionType
Table dbo.OT_Level
Table dbo.OT_StaffStatus

Table dbo.OT_Term

Table dbo.Person

Table dbo.Program

Table dbo.StaffClassAssignment

Table dbo.StaffMember

View dbo.ViewStaffComments

Column	Data Type	Nullable
CommentID	int	
CommentTypeCode <i>Comment Type</i>	int	
StaffCommentTypeCode <i>Comment Type</i>	int	
CommentDate <i>Date</i>	smalldatetime	X
PersonID	int	
Comment	varchar(1024)	X
CreationDate <i>Creation Date</i>	datetime	X
LastUpdate <i>Date</i>	datetime	X
CommentatorFirstName	varchar(50)	X
CommentatorDisplayName	varchar(100)	X
CommentatorLastName	varchar(50)	X
AgencyID <i>Agency ID</i>	int	X
UpdateSystemUserID <i>Update System User ID</i>	int	X
UpdateAgencyID <i>Update Agency ID</i>	int	X
UpdateActionID <i>Update Action ID</i>	int	X
CommentType <i>Comment Type</i>	varchar(150)	X
PersonRoleCode	int	X
PersonRoleCodeStaff <i>PersonRoleCode</i>	int	X

Uses:

Table dbo.Comment

Table dbo.OT_StaffCommentType

Table dbo.Person

View dbo.ViewStaffFiscalYearRecords

Column	Data Type	Nullable
PersonID	int	X
FiscalYearRecordID <i>Fiscal Year Reporting ID</i>	int	X
FiscalYear <i>Fiscal Year</i>	char(9)	X

BeginDate	datetime	X
ReportingSystemCode	int	X
<i>Reporting System</i>		
Completed	bit	X
DateCompleted	datetime	X
<i>Date Completed</i>		
Reviewed	bit	X
ReviewedBySystemUserID	int	X
FirstName	varchar(50)	X
<i>First Name</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
SocialSecurityNumber	varchar(50)	X
<i>SSN</i>		
ReportingSystem	varchar(150)	X
<i>Reporting System</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.FiscalYearRecord

Table dbo.OT_Reportingsystem

Table dbo.Person

Table dbo.PersonIdentifier

View dbo.ViewStaffHistory

Column	Data Type	Nullable
StaffHistoryID	int	
StaffMemberID	int	X
<i>Staff ID</i>		
StartDate	datetime	X
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
EndDateNotReq	datetime	X
<i>End Date</i>		
StatusCode	int	X
<i>Enroll Status</i>		
StaffStatusCode	int	X
<i>Overall Status</i>		
StaffStatusCodeNotReq	int	X
<i>Overall Status</i>		

StaffStatus	varchar(150)	X
<i>Overall Status</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.OT_StaffStatus

Table dbo.StaffHistory

View dbo.ViewStaffHours

Column	Data Type	Nullable
StaffHoursID	int	
InstructorID	int	
PersonID	int	X
StaffMemberID	int	
<i>Staff ID</i>		
CourseID	int	X
<i>Course ID</i>		
ClassSectionTitleHours	varchar(100)	X
<i>Class/Workshop</i>		
ClassSectionTitle	varchar(100)	X
<i>Title</i>		
TermCode	int	X
<i>Term</i>		
Term	varchar(150)	X
_StaffHoursType	varchar(150)	X
<i>Hours Type</i>		
HoursType	varchar(150)	X
<i>Hours Type</i>		
HoursDate	datetime	X
<i>Date</i>		
HoursTypeCode	int	
HoursPresent	real	
<i>Hours Present</i>		
HoursAbsent	real	
<i>Hours Absent</i>		
Late	bit	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
ClassSectionID	int	X
<i>Class ID</i>		

UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
AssignmentType	varchar(50)	X
<i>Assignment Type</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
Name	varchar(100)	X

Uses:

Table dbo.ClassSection

Table dbo.OT_StaffHoursType

Table dbo.OT_Term

Table dbo.Person

Table dbo.StaffHours

View dbo.ViewStaffMemberQuickAdd

Column	Data Type	Nullable
StaffMemberID	int	
<i>Staff ID</i>		
PersonID	int	
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
AddressID	int	X
<i>Address ID</i>		
PrimaryAddress	bit	X
<i>Primary Address</i>		
StreetNumberName	varchar(200)	X
<i>Address 1</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
ApartmentRoomSuiteNumber	varchar(80)	X
<i>Address 2</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
CountyFIPSCode	int	X
<i>County</i>		
City	varchar(200)	X

StateFIPSCode	int	X
<i>State</i>		
State	varchar(150)	X
<i>ZipCode</i>		
<i>Zip</i>		
PhoneID	int	X
<i>Phone ID</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
TelephoneContactPreference	varchar(150)	X
<i>Contact Preference</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
DemographicID	int	X
<i>Demographic ID</i>		
GenderCode	int	X
<i>Gender</i>		
GenderCodeNoReq	int	X
<i>Gender</i>		
Gender	varchar(150)	X
Birthdate	smalldatetime	X
BirthdateNoReq	smalldatetime	X
<i>Birthdate</i>		
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
Ethnicity	varchar(150)	X
StaffKeywordCode	int	X
<i>Staff Keyword</i>		
StaffKeyword	varchar(150)	X
<i>Staff Keyword</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
IdentificationSystemCode	int	X
<i>Identification System Code</i>		
PersonIdentifierID	int	X
<i>Person Identifier ID</i>		
StaffIdentificationCode	varchar(200)	X
IdentificationSystem	int	X
<i>Identification System</i>		
HighestLevelofEducationCompletedCode	int	X
<i>Highest Education Completed</i>		
EmploymentStatus	varchar(150)	X
<i>Employment Status</i>		
StaffEmploymentStatusCode	int	X
<i>Employment Status</i>		
EmploymentStartDate	smalldatetime	X
<i>Start Date</i>		
HireDate	smalldatetime	X
<i>Hire Date</i>		
HighestLevelofEducationCompleted	varchar(150)	X
<i>Highest Education Completed</i>		
FullTimeStaff	bit	X

Full-Time		
LevelCode	int	X
<i>Current Level</i>		
EducationalLevel	varchar(150)	X
<i>Current Level</i>		
Status	varchar(150)	X
<i>Enroll Status</i>		
StaffStatus	varchar(150)	X
<i>Overall Status</i>		
Program	varchar(150)	X
Department	varchar(150)	X
DepartmentDescription	varchar(150)	X
DepartmentCode	int	X
<i>Department</i>		
DepartmentStaff	int	X
<i>Department</i>		
ProgramCode	int	X
<i>Program Code</i>		
StaffProgramID	int	X
<i>Program</i>		
StaffStatusCode	int	X
<i>Overall Status</i>		
PositionTitle	varchar(200)	X
<i>Position Title</i>		
PositionorClassificationNumber	varchar(25)	X
<i>Position or Classification Number</i>		
UniquePositionNumber	varchar(25)	X
<i>Unique Position Number</i>		
JobClassification	varchar(150)	X
<i>Classification</i>		
JobClassificationCode	int	X
<i>Classification</i>		
JobClassificationCodeReq	int	X
<i>Classification</i>		
FulltimeEquivalency	real	X
<i>FTE-Percent</i>		
FulltimeStatus	bit	X
<i>Full-time</i>		
Fax	varchar(30)	X
Pager	varchar(30)	X
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
OtherPhoneType	varchar(150)	X
<i>Other Phone Type</i>		
YearsofPriorTeachingExperience	real	X
<i>Prior Teaching Exp-Years</i>		
YearsofPriorEducationExperience	real	X
<i>Years of Prior Education Experience</i>		
YearsofPriorRelatedExperience	real	X
<i>Prior Related Exp-Years</i>		
TotalNumberofYearsofPriorExperience	real	X
<i>Total Number of Years of Prior Experience</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		

AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
DateFirstIntake	datetime	X
<i>Intake Date</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
MailingPreference	varchar(150)	X
<i>Mail Preference</i>		
PersonRoleCode	int	X
PersonRoleCodeStaff	int	X
<i>PersonRoleCode</i>		
CertificationCode	int	X
<i>Certification</i>		
Certification	varchar(150)	X
YearsOfExperienceInAdultEducation	real	X
<i>Years Teaching Exp in Adult Ed</i>		
County	varchar(150)	X

Uses:

Table dbo.Address
Table dbo.Demographic
Table dbo.OT_CountyFIPS
Table dbo.OT_Ethnicity
Table dbo.OT_Gender
Table dbo.OT_HighestLevelofEducationCompleted
Table dbo.OT_JobClassification
Table dbo.OT_MailingPreference
Table dbo.OT_StaffDepartment
Table dbo.OT_StaffEmploymentStatus
Table dbo.OT_StaffKeyword
Table dbo.OT_StaffLevel
Table dbo.OT_StaffProgram
Table dbo.OT_StaffStatus
Table dbo.OT_StateFIPS
Table dbo.OT_TelephoneContactPreference
Table dbo.OT_TelephoneType
Table dbo.OT_YesNo
Table dbo.Person
Table dbo.PersonIdentifier

Table dbo.PersonPhone

Table dbo.PersonRole

Table dbo.StaffMember

View dbo.ViewStaffMembers

Column	Data Type	Nullable
StaffMemberID <i>Staff ID</i>	int	
PersonID <i>First Name</i>	int	
FirstName <i>Middle Initial</i>	varchar(50)	X
MiddleInitial <i>Middle Name</i>	varchar(5)	X
MiddleName <i>Last Name</i>	varchar(50)	X
LastSurname <i>Display Name</i>	varchar(50)	X
DisplayName <i>Former Legal Name</i>	varchar(100)	X
Alias <i>Last Name at Birth</i>	varchar(50)	X
FormerLegalName <i>Nickname</i>	varchar(50)	X
LastSurnameatBirth <i>Tribal or Clan Name</i>	varchar(50)	X
IdentificationCode <i>Identification System</i>	varchar(200)	X
IdentificationSystem <i>Identification Expiration Date</i>	int	X
IdentificationExpirationDate <i>Prior Teaching Exp-Years</i>	smalldatetime	X
YearsofPriorTeachingExperience <i>Years of Prior Education Experience</i>	real	X
YearsofPriorEducationExperience <i>Prior Related Exp-Years</i>	real	X
YearsofPriorRelatedExperience <i>Total Number of Years of Prior Experience</i>	real	X
TotalNumberofYearsofPriorExperience <i>Application Status</i>	varchar(25)	X
ApplicationStatus <i>Background Check Completion Date</i>	ApplicationStatus	X
BackgroundCheckCompletionDate <i>Position Assessment Type</i>	smalldatetime	X
PositionAssessmentType <i>Position Assessment Date</i>	varchar(25)	X
PositionAssessmentDate <i>Prior Year Status</i>	smalldatetime	X
PriorYearStatus <i>Contractual Term</i>	varchar(200)	X
ContractualTerm <i>Hire Date</i>	smalldatetime	X
HireDate <i>Hire Date</i>		

ContractBeginningDate	smalldatetime	X
<i>Contract Beginning Date</i>		
ContractEndingDate	smalldatetime	X
<i>Contract Ending Date</i>		
SeniorityDate	smalldatetime	X
<i>Seniority Date</i>		
TenureDate	smalldatetime	X
<i>Tenure Date</i>		
ContractDaysOfServicePerYear	smallint	X
<i>Contract Days of Service Per Year</i>		
EmploymentTimeAnnually	varchar(25)	X
<i>Employment Time Annually</i>		
FulltimeEquivalency	real	X
<i>FTE-Percent</i>		
FulltimeStatus	bit	X
<i>Full-time</i>		
StaffFullTimeStatus	bit	X
<i>Full-time</i>		
HoursofServicePerDay	real	X
<i>Hours of Service Per Day</i>		
DaysofServicePerWeek	real	X
<i>Days of Service Per Week</i>		
ScheduledWorkTimeDaily	varchar(200)	X
<i>Scheduled Work Time Daily</i>		
ScheduledWorkDaysWeekly	varchar(200)	X
<i>Scheduled Work Days Weekly</i>		
ScheduledWorkMonthsAnnually	varchar(200)	X
<i>Scheduled Work Months Annually</i>		
PositionTitle	varchar(200)	X
<i>Position Title</i>		
StaffPositionTitle	varchar(200)	X
PositionorClassificationNumber	varchar(25)	X
<i>Position or Classification Number</i>		
UniquePositionNumber	varchar(25)	X
<i>Unique Position Number</i>		
SubstituteStatus	varchar(25)	X
<i>Substitute Status</i>		
EmploymentSeparationReason	varchar(200)	X
<i>Employment Separation Reason</i>		
EmploymentSeparationDate	smalldatetime	X
<i>Employment Separation Date</i>		
EmploymentSeparationType	varchar(200)	X
<i>Employment Separation Type</i>		
SeverancePay	money	X
<i>Severance Pay</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
Birthday	smalldatetime	X
<i>Birthdate</i>		
USCitizen	bit	X
<i>US Citizen</i>		
Immigrant	bit	X
DistrictCode	int	X
<i>District</i>		
District	varchar(150)	X
<i>Ward</i>		
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		

Ethnicity	varchar(150)	X
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
LanguagesOtherThanEnglish	bit	X
<i>Languages Other Than English</i>		
MilitaryServiceExperienceCode	int	X
<i>Military Service Experience</i>		
ReligiousAffiliationCode	int	X
<i>Religious Affiliation Code</i>		
MilitaryServiceExperience	varchar(150)	X
<i>Military Service Experience</i>		
ApplicationDate	smalldatetime	X
<i>Application Date</i>		
DateBeganAsEducator	smalldatetime	X
<i>Date Began As Educator</i>		
CurFYInstructHours	real	X
<i>Current FY Instr Hrs</i>		
LifetimeAllHoursPresent	real	X
<i>Lifetime Hours</i>		
TotalInstructionalHours	real	X
<i>Total Instructional Hours</i>		
StaffStatusCode	int	X
<i>Overall Status</i>		
ProgramCode	int	X
<i>Program Code</i>		
Program	varchar(150)	X
StaffProgramName	varchar(150)	X
<i>Program</i>		
DepartmentCode	int	X
<i>Department</i>		
LevelCode	int	X
<i>Current Level</i>		
Keyword	varchar(150)	X
<i>Student Keyword</i>		
StaffKeyword	varchar(150)	X
<i>Staff Keyword</i>		
StaffKeywordCode	int	X
<i>Staff Keyword</i>		
EducationalLevel	varchar(150)	X
<i>Current Level</i>		
StaffEmploymentStatusCode	int	X
<i>Employment Status</i>		
EmploymentStatus	varchar(150)	X
<i>Employment Status</i>		
EmploymentStatusGrid	varchar(150)	X
<i>Employment Status</i>		
JobClassification	varchar(150)	X
<i>Classification</i>		
JobClassificationGrid	varchar(150)	X
<i>Classification</i>		
JobClassificationCode	int	X
<i>Classification</i>		
Status	varchar(150)	X
<i>Enroll Status</i>		

StaffStatus	varchar(150)	X
<i>Overall Status</i>		
LastFiscalYearActive	varchar(150)	X
LastFiscalYearActiveCode	int	X
VehicleDriversLicenseType	varchar(25)	X
<i>Vehicle Drivers License Type</i>		
VehicleDriversLicenseExpirationDate	smalldatetime	X
<i>Vehicle Drivers License Expiration Date</i>		
AuthorizedInsuredtoUseOrganizationVehicles	bit	X
<i>Authorized Insured to Use Organization Vehicles</i>		
AuthorizedInsuredtoUseOwnVehicles	bit	X
<i>Authorized Insured to Use Own Vehicles</i>		
AvocationalInterestsandSkills	varchar(200)	X
<i>Avocational Interests and Skills</i>		
OtherAreasofInformalQualification	varchar(200)	X
<i>Other Areas of Informal Qualification</i>		
SpecialContactGroupEmpathies	varchar(200)	X
<i>Special Contact Group Empathies</i>		
YearsofParticipation	varchar(200)	X
<i>Years of Participation</i>		
TeachingAssignment	varchar(200)	X
<i>Teaching Assignment</i>		
NatureofPriorEmployment	varchar(200)	X
<i>Nature of Prior Employment</i>		
ConditionofEmployment	varchar(200)	X
<i>Condition of Employment</i>		
EmploymentStartDate	smalldatetime	X
<i>Start Date</i>		
EmploymentEligibilityVerification	varchar(200)	X
<i>Employment Eligibility Verification</i>		
HighestLevelofEducationCompletedCode	int	X
<i>Highest Education Completed</i>		
HighestLevelofEducationCompleted	varchar(150)	X
<i>Highest Education Completed</i>		
DisabliltyStatus	varchar(150)	X
<i>Disability Status</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
State	varchar(150)	X
ZipCode	varchar(200)	X
<i>Zip</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
TelephoneContactPreference	varchar(150)	X
<i>Contact Preference</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		

Fax	varchar(30)	X
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
Pager	varchar(30)	X
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
OtherPhoneType	varchar(150)	X
<i>Other Phone Type</i>		
CreationDateEnroll	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
PrimaryAddress	bit	X
<i>Primary Address</i>		
Department	varchar(150)	X
DepartmentStaff	varchar(150)	X
<i>Department</i>		
DepartmentFullNameStaff	varchar(150)	X
<i>Department</i>		
String1	varchar(50)	X
<i>Custom String 1</i>		
String2	varchar(50)	X
<i>Custom String 2</i>		
String3	varchar(50)	X
<i>Custom String 3</i>		
String4	varchar(50)	X
<i>Keyword 2</i>		
Keyword2	varchar(50)	X
<i>Keyword 2</i>		
Date1	datetime	X
<i>Custom Date 1</i>		
Date2	datetime	X
<i>Custom Date 2</i>		
Number1	real	X
<i>Custom Number 1</i>		
Number2	real	X
<i>Custom Number 2</i>		
DateFirstIntake	datetime	X
<i>Intake Date</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
MailingPreference	varchar(150)	X
<i>Mail Preference</i>		
BirthCountryCode	int	X
<i>Country of Birth</i>		
BirthCountry	varchar(150)	X

<i>Country of Birth</i>		
BirthdateVerification	varchar(100)	X
<i>Birthdate Verification</i>		
BornOutsideoftheUS	bit	X
<i>Born outside US</i>		
CountryofCitizenshipCode	int	X
<i>Country of Citizenship</i>		
CountryOfCitizenship	varchar(150)	X
<i>Country of Citizenship</i>		
GenderCode	int	X
<i>Gender</i>		
Gender	varchar(150)	X
MaritalStatusCode	int	X
<i>Marital Status</i>		
MaritalStatus	varchar(150)	X
<i>Marital Status</i>		
RegisteredVoter	bit	X
<i>Registered Voter</i>		
CertificationCode	int	X
<i>Certification</i>		
Certification	varchar(150)	X
YearsOfExperienceInAdultEducation	real	X
<i>Years Teaching Exp in Adult Ed</i>		
TotalWorkshopHoursCurrentFY	decimal(6,2)	X
<i>Total Workshop Hours Current FY</i>		
ParentAgencyName	varchar(200)	X
County	varchar(150)	X

Uses:

Table dbo.Address

Table dbo.Agency

Table dbo.AgencyTree

Table dbo.CustomPersonFields

Table dbo.Demographic

Table dbo.OT_BirthCountry

Table dbo.OT_CountryOfCitizenship

Table dbo.OT_CountyFIPS

Table dbo.OT_Disabled

Table dbo.OT_District

Table dbo.OT_Ethnicity

Table dbo.OT_FiscalYear

Table dbo.OT_Gender

Table dbo.OT_HighestLevelofEducationCompleted

Table dbo.OT_JobClassification

Table dbo.OT_MailingPreference

Table dbo.OT_MaritalStatus

Table dbo.OT_MilitaryServiceExperience

Table dbo.OT_StaffDepartment

Table dbo.OT_StaffEmploymentStatus

Table dbo.OT_StaffKeyword

Table dbo.OT_StaffLevel

Table dbo.OT_StaffProgram

Table dbo.OT_StaffStatus

Table dbo.OT_StateFIPS

Table dbo.OT_TelephoneContactPreference

Table dbo.OT_TelephoneType

Table dbo.OT_YesNo

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

Table dbo.StaffMember

View dbo.ViewStudentClassRegistrations

Column	Data Type	Nullable
ClassRegistrationID <i>Class Enrollment</i>	int	
ClassSectionID <i>Class ID</i>	int	
PersonID <i>Course Number</i>	int	
CourseNumber <i>Course ID</i>	varchar(50)	X
CourseID <i>Course Title</i>	int	X
CourseTitle <i>Enroll Date</i>	varchar(200)	X
RegistrationDate <i>Enroll Status</i>	datetime	X
StatusCode <i>Enroll Status</i>	int	X
Status <i>Start Date</i>	varchar(150)	X
Term <i>End Date</i>	varchar(150)	X
StartDate <i>Start Date</i>	datetime	X
EndDate <i>End Date</i>	datetime	X
ClassStartDate <i>Start Date</i>	smalldatetime	X
ClassEndDate <i>End Date</i>	smalldatetime	X
ClassUnits <i>Units</i>	tinyint	X
FinalLetterGrade <i>Final Grade</i>	varchar(10)	X

QualityPoints	real	X
<i>Quality Points</i>		
GradePoints	real	X
<i>Grade Points</i>		
HoursEarned	real	X
<i>Hours Earned</i>		
HoursAbsent	real	X
<i>Hours Absent</i>		
DaysPresent	smallint	X
<i>Days Present</i>		
DaysLate	smallint	X
DaysAbsent	smallint	X
LastDateHoursEarned	smalldatetime	X
<i>Last Date Hours Earned</i>		
ProgramID	int	X
<i>Program</i>		
FundingSourceCode	int	X
<i>Funding Source</i>		
RepeatIdentifier	bit	X
FeesBilledToStudent	money	X
<i>Fee Amount</i>		
FeesPaid	bit	X
<i>Fees Paid (if applicable)</i>		
FeePaidDate	smalldatetime	X
<i>Date Paid</i>		
ProgramName	varchar(200)	X
<i>Program</i>		
ClassSectionTitle	varchar(100)	X
<i>Title</i>		
InstructionalLevel	varchar(150)	X
<i>Level</i>		
TotalHoursOffered	real	X
<i>Total Hours Offered</i>		
DaysOfClass	int	X
<i>Days Of Class</i>		
WeeksOfClass	int	X
<i>Weeks of Class</i>		
ClassSectionType	varchar(150)	X
<i>Class Section Type</i>		
IsElective	bit	X
<i>Elective</i>		
IsRemedial	bit	X
<i>Remedial</i>		
IsHonors	bit	X
<i>Honors</i>		
IsStandardizedTest	bit	X
<i>Standardized Test</i>		
IsWorkCredit	bit	X
<i>Work Credit</i>		
IsAdvancedPlacement	bit	X
<i>Advanced Placement</i>		
ClassMeetsRequirementCode	int	X
<i>Class Meets Requirement</i>		
ClassMeetsRequirement	varchar(150)	X
<i>Class Meets Requirement</i>		
EarnedCredits	real	X
<i>Earned Credits</i>		
PossibleCredits	real	X

Possible Credits		
IsVarCreditClass	bit	X
<i>Variable Credit Class</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
Qtr1LetterGrade	varchar(10)	X
<i>Letter Grade</i>		
Qtr2LetterGrade	varchar(10)	X
<i>Q2 Grade</i>		
Qtr3LetterGrade	varchar(10)	X
<i>Q3 Grade</i>		
Qtr4LetterGrade	varchar(10)	X
<i>Q4 Grade</i>		
teacher	varchar(250)	X
StaffMemberID	int	X
<i>Staff ID</i>		
ClassBeginningTime	varchar(100)	X
<i>Times</i>		
ClassMeetingDay	varchar(50)	X
<i>Days</i>		
ClassSectionTypeCode	int	X
<i>Class Section Type</i>		
ClassStatusCode	int	X
<i>Status</i>		
BuildingRoom	varchar(150)	X
<i>Bldg/Room</i>		
IntegratedEducationTrainingProgram	bit	X
<i>IETP</i>		

Uses:

Table dbo.ClassRegistration

Table dbo.ClassSection

Table dbo.Course

Table dbo.OT_BuildingRoom

Table dbo.OT_ClassMeetsRequirement

Table dbo.OT_ClassSectionType

Table dbo.OT_InstructionalLevel

Table dbo.OT_RegistrationStatus

Table dbo.OT_Term

Table dbo.Program

View dbo.ViewStudentCohorts

Column	Data Type	Nullable
StudentCohortID	int	
StudentID <i>Student ID</i>	int	
CohortTypeCode <i>Cohort</i>	int	
CohortType <i>Cohort</i>	varchar(150)	X
LeftDate <i>Left Date</i>	datetime	X
AchievedOutcomeCode <i>Achieved Outcome</i>	int	X
AchievedOutcome <i>Achieved Outcome</i>	varchar(150)	X
SurveyIncluded <i>Included in Survey</i>	bit	X
SurveyResponded <i>Responded to Survey</i>	bit	X
FollowUpDate <i>Follow-Up Date</i>	datetime	X
MatchedByDeptOfLabor <i>Matched by Dept. of Labor</i>	bit	X
CreationDate <i>Creation Date</i>	datetime	X
AgencyID <i>Agency ID</i>	int	

Uses:

Table dbo.OT_CohortType

Table dbo.OT_YesNoUnknown

Table dbo.StudentCohort

View dbo.ViewStudentComments

Column	Data Type	Nullable
CommentID	int	
CommentTypeCode <i>Comment Type</i>	int	
CommentDate <i>Date</i>	smalldatetime	X
PersonID	int	
Comment varchar(1024)	varchar(1024)	X
CreationDate <i>Creation Date</i>	datetime	X
LastUpdate <i>Date</i>	datetime	X
CommentatorFirstName	varchar(50)	X
CommentatorDisplayName	varchar(100)	X
CommentatorLastName	varchar(50)	X
AgencyID <i>Agency ID</i>	int	X
UpdateSystemUserID <i>Update System User ID</i>	int	X
UpdateAgencyID	int	X

<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
CommentType	varchar(150)	X
<i>Comment Type</i>		
PersonRoleCode	int	X

Uses:

Table dbo.Comment

Table dbo.OT_CommentType

Table dbo.Person

View dbo.ViewStudentDisability

Column	Data Type	Nullable
DisabilityID	int	
PersonID	int	
PersonInformedDisclosureNotRequired	bit	X
<i>Informed Disclosure Not Required</i>		
ApparentOrDisclosedDisability	bit	X
<i>Apparent or Disclosed Disability</i>		
OverallDiagnosisInterpretationofVision	varchar(200)	X
<i>Vision Evaluation</i>		
OverallDiagnosisInterpretationofHearing	varchar(200)	X
<i>Hearing Evaluation</i>		
OverallDiagnosisInterpretationofSpeechandLanguage	varchar(200)	X
<i>Speech and Language Evaluation</i>		
ServiceAlternatives	varchar(200)	X
PrimaryDisabilityType	varchar(200)	X
QualifiedIndividualwithDisabilitiesunderSection504oftheRehabilitationAct	bit	X
QualifiedIndividualwithaDisabilityundertheIndividualswithDisabilitiesAct	bit	X
QualifiedIndividualwithDisabilitiesundertheAmericanswithDisabilitiesAct	bit	X
DisabilityLevel	varchar(200)	X
SecondaryDisabilityType	varchar(200)	X
TertiaryDisabilityType	varchar(200)	X
AutismSpectrumDisorderCode	int	X
<i>Autism Spectrum Disorder-ASD</i>		
AutismSpectrumDisorder	varchar(150)	X
<i>Autism Spectrum Disorder-ASD</i>		
CognitiveImpairmentCode	int	X
<i>Cognitive Impairment-CI</i>		
CognitiveImpairment	varchar(150)	X
<i>Cognitive Impairment-CI</i>		
DeafCode	int	X
<i>Deaf</i>		
Deaf	varchar(150)	X
DeafBlindnessCode	int	X
<i>Deaf-Blindness-DB</i>		
DeafBlindness	varchar(150)	X
<i>Deaf-Blindness-DB</i>		
EarlyChildhoodDevelopmentDelayCode	int	X
<i>Early Childhood Developmental Delay-ECDD</i>		
EarlyChildhoodDevelopmentDelay	varchar(150)	X
<i>Early Childhood Developmental Delay-ECDD</i>		
EmotionalImpairmentCode	int	X
<i>Emotional Impairment-EI</i>		

EmotionalImpairment	varchar(150)	X
<i>Emotional Impairment-EI</i>		
HearingImpairedCode	int	X
<i>Hearing Impaired</i>		
HearingImpaired	varchar(150)	X
<i>Hearing Impaired</i>		
LegallyBlindCode	int	X
<i>Legally Blind</i>		
LegallyBlind	varchar(150)	X
<i>Legally Blind</i>		
MissingExtremitiesCode	int	X
<i>Missing Extremities</i>		
MissingExtremities	varchar(150)	X
<i>Missing Extremities</i>		
MuteCode	int	X
<i>Mute</i>		
Mute	varchar(150)	X
NonparalyticOthropedicCode	int	X
<i>Nonparalytic Orthopedic</i>		
NonparalyticOrthopedic	varchar(150)	X
OtherHealthImpairmentCode	int	X
<i>Other Health Impairment-OHI</i>		
OtherHealthImpairment	varchar(150)	X
<i>Other Health Impairment-OHI</i>		
ParalysisCode	int	X
<i>Paralysis</i>		
Paralysis	varchar(150)	X
PhysicalImpairmentCode	int	X
<i>Physical Impairment-PI</i>		
PhysicalImpairment	varchar(150)	X
<i>Physical Impairment-PI</i>		
SevereMultipleImpairmentCode	int	X
<i>Severe Multiple Impairment-SXI</i>		
SevereMultipleImpairment	varchar(150)	X
<i>Severe Multiple Impairment-SXI</i>		
SpecificLearningDisabilityCode	int	X
<i>Specific Learning Disability</i>		
SpecificLearningDisability	varchar(150)	X
<i>Specific Learning Disability</i>		
SpeechImpairedCode	int	X
<i>Speech Impaired</i>		
SpeechImpaired	varchar(150)	X
<i>Speech Impaired</i>		
TraumaticBrainInjuryCode	int	X
<i>Traumatic Brain Injury-TBI</i>		
TraumaticBrainInjury	varchar(150)	X
<i>Traumatic Brain Injury-TBI</i>		
VisionImpairedCode	int	X
<i>Vision Impaired</i>		
VisionImpaired	varchar(150)	X
<i>Vision Impaired</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X

<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i> Update Agency ID</i>		
UpdateActionID	int	X
<i> Update Action ID</i>		

Uses:

Table dbo.Disability
Table dbo.OT_AutismSpectrumDisorder
Table dbo.OT_CognitiveImpairment
Table dbo.OT_Deaf
Table dbo.OT_DeafBlindness
Table dbo.OT_EarlyChildhoodDevelopmentDelay
Table dbo.OT_EmotionalImpairment
Table dbo.OT_HearingImpaired
Table dbo.OT_LegallyBlind
Table dbo.OT_MissingExtremities
Table dbo.OT_Mute
Table dbo.OT_NonparalyticOrthopedic
Table dbo.OT_OtherHealthImpairment
Table dbo.OT_Paralysis
Table dbo.OT_PhysicalImpairment
Table dbo.OT_SevereMultipleImpairment
Table dbo.OT_SpecificLearningDisability
Table dbo.OT_SpeechImpaired
Table dbo.OT_TraumaticBrainInjury
Table dbo.OT_VisionImpaired

View dbo.ViewStudentDocumentImage

Column	Data Type	Nullable
StudentID	int	
<i> Student ID</i>		
DocumentImageID	int	
TableName	varchar(100)	X
<i> Area</i>		
TableID	int	X
DocumentName	varchar(100)	X
<i> Document Name</i>		
DocumentTypeCode	int	X
<i> Document Type</i>		
DocumentType	varchar(150)	X
<i> Document Type</i>		
Keywords	varchar(200)	X
ContentType	varchar(200)	X
ContentLength	int	X

DocExtension	varchar(10)	X
AgencyID	int	X
<i>Agency ID</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
ExternalProviderID	int	X
<i>External Provider ID</i>		
ExternalID	int	X
<i>External ID</i>		
ExternalCustomerID	int	X
<i>External Customer ID</i>		

Uses:

Table dbo.DocumentImage

Table dbo.OT_DocumentType

Table dbo.Student

View dbo.ViewStudentEducation

Column	Data Type	Nullable
StudentID	int	
<i>Student ID</i>		
PersonID	int	
FamilyID	int	X
<i>Family ID</i>		
HeadofHousehold	int	X
<i>Head of Household</i>		
EligibilityforNationalSchoolLunchProgram	bit	X
ParticipationinNationalSchoolLunchProgram	bit	X
FamilyPublicAssistanceStatus	varchar(200)	X
WhyEnrollCode	int	X
<i>Why Enroll</i>		
WhyEnroll	varchar(150)	X
<i>Why Enroll</i>		
StudentSourceTypeCode	int	X
<i>Source Type</i>		
SourceType	varchar(150)	X
StudentSourceNameCode	int	X
<i>Source Name</i>		
SourceName	varchar(150)	X
DateFirstIntake	datetime	X
<i>Intake Date</i>		
CohortYear	smalldatetime	X
<i>Cohort Year</i>		
EntryType	varchar(200)	X
EntryLevelCode	int	X
<i>Entry Level</i>		
EntryLevel	varchar(150)	X
<i>Entry Level</i>		
EntryGradeLevelCode	int	X
<i>Highest Ed Level Compl on Entry</i>		
EntryGradeLevel	varchar(150)	X
<i>Highest Ed Level Compl on Entry</i>		
FullTimeStatus	bit	X
<i>Full-time</i>		
FullTimeEquivalentStatus	real	X

FullTime Equivalent Status		
EveningStudentStatus	bit	X
BoardingStatus	bit	X
LastEnrollDate	smalldatetime	X
<i>Last Enroll Date</i>		
AdmissionDate	smalldatetime	X
AdmissionStatusCode	int	X
<i>Admission Status</i>		
AdmissionStatus	varchar(150)	X
<i>Admission Status</i>		
LifetimeDaysofMembership	real	X
LifetimeDaysinAttendance	real	X
<i>Lifetime Days in Attendance</i>		
LifetimeDaysAbsent	real	X
<i>Lifetime Days Absent</i>		
LifetimeNumberofTardies	real	X
LifetimeReleasedTime	real	X
InSchoolPostSchoolEmploymentStatus	varchar(200)	X
EmploymentRecognition	varchar(200)	X
PostSchoolTrainingorEducationSubjectMatter	varchar(200)	X
EducationPlanned	varchar(200)	X
HighestLevelofEducationCompletedCode	int	X
<i>Highest Education Completed</i>		
HighestLevelofEducationCompleted	varchar(150)	X
<i>Highest Education Completed</i>		
PostSchoolRecognition	varchar(200)	X
<i>Post School Recognition/Grad Exercises</i>		
CareerObjectives	varchar(200)	X
MandatedStudentTypeCode	int	X
<i>Mandated Student Type</i>		
MandatedStudentType	varchar(150)	X
<i>Mandated Student Type</i>		
LevelCode	int	X
<i>Current Level</i>		
EducationalLevel	varchar(150)	X
<i>Current Level</i>		
DomainCode	int	X
<i>Domain</i>		
AssessDomain	varchar(150)	X
<i>Subject Area</i>		
GradeLevelCode	int	X
<i>Grade Level Code</i>		
KeyCode	int	X
<i>Student Keyword</i>		
Keyword	varchar(150)	X
<i>Student Keyword</i>		
OverallStatusCode	int	X
<i>Overall Status</i>		
Status	varchar(150)	X
<i>Enroll Status</i>		
ProgramID	int	X
<i>Program</i>		
Program	varchar(200)	X
InstructionalHours	real	X
<i>Instr Hrs</i>		
LifetimeHours	real	X
<i>Lifetime Hours</i>		
LastFiscalYearActiveCode	int	X

CurFYInstructHours	real	X
<i>Current FY Instr Hrs</i>		
AssessmentStatusCode	int	X
<i>Assessment Status in Subject Area Code</i>		
AssessmentStatus	varchar(150)	X
<i>Assess Status in Subj Area</i>		
FileLocation	varchar(50)	X
<i>File Location</i>		
FileSecurityCode	int	X
<i>File Security</i>		
FileSecurity	varchar(150)	X
<i>File Security</i>		
LastSchoolAttendedLocation	varchar(200)	X
<i>Last School Attended Loc</i>		
IsESLStudent	bit	X
<i>ESL Student</i>		
IsESLStudentDropDown	bit	X
<i>ESL Student</i>		
IsESLStudentReq	bit	X
<i>ESL Student</i>		
IsESLStudentText	varchar(150)	X
LastAssessmentDate	datetime	X
<i>Last Assess Date</i>		
InstructionalHoursBeforeAssessment	real	X
<i>Instructional Hours Before Assessment</i>		
LastHoursDate	datetime	X
<i>Last Hours Date</i>		
LastInstructHoursDate	datetime	X
<i>Last Instr Hours Date</i>		
ReasonLeftCode	int	X
<i>Reason Left</i>		
ReasonLeft	varchar(150)	X
<i>Reason Left</i>		
OldReasonLeft	varchar(80)	X
<i>Reason Left Detail</i>		
DistanceLearning	bit	X
<i>Distance Learner Code</i>		
OtherWhyEnroll	varchar(200)	X
<i>Other Why Enroll</i>		
AttendedAgencyBefore	bit	X
EnrolledinOtherReadingProgram	bit	X
<i>Enrolled in Other Reading Prog</i>		
EnrolledinOtherGEDProgram	bit	X
<i>Enrolled in Other GED Program</i>		
CurrentSchool	varchar(200)	X
<i>Current School Attending</i>		
CurrentSchoolContact	varchar(200)	X
<i>Current School Contact Info</i>		
StaffAssigned	varchar(200)	X
<i>Staff Assigned</i>		
LastSchoolAttended	varchar(100)	X
<i>Last School Attended</i>		
FeeWaiver	varchar(200)	X
<i>Fee Waiver</i>		
CertOfNonEnrollment	bit	X
<i>Certificate of Non-Enrollment</i>		
ParentalConsentForm	bit	X
<i>Parental Consent Form</i>		

IsDE_DCAS	bit	X
<i>Is DCAS</i>		
ACTCompositeScore	int	X
<i>ACT Score</i>		
NedpDiagnosticPhaseEntryDate	datetime	X
<i>NEDP Diagnostic Phase Entry Date</i>		
NedpAssessmentPhaseEntryDate	datetime	X
<i>NEDP Assessment Phase Entry Date</i>		
EntryGradeLevelLocationCode	int	X
<i>Highest Ed Level Compl on Entry Loc</i>		
EntryGradeLevelLocation	varchar(150)	X
<i>Highest Ed Level Compl on Entry Loc</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
ExemptFromCurrentFYAssessment	bit	X
<i>Exempt from Assessment</i>		
TabeIdentificationCode	varchar(200)	X
<i>TABE Identifier</i>		
EnrolledInABE	bit	X
<i>Enrolled in ABE</i>		
EnrolledInHigherEdProgram	bit	X
<i>Enrolled in Higher Ed Program</i>		
SecondaryProgramCode	int	X
<i>Secondary Program</i>		
SecondaryProgram	varchar(150)	X
<i>Secondary Program</i>		

Uses:

Table dbo.OT_AdmissionStatus
Table dbo.OT_AssessmentStatus
Table dbo.OT_Domain
Table dbo.OT_ESL
Table dbo.OT_FileSecurity
Table dbo.OT_GradeLevel
Table dbo.OT_GradeLevelLocation
Table dbo.OT_HighestLevelofEducationCompleted
Table dbo.OT_Keyword
Table dbo.OT_Level
Table dbo.OT_MandatedStudentType
Table dbo.OT_ReasonLeft

Table dbo.OT_SecondaryProgram

Table dbo.OT_SourceName

Table dbo.OT_SourceType

Table dbo.OT_Status

Table dbo.OT_WhyEnroll

Table dbo.Program

Table dbo.Student

View dbo.ViewStudentEnrollments

Column	Data Type	Nullable
FirstName	varchar(50)	X
<i>First Name</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
StudentID	int	
<i>Student ID</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
ClassType	varchar(50)	X
<i>Enrollment Type</i>		
ClassTypeDesc	varchar(150)	X
MatchDate	datetime	X
<i>Match/Enrollment Date</i>		
ClassStartDate	smalldatetime	X
<i>Start Date</i>		
ClassEndDate	smalldatetime	X
<i>End Date</i>		
EnrollStatus	varchar(250)	X
<i>Enroll Status</i>		
EnrollmentID	int	X
<i>Enrollment ID</i>		
CourseNumber	varchar(50)	X
<i>Course Number</i>		
Term	varchar(150)	X
CourseTitleName	varchar(200)	X
<i>Course Title/Name</i>		
WeeklyTime	varchar(1)	
<i>Weekly Time</i>		
TutorLocation	varchar(1)	
<i>Location</i>		
ProgramID	int	X
<i>Program</i>		
InstructionalLevel	varchar(150)	X
<i>Level</i>		
DepartmentCode	int	X
<i>Department</i>		
Department	varchar(150)	X
BuildingRoom	varchar(150)	X
<i>Bldg/Room</i>		
ClassMeetingDay	varchar(50)	X
<i>Days</i>		

ClassBeginningTime	varchar(100)	X
<i>Times</i>		
InstructorName	varchar(100)	X
<i>Instructor Name</i>		
InstructorType	varchar(5)	
<i>Instructor Type</i>		
StaffMemberID	int	X
<i>Staff ID</i>		
TutorID	int	X
<i>Tutor ID</i>		
FeeAmountEnroll	money	X
<i>Fee Amount</i>		
FeesPaidEnroll	bit	X
<i>Fees Paid</i>		
FeePaidDate	smalldatetime	X
<i>Date Paid</i>		
FiscalYearCode	int	X
<i>Fiscal Year</i>		
FiscalYear	varchar(50)	X
<i>Fiscal Year</i>		
MinimumRequiredDays	int	X
<i>Min Required Days</i>		
MinimumRequiredHours	real	X
<i>Min Required Hours</i>		
IsVarCreditClassEnroll	bit	X
<i>Variable Credit Class</i>		
EarnedCredits	real	X
<i>Earned Credits</i>		
PossibleCredits	real	X
<i>Possible Credits</i>		
Qtr1LetterGradeEnroll	varchar(10)	X
<i>Letter Grade</i>		
Qtr2LetterGrade	varchar(10)	X
<i>Q2 Grade</i>		
Qtr3LetterGrade	varchar(10)	X
<i>Q3 Grade</i>		
Qtr4LetterGrade	varchar(10)	X
<i>Q4 Grade</i>		
GradePoints	real	X
<i>Grade Points</i>		
ClassUnitsEnroll	tinyint	X
<i>Units</i>		
QualityPoints	real	X
<i>Quality Points</i>		
StartDate	datetime	X
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
ClassMeetsRequirementCode	int	X
<i>Class Meets Requirement</i>		
ClassMeetsRequirement	varchar(150)	X
<i>Class Meets Requirement</i>		
IsElectiveEnroll	bit	X
<i>Elective</i>		
IsRemedialEnroll	bit	X
<i>Remedial</i>		
IsHonorsEnroll	bit	X
<i>Honors</i>		

IsStandardizedTestEnroll	bit	X
<i>Standardized Test</i>		
IsWorkCreditEnroll	bit	X
<i>Work Credit</i>		
IsAdvancedPlacementEnroll	bit	X
<i>Advanced Placement</i>		
ClassRegistrationID	int	X
<i>Class Enrollment</i>		
PersonID	int	
CourseID	int	X
<i>Course ID</i>		
RegistrationDate	datetime	X
<i>Enroll Date</i>		
StatusCode	int	X
<i>Enroll Status</i>		
FinalLetterGrade	varchar(10)	X
<i>Final Grade</i>		
HoursEarned	real	X
<i>Hours Earned</i>		
HoursAbsent	real	X
<i>Hours Absent</i>		
DaysPresent	smallint	X
<i>Days Present</i>		
DaysLate	smallint	X
DaysAbsent	smallint	X
LastDateHoursEarned	smalldatetime	X
<i>Last Date Hours Earned</i>		
LastHoursDate	datetime	X
<i>Last Hours Date</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
State	varchar(150)	X
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
FundingSourceCode	int	X
<i>Funding Source</i>		
RepeatIdentifier	bit	X
ProgramName	varchar(200)	X
<i>Program</i>		
ClassSectionTitleGrid	varchar(100)	X
<i>Title/Name</i>		
TotalHoursOffered	real	X
<i>Total Hours Offered</i>		
WeeksOfClass	int	X
<i>Weeks of Class</i>		

CreationDate	datetime	X
<i>Creation Date</i>		
Keyword	varchar(150)	X
<i>Student Keyword</i>		
KeywordCode	int	X
<i>Student Keyword</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
ClassSectionID	int	X
<i>Class ID</i>		
CurFYInstructHours	real	X
<i>Current FY Instr Hrs</i>		
LifetimeHours	real	X
<i>Lifetime Hours</i>		
Gender	varchar(150)	X
InstructionalHours	real	X
<i>Instr Hrs</i>		
Birthdate	smalldatetime	X
Ethnicity	varchar(150)	X
StudentUniqueNumber	varchar(200)	X
<i>Student Unique ID</i>		
Keyword2	varchar(50)	X
<i>Keyword 2</i>		
String1	varchar(50)	X
<i>Custom String 1</i>		
String2	varchar(50)	X
<i>Custom String 2</i>		
String3	varchar(50)	X
<i>Custom String 3</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
ClassStatusCode	int	X
<i>Status</i>		
IntegratedEducationTrainingProgram	bit	X
<i>IETP</i>		

Used by:

View dbo.ViewAgencyEnrollmentsRegistration

Uses:

Table dbo.Address

Table dbo.Agency

Table dbo.ClassRegistration

Table dbo.ClassSection

Table dbo.Course
Table dbo.CustomPersonFields
Table dbo.Demographic
Table dbo.OT_BuildingRoom
Table dbo.OT_ClassKeyword
Table dbo.OT_ClassMeetsRequirement
Table dbo.OT_ClassSectionType
Table dbo.OT_Department
Table dbo.OT_Ethnicity
Table dbo.OT_Gender
Table dbo.OT_InstructionalLevel
Table dbo.OT_StateFIPS
Table dbo.OT_Term
Table dbo.Person
Table dbo.PersonIdentifier
Table dbo.PersonPhone
Table dbo.Program
Table dbo.StaffClassAssignment
Table dbo.StaffMember
Table dbo.Student
Table dbo.Tutor
Table dbo.TutorClassAssignment

View dbo.ViewStudentEnrollmentsQuickAdd

Column	Data Type	Nullable
LastSurname <i>Last Name</i>	varchar(50)	X
MiddleName <i>Middle Name</i>	varchar(50)	X
FirstName <i>First Name</i>	varchar(50)	X
DisplayName <i>Display Name</i>	varchar(100)	X
Name <i>Class Enrollment</i>	varchar(100)	X
ClassRegistrationID <i>Class ID</i>	int	X
AgencyID <i>Agency ID</i>	int	X
ClassSectionID <i>Start Date</i>	int	X
ClassStartDate <i>Class Start Date</i>	smalldatetime	X
ClassStartDateHeader <i>Class Start Date</i>	smalldatetime	X

GroupDetailStartDate	smalldatetime	X
<i>Start Date</i>		
ClassEndDate	smalldatetime	X
<i>End Date</i>		
ClassEndDateHeader	smalldatetime	X
<i>Class End Date</i>		
GroupDetailEndDate	smalldatetime	X
<i>End Date</i>		
GroupNameNoReq	varchar(100)	X
<i>Group Name</i>		
ClassSectionTitleGrid	varchar(100)	X
<i>Title/Name</i>		
ClassSectionTitle	varchar(100)	X
<i>Title</i>		
PersonID	int	

Uses:

Table dbo.ClassRegistration

Table dbo.ClassSection

Table dbo.Person

View dbo.ViewStudentFamilyMembers

Column	Data Type	Nullable
StudentID	int	
<i>Student ID</i>		
FamilyMemberID	int	
PersonID	int	
AgencyID	int	X
<i>Agency ID</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
GenderCode	int	X
<i>Gender</i>		
DemographicID	int	
<i>Demographic ID</i>		
Birthdate	smalldatetime	X
Gender	varchar(150)	X
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
Ethnicity	varchar(150)	X
FamilyMemberRole	varchar(150)	X
<i>Role</i>		
FamilyMemberRoleCode	int	X

Role		
Age	int	X
FamilyID	int	
<i>Family ID</i>		
FamilyName	varchar(100)	
<i>Family Name</i>		
CreationDate	datetime	X
<i>Creation Date</i>		

Uses:

View dbo.ViewFamilyMembers

View dbo.ViewStudentHeader

Column	Data Type	Nullable
PersonID	int	
LastSurname	varchar(50)	X
<i>Last Name</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
StudentID	int	
<i>Student ID</i>		
DateFirstIntake	datetime	X
<i>Intake Date</i>		
OverallStatusCode	int	X
<i>Overall Status</i>		
OverallStatus	varchar(150)	X
<i>Overall Status</i>		
DateLeft	datetime	X
<i>Date Left</i>		
DomainCode	int	X
<i>Domain</i>		
AssessDomain	varchar(150)	X
<i>Subject Area</i>		
AssessmentStatusCode	int	X
<i>Assessment Status in Subject Area Code</i>		
AssessmentStatus	varchar(150)	X
<i>Assess Status in Subj Area</i>		
EntryLevelCode	int	X
<i>Entry Level</i>		
EntryLevel	varchar(150)	X
<i>Entry Level</i>		
LevelCode	int	X

<i>Current Level</i>		
EducationalLevel	varchar(150)	X
<i>Current Level</i>		
EntryGradeLevelCode	int	X
<i>Highest Ed Level Compl on Entry</i>		
HighestLevelofEducationCompletedCode	int	X
<i>Highest Education Completed</i>		
KeywordCode	int	X
<i>Student Keyword</i>		
Keyword	varchar(150)	X
<i>Student Keyword</i>		
ProgramID	int	X
<i>Program</i>		
GradeLevelCode	int	X
<i>Grade Level Code</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
LastAssessmentDate	datetime	X
<i>Last Assess Date</i>		
CertOfNonEnrollment	bit	X
<i>Certificate of Non-Enrollment</i>		
ParentalConsentForm	bit	X
<i>Parental Consent Form</i>		
IsDE_DCAS	bit	X
<i>Is DCAS</i>		
OrientationStartDate	datetime	X
<i>Orientation Start Date</i>		
InductionDate	datetime	X
<i>Induction Date</i>		
CompletionDate	datetime	X
<i>Completion Date</i>		
AttritionDate	datetime	X
<i>Attrition Date</i>		
CommunityProject1	varchar(200)	X
<i>Community Project One</i>		
CommunityProject2	varchar(200)	X
<i>Community Project Two</i>		
IsWIA	bit	X
<i>WIA Eligible</i>		
GenderCode	int	X
<i>Gender</i>		
Birthday	smalldatetime	X
<i>Birthdate</i>		
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
Ethnicity	varchar(150)	X
Program	varchar(200)	X
LastLevel	varchar(100)	X

Uses:

Table dbo.Demographic
Table dbo.OT_AssessmentStatus
Table dbo.OT_Domain
Table dbo.OT_Ethnicity
Table dbo.OT_Keyword
Table dbo.OT_Level
Table dbo.OT_Status
Table dbo.Person
Table dbo.PersonIdentifier
Table dbo.Program
Table dbo.Student

View dbo.ViewStudentHistory

Column	Data Type	Nullable
PersonID	int	
StudentHistoryID	int	
StatusCode	int	X
<i>Enroll Status</i>		
OverallStatusCodeHistory	int	X
<i>Status</i>		
StartDate	datetime	X
<i>Start Date</i>		
DomainCode	int	X
<i>Domain</i>		
DomainCodeHistory	int	X
<i>Subject Area</i>		
SubjectArea	varchar(150)	X
<i>Subject Area</i>		
ProgramID	int	X
<i>Program</i>		
ProgramName	varchar(200)	X
<i>Program</i>		
ProgramNameHistory	varchar(200)	X
<i>Program</i>		
StudentStatus	varchar(150)	X
<i>Overall Status</i>		
Notes	varchar(255)	X
<i>Notes / Meeting details</i>		
NotesHistory	varchar(255)	X
<i>Notes</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X

Update System User ID		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
TableName	varchar(100)	X
<i>Area</i>		
TableID	int	X

Uses:

Table dbo.OT_Domain

Table dbo.OT_Status

Table dbo.Program

Table dbo.StudentHistory

View dbo.ViewStudentHours

Column	Data Type	Nullable
StudentHoursID	int	
HoursDate	datetime	
<i>Date</i>		
HoursTypeCode	int	
AgencyID	int	
<i>Agency ID</i>		
StudentHoursType	varchar(150)	X
<i>Type</i>		
StudentID	int	
<i>Student ID</i>		
HoursPresent	real	
<i>Hours Present</i>		
HoursAbsent	real	X
<i>Hours Absent</i>		
Late	bit	X
DisplayName	varchar(100)	X
<i>Display Name</i>		
Name	varchar(100)	X
FirstName	varchar(50)	X
<i>First Name</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
Title	varchar(14)	

Uses:

Table dbo.OT_HoursType

Table dbo.Person

Table dbo.Student

Table dbo.StudentHours

View dbo.ViewStudentKeyInfo

Column	Data Type	Nullable
StudentID	int	

Student ID		
PersonID	int	
DateFirstIntake	datetime	X
<i>Intake Date</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
AddressID	int	
<i>Address ID</i>		
PrimaryAddress	bit	X
<i>Primary Address</i>		
StreetNumberName	varchar(200)	X
<i>Address 1</i>		
ApartmentRoomSuiteNumber	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
State	varchar(150)	X
PhoneID	int	X
<i>Phone ID</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
DemographicID	int	
<i>Demographic ID</i>		
GenderCode	int	X
<i>Gender</i>		
Gender	varchar(150)	X
KeywordCode	int	X
<i>Student Keyword</i>		
Keyword	varchar(150)	X
<i>Student Keyword</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
IdentificationSystemCode	int	
<i>Identification System Code</i>		
PersonIdentifierID	int	
<i>Person Identifier ID</i>		
CountyFIPSCode	int	X

<i>County</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
TelephoneContactPreference	varchar(150)	X
<i>Contact Preference</i>		
County	varchar(150)	X
Ethnicity	varchar(150)	X
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
Fax	varchar(30)	X
Pager	varchar(30)	X
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
Note	varchar(255)	X
<i>Comment</i>		
OtherPhoneType	varchar(150)	X
<i>Other Phone Type</i>		
OverallStatusCode	int	X
<i>Overall Status</i>		
Status	varchar(150)	X
<i>Enroll Status</i>		
LevelCode	int	X
<i>Current Level</i>		
DomainCode	int	X
<i>Domain</i>		
ProgramID	int	X
<i>Program</i>		
Program	varchar(200)	X
AssessDomain	varchar(150)	X
<i>Subject Area</i>		
EducationalLevel	varchar(150)	X
<i>Current Level</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
StudentUniqueNumber	varchar(200)	X
<i>Student Unique ID</i>		
DistrictCode	int	X
<i>District</i>		
DistrictCodeReq	int	X
<i>District</i>		
District	varchar(150)	X
<i>Ward</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
MailingPreference	varchar(150)	X
<i>Mail Preference</i>		

CurFYInstructHours	real	X
<i>Current FY Instr Hrs</i>		
DistanceLearning	bit	X
<i>Distance Learner Code</i>		
StaffAssigned	varchar(200)	X
<i>Staff Assigned</i>		
CurrentSchool	varchar(200)	X
<i>Current School Attending</i>		
CurrentSchoolContact	varchar(200)	X
<i>Current School Contact Info</i>		
ReasonLeft	varchar(150)	X
<i>Reason Left</i>		
ReasonLeftCode	int	X
<i>Reason Left</i>		
OldReasonLeft	varchar(80)	X
<i>Reason Left Detail</i>		
DateLeft	datetime	X
<i>Date Left</i>		
SBINo	varchar(25)	X
<i>SBI No</i>		
IsDE_DCAS	bit	X
<i>Is DCAS</i>		
SiteTypeCode	int	X
<i>School Site</i>		
SiteType	varchar(150)	X
PhotoRelease	bit	X
OrientationStartDate	datetime	X
<i>Orientation Start Date</i>		
InductionDate	datetime	X
<i>Induction Date</i>		
CompletionDate	datetime	X
<i>Completion Date</i>		
AttritionDate	datetime	X
<i>Attrition Date</i>		
CommunityProject1	varchar(200)	X
<i>Community Project One</i>		
CommunityProject2	varchar(200)	X
<i>Community Project Two</i>		
IsWIA	bit	X
<i>WIA Eligible</i>		
EmergencyContactPhone	varchar(30)	X
<i>Emergency Contact Phone</i>		
EmergencyContactName	varchar(100)	X
<i>Emergency Contact Name</i>		
EmergencyContactRelationCode	int	X
<i>Emergency Contact Relation</i>		
EmergencyContactRelation	varchar(150)	X
<i>Emergency Contact Relation</i>		
FacebookURI	varchar(255)	X
<i>Facebook Account</i>		
TwitterURI	varchar(255)	X
<i>Twitter Account Name</i>		
FollowUpAuthFormOnFileCode	int	X
<i>Follow-up Authorization Form on File</i>		
FollowUpAuthFormOnFile	varchar(150)	X
<i>Follow-up Authorization Form on File</i>		
RegisteredSexOffender	bit	X
<i>Registered Sex Offender</i>		

ACTCompositeScore	int	X
<i>ACT Score</i>		
FundingStreamCode	int	X
<i>Funding Stream</i>		
FundingStream	varchar(150)	X
<i>Funding Stream</i>		
InstructionLocationCode	int	X
<i>Instruction Location</i>		
InstructionLocation	varchar(150)	X
<i>Instruction Location</i>		
ParentGuardian	varchar(100)	X
<i>Parent/Guardian</i>		
StatusChangeDate	int	X
<i>Manual Status Change Date</i>		
UnderageParticipationAllowed	bit	X
<i>Underage Participation Allowed</i>		
DataSharingAgreed	bit	X
<i>Data Sharing Agreed</i>		

Uses:

Table dbo.Address
Table dbo.Demographic
Table dbo.OT_CountyFIPS
Table dbo.OT_District
Table dbo.OT_Domain
Table dbo.OT_EmergencyContactRelation
Table dbo.OT_Ethnicity
Table dbo.OT_FundingStream
Table dbo.OT_Gender
Table dbo.OT_InstructionLocation
Table dbo.OT_Keyword
Table dbo.OT_Level
Table dbo.OT_MailingPreference
Table dbo.OT_ReasonLeft
Table dbo.OT_SiteType
Table dbo.OT_StateFIPS
Table dbo.OT_Status
Table dbo.OT_TelephoneContactPreference
Table dbo.OT_TelephoneType
Table dbo.OT_YesNoUnknown
Table dbo.Person
Table dbo.PersonIdentifier
Table dbo.PersonPhone

Table dbo.Program**Table dbo.Student****View dbo.ViewStudentPairHours**

Column	Data Type	Nullable
StudentPairHoursID	int	
StudentID	int	
<i>Student ID</i>		
PairID	int	
<i>Pair ID</i>		
PairHoursDate	smalldatetime	
<i>Date</i>		
HoursTypeCode	int	
HoursPresent	real	
<i>Hours Present</i>		
HoursAbsent	real	
<i>Hours Absent</i>		
Late	bit	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
HoursType	varchar(150)	X
<i>Hours Type</i>		
StudentDisplayName	varchar(100)	X
<i>Student Name</i>		
TutorDisplayName	varchar(100)	X
<i>Tutor Name</i>		
TutorID	int	
<i>Tutor ID</i>		

Uses:**Table dbo.OT_TutorHoursType****Table dbo.Pair****Table dbo.Person****Table dbo.Student****Table dbo.StudentPairHours****Table dbo.Tutor****View dbo.ViewStudentPairs**

Column	Data Type	Nullable
PairID	int	

Pair ID		
TutorID	int	
<i>Tutor ID</i>		
PairStatusCode	int	X
<i>Status</i>		
LevelCode	int	X
<i>Current Level</i>		
EducationalLevel	varchar(150)	X
<i>Current Level</i>		
CurFYInstructHours	real	X
<i>Current FY Instr Hrs</i>		
LastFiscalYearActiveCode	int	X
TutorTotalHours	real	X
<i>Tutor Total Hours In Pair</i>		
InstructionalHours	real	X
<i>Instr Hrs</i>		
StudentTotalHours	real	X
<i>Student Total Hours in Pair</i>		
LastDateStatusChanged	datetime	X
<i>Last Date Status Changed</i>		
TutorLocation	varchar(150)	X
<i>Location</i>		
MatchDate	smalldatetime	X
<i>Match/Enrollment Date</i>		
PairMatchDateRequired	smalldatetime	X
<i>Match Date</i>		
StartDate	datetime	X
<i>Start Date</i>		
StartDateNotReq	datetime	X
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
EndDateNotReq	datetime	X
<i>End Date</i>		
ProgramID	int	X
<i>Program</i>		
PairKeywordCode	int	X
<i>Pair Keyword</i>		
WeeklyTimeCode	int	X
<i>Weekly Time Code</i>		
WeeklyTime	varchar(50)	X
<i>Weekly Time</i>		
Location	varchar(150)	X
TutorLocationCode	int	X
<i>Location</i>		
TutorFirstName	varchar(50)	X
<i>Tutor First name</i>		
TutorNickName	varchar(50)	X
TutorLastName	varchar(50)	X
<i>Tutor Last Name</i>		
TutorDisplayName	varchar(100)	X
<i>Tutor Name</i>		
TutorMiddleInitial	varchar(5)	X
WeeklyTimes	varchar(150)	X
<i>Weekly Times</i>		
Program	varchar(200)	X
Keyword	varchar(150)	X
<i>Student Keyword</i>		

Status	varchar(150)	X
<i>Enroll Status</i>		
LastFiscalYearActive	varchar(150)	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
StudentID	int	
<i>Student ID</i>		
StudentDisplayName	varchar(50)	X
<i>Student Name</i>		

Uses:

Table dbo.OT_FiscalYear
Table dbo.OT_Level
Table dbo.OT_Location
Table dbo.OT_PairKeyword
Table dbo.OT_PairStatus
Table dbo.OT_Times
Table dbo.Pair
Table dbo.Person
Table dbo.Program
Table dbo.Tutor

View dbo.ViewStudentQuickAdd

Column	Data Type	Nullable
StudentID	int	
<i>Student ID</i>		
DateFirstIntake	datetime	X
<i>Intake Date</i>		
KeyCode	int	X
<i>Student Keyword</i>		
LevelCode	int	X
<i>Current Level</i>		
OverallStatusCode	int	X
<i>Overall Status</i>		
DomainCode	int	X
<i>Domain</i>		
AssessmentStatusCode	int	X
<i>Assessment Status in Subject Area Code</i>		
StudentProgramID	int	X
<i>Program</i>		

CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
IsESLStudent	bit	X
<i>ESL Student</i>		
IsESLStudentDropDown	bit	X
<i>ESL Student</i>		
IsESLStudentReq	bit	X
<i>ESL Student</i>		
EntryLevelCode	int	X
<i>Entry Level</i>		
LastSchoolAttended	varchar(100)	X
<i>Last School Attended</i>		
FileSecurity	int	X
<i>File Security</i>		
FileLocation	varchar(50)	X
<i>File Location</i>		
MandatedStudentType	int	X
<i>Mandated Student Type</i>		
AdmissionStatusCode	int	X
<i>Admission Status</i>		
AdmissionStatus	varchar(150)	X
<i>Admission Status</i>		
AdmissionDate	smalldatetime	X
CertOfNonEnrollment	bit	X
<i>Certificate of Non-Enrollment</i>		
ParentalConsentForm	bit	X
<i>Parental Consent Form</i>		
SBINo	varchar(25)	X
<i>SBI No</i>		
SiteTypeCode	int	X
<i>School Site</i>		
SiteType	varchar(150)	X
IsDE_DCAS	bit	X
<i>Is DCAS</i>		
OrientationStartDate	datetime	X
<i>Orientation Start Date</i>		
InductionDate	datetime	X
<i>Induction Date</i>		
CompletionDate	datetime	X
<i>Completion Date</i>		
AttritionDate	datetime	X
<i>Attrition Date</i>		
CommunityProject1	varchar(200)	X
<i>Community Project One</i>		
CommunityProject2	varchar(200)	X
<i>Community Project Two</i>		
IsWIA	bit	X
<i>WIA Eligible</i>		

FollowUpAuthFormOnFileCode	int	X
<i>Follow-up Authorization Form on File</i>		
ACTCompositeScore	int	X
<i>ACT Score</i>		
EntryGradeLevelCode	int	X
<i>Highest Ed Level Compl on Entry</i>		
EntryGradeLevel	varchar(150)	X
<i>Highest Ed Level Compl on Entry</i>		
EntryGradeLevelLocationCode	int	X
<i>Highest Ed Level Compl on Entry Loc</i>		
EntryGradeLevelLocation	varchar(150)	X
<i>Highest Ed Level Compl on Entry Loc</i>		
FundingStreamCode	int	X
<i>Funding Stream</i>		
FundingStream	varchar(150)	X
<i>Funding Stream</i>		
StudentSourceTypeCode	int	X
<i>Source Type</i>		
EnrolledInABEReq	bit	X
<i>Enrolled in ABE</i>		
EnrolledInHigherEdProgramReq	bit	X
<i>Enrolled in Higher Ed Program</i>		
InstructionLocationCode	int	X
<i>Instruction Location</i>		
SecondaryProgramCode	int	X
<i>Secondary Program</i>		
PersonID	int	
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
StudentUniqueNumber	varchar(200)	X
<i>Student Unique ID</i>		
PhotoRelease	bit	X
RegisteredSexOffender	bit	X
<i>Registered Sex Offender</i>		
AddressID	int	
<i>Address ID</i>		
PrimaryAddress	bit	X
<i>Primary Address</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
DistrictCode	int	X

<i>District</i>		
DistrictCodeReq	int	X
<i>District</i>		
CountyFIPSCode	int	X
<i>County</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
FacebookURI	varchar(255)	X
<i>Facebook Account</i>		
TwitterURI	varchar(255)	X
<i>Twitter Account Name</i>		
PhoneID	int	
<i>Phone ID</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
Fax	varchar(30)	X
Pager	varchar(30)	X
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
EmergencyContactPhone	varchar(30)	X
<i>Emergency Contact Phone</i>		
EmergencyContactName	varchar(100)	X
<i>Emergency Contact Name</i>		
EmergencyContactRelationCode	int	X
<i>Emergency Contact Relation</i>		
PersonIdentifierID	int	
<i>Person Identifier ID</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
SocialSecurityNumberReq	varchar(200)	X
<i>SSN</i>		
IdentificationSystemCode	int	
<i>Identification System Code</i>		
DemographicID	int	
<i>Demographic ID</i>		
GenderCode	int	X
<i>Gender</i>		
Birthdate	smalldatetime	X
BirthdateRangeValidation	smalldatetime	X
<i>Birthdate</i>		
Age	int	X
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
ResidenceAreaCode	int	X
<i>Residence Area</i>		
ResidenceAreaCodeNotReq	int	X
<i>Residence Area</i>		
EmploymentStatusCode	int	X

<i>Employment Status</i>		
EmploymentStatusCodeNotReq	int	X
<i>Employment Status</i>		
FamilyPublicAssistance	bit	X
<i>Public Assistance</i>		
FamilyPublicAssistanceReq	bit	X
<i>Public Assistance</i>		
DislocatedWorker	bit	X
<i>Dislocated Worker</i>		
MinorAdultStatus	bit	X
<i>Minor with Adult Status</i>		
Migrant	bit	X
<i>Migrant Worker</i>		
Immigrant	bit	X
CorrectionalCode	int	X
<i>Correctional</i>		
L6OnFile	bit	X
<i>L6 on File</i>		
USCitizen	bit	X
<i>US Citizen</i>		
USCitizenReq	bit	X
<i>US Citizen</i>		
RegisteredVoter	bit	X
<i>Registered Voter</i>		
RegisteredVoterReq	bit	X
<i>Registered Voter</i>		
F1Visa	bit	X
<i>F1 Visa</i>		
EnteredCountryOn	smalldatetime	X
<i>Entered Country On</i>		
StayInUSA	bit	X
<i>Plan to Stay in USA</i>		
StudiedEnglishBefore	bit	X
<i>Studied English Before</i>		
ImproveSpeaking	bit	X
<i>Improve Speaking</i>		
ImproveWriting	bit	X
<i>Improve Writing</i>		
ImproveReading	bit	X
<i>Improve Reading</i>		
ImproveListening	bit	X
<i>Improve Listening</i>		
Culture	bit	X
<i>Learn Culture</i>		
USCitizenshipPrep	bit	X
<i>US Citizenship Preparation</i>		
CulturalBarrier	bit	X
<i>Cultural Barriers</i>		
Disabled	bit	X
DisplacedHomemaker	bit	X
<i>Displaced Homemaker</i>		
EconomicDisadvantage	bit	X
<i>Economic Disadvantage</i>		
EnglishLanguageLearner	bit	X
<i>English Language Learner</i>		
ExOffender	bit	X
<i>Ex Offender</i>		
ExhaustingTanfWithinTwoYears	bit	X

FosterCareYouth	bit	X
<i>Foster Care Youth</i>		
Homeless	bit	X
<i>Long Term Unemployed</i>		
LongTermUnemployed	bit	X
<i>Low Literacy Levels</i>		
LowLiteracyLevels	bit	X
<i>Migrant Farmworker</i>		
MigrantFarmworker	bit	X
<i>Seasonal Farmworker</i>		
SeasonalFarmworker	bit	X
<i>Single Parent or Guardian</i>		
SingleParentGuardian	bit	X
<i>Is this person Hispanic/Latino</i>		
IsHispanic	int	X
<i>American Indian or Alaska Native</i>		
IsNativeIndian	bit	X
<i>Asian</i>		
IsAsian	bit	X
<i>Black or African American</i>		
IsBlack	bit	X
<i>Native Hawaiian or Other Pacific Islander</i>		
IsNativeHawaiian_PacificIslander	bit	X
<i>White</i>		
IsWhite	bit	X
<i>Chinese</i>		
IsChinese	bit	X
<i>Indo Chinese</i>		
IsIndochinese	bit	X
<i>Japanese</i>		
IsJapanese	bit	X
<i>Korean</i>		
IsKorean	bit	X
<i>Other Asian</i>		
IsOtherAsian	bit	X
<i>Other Minorities</i>		
IsOtherMinorities	bit	X
<i>Hawaiian/Part Hawaiian</i>		
IsHawn	bit	X
<i>Filipino</i>		
IsFilipino	bit	X
<i>Micronesian</i>		
IsMicronesian	bit	X
<i>Samoan</i>		
IsSamoan	bit	X
<i>Hispanic or Latino</i>		
IsHIHispanic	bit	X
<i>Hispanic Ethnicity</i>		
HispanicEthnicity	varchar(150)	X
<i>PersonRoleID</i>		
PersonRoleID	int	
<i>PersonRoleCode</i>		
PersonRoleCode	int	
<i>DisabilityID</i>		
DisabilityID	int	
<i>ApparentOrDisclosedDisability</i>		
ApparentOrDisclosedDisability	bit	X
<i>Specific Learning Disability</i>		
SpecificLearningDisabilityCode	int	X
<i>UnderageParticipationAllowed</i>		
UnderageParticipationAllowed	bit	X
<i>Underage Participation Allowed</i>		

DataSharingAgreed	bit	X
<i>Data Sharing Agreed</i>		
InstitutionalCode	int	X
<i>Institutional</i>		

Uses:

Table dbo.Address
Table dbo.Demographic
Table dbo.Disability
Table dbo.OT_AdmissionStatus
Table dbo.OT_FundingStream
Table dbo.OT_GradeLevel
Table dbo.OT_GradeLevelLocation
Table dbo.OT_InstructionLocation
Table dbo.OT_SiteType
Table dbo.OT_YesNoUnknown
Table dbo.Person
Table dbo.PersonIdentifier
Table dbo.PersonPhone
Table dbo.PersonRole
Table dbo.Student

View dbo.ViewStudents

Column	Data Type	Nullable
StudentID	int	
<i>Student ID</i>		
PersonID	int	
<i>Family ID</i>		
FamilyID	int	X
<i>Family ID</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
DateFirstIntake	datetime	X
<i>Intake Date</i>		
CohortYear	smalldatetime	X
<i>Cohort Year</i>		

EntryTypeCode	varchar(200)	X
EntryLevelCode	int	X
<i>Entry Level</i>		
EntryGradeLevelCode	int	X
<i>Highest Ed Level Compl on Entry</i>		
EntryGradeLevel	varchar(150)	X
<i>Highest Ed Level Compl on Entry</i>		
EntryGradeLevelLocationCode	int	X
<i>Highest Ed Level Compl on Entry Loc</i>		
EntryGradeLevelLocation	varchar(150)	X
<i>Highest Ed Level Compl on Entry Loc</i>		
GradeLevelCode	int	X
<i>Grade Level Code</i>		
GradeLevel	varchar(150)	X
<i>Grade Level</i>		
FullTimeStatus	bit	X
<i>Full-time</i>		
FullTimeEquivalentStatus	real	X
<i>FullTime Equivalent Status</i>		
EveningStudentStatus	bit	X
BoardingStatus	bit	X
LastEnrollDate	smalldatetime	X
<i>Last Enroll Date</i>		
AdmissionDate	smalldatetime	X
AdmissionStatus	varchar(150)	X
<i>Admission Status</i>		
LifetimeDaysofMembership	real	X
LifetimeDaysinAttendance	real	X
<i>Lifetime Days in Attendance</i>		
LifetimeDaysAbsent	real	X
<i>Lifetime Days Absent</i>		
LifetimeNumberofTardies	real	X
LifetimeReleasedTime	real	X
HighestLevelofEducationCompletedCode	int	X
<i>Highest Education Completed</i>		
LevelCode	int	X
<i>Current Level</i>		
KeywordCode	int	X
<i>Student Keyword</i>		
FileSecurityCode	int	X
<i>File Security</i>		
FileLocation	varchar(50)	X
<i>File Location</i>		
OverallStatusCode	int	X
<i>Overall Status</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
SocialSecurityNumberExists	varchar(3)	
GenderCode	int	X
<i>Gender</i>		
Birthday	smalldatetime	X
<i>Birthdate</i>		
USCitizen	bit	X
<i>US Citizen</i>		
Immigrant	bit	X
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
Ethnicity	varchar(150)	X

OverallStatus	varchar(150)	X
<i>Overall Status</i>		
Keyword	varchar(150)	X
<i>Student Keyword</i>		
ProgramID	int	X
<i>Program</i>		
Program	varchar(200)	X
EntryLevel	varchar(150)	X
<i>Entry Level</i>		
EntryType	varchar(150)	X
EducationalLevel	varchar(150)	X
<i>Current Level</i>		
CurFYInstructHours	real	X
<i>Current FY Instr Hrs</i>		
LifetimeHours	real	X
<i>Lifetime Hours</i>		
InstructionalHours	real	X
<i>Instr Hrs</i>		
EmploymentStatusCode	int	X
<i>Employment Status</i>		
EmploymentStatus	varchar(100)	X
<i>Employment Status</i>		
LastFiscalYearActive	varchar(150)	X
DomainCode	int	X
<i>Domain</i>		
AssessDomain	varchar(150)	X
<i>Subject Area</i>		
AssessmentStatusCode	int	X
<i>Assessment Status in Subject Area Code</i>		
LastFiscalYearActiveCode	int	X
AssessmentStatus	varchar(150)	X
<i>Assess Status in Subj Area</i>		
FileSecurity	varchar(150)	X
<i>File Security</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
TelephoneContactPreference	varchar(150)	X
<i>Contact Preference</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
OtherPhoneType	varchar(150)	X
<i>Other Phone Type</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
State	varchar(150)	X
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		

ZipCode	varchar(200)	X
<i>Zip</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
FamilyIncomeRange	varchar(150)	X
<i>Family Income Range</i>		
Migrant	bit	X
<i>Migrant Worker</i>		
EligibilityforNationalSchoolLunchProgram	bit	X
CulturalBarrier	bit	X
<i>Cultural Barriers</i>		
Disabled	bit	X
DisplacedHomemaker	bit	X
<i>Displaced Homemaker</i>		
EconomicDisadvantage	bit	X
<i>Economic Disadvantage</i>		
EnglishLanguageLearner	bit	X
<i>English Language Learner</i>		
ExOffender	bit	X
<i>Ex Offender</i>		
ExhaustingTanfWithinTwoYears	bit	X
FosterCareYouth	bit	X
<i>Foster Care Youth</i>		
Homeless	bit	X
LongTermUnemployed	bit	X
<i>Long Term Unemployed</i>		
LowLiteracyLevels	bit	X
<i>Low Literacy Levels</i>		
MigrantFarmworker	bit	X
<i>Migrant Farmworker</i>		
SeasonalFarmworker	bit	X
<i>Seasonal Farmworker</i>		
SingleParentGuardian	bit	X
<i>Single Parent or Guardian</i>		
ParticipationinNationalSchoolLunchProgram	bit	X
ResidenceAreaCode	int	X
<i>Residence Area</i>		
ResidenceArea	varchar(150)	X
<i>Residence Area</i>		
MinorAdultStatus	bit	X
<i>Minor with Adult Status</i>		
NumberofDependents	tinyint	X
<i>Number of Dependents</i>		
FamilyIncomeRangeCode	int	X
<i>Family Income Range</i>		
FamilyPublicAssistance	bit	X
<i>Public Assistance</i>		
DislocatedWorker	bit	X
<i>Dislocated Worker</i>		
CorrectionalCode	int	X
<i>Correctional</i>		
Correctional	varchar(150)	X
InstitutionalCode	int	X
<i>Institutional</i>		
Institutional	varchar(150)	X
WhyEnrollCode	int	X
<i>Why Enroll</i>		
StudentSourceTypeCode	int	X

Source Type		
StudentSourceNameCode	int	X
Source Name		
CreationDate	datetime	X
Creation Date		
LastUpdate	datetime	X
Date		
AgencyID	int	X
Agency ID		
UpdateSystemUserID	int	X
Update System User ID		
UpdateAgencyID	int	X
Update Agency ID		
UpdateActionID	int	X
Update Action ID		
PrimaryAddress	bit	X
Primary Address		
CountyFIPSCode	int	X
County		
County	varchar(150)	X
Age	int	X
String1	varchar(50)	X
Custom String 1		
String2	varchar(50)	X
Custom String 2		
String3	varchar(50)	X
Custom String 3		
String4	varchar(50)	X
Keyword 2		
Keyword2	varchar(50)	X
Keyword 2		
Date1	datetime	X
Custom Date 1		
Date2	datetime	X
Custom Date 2		
Number1	real	X
Custom Number 1		
Number2	real	X
Custom Number 2		
OldReasonLeft	varchar(80)	X
Reason Left Detail		
ReasonLeftCode	int	X
Reason Left		
DateLeft	datetime	X
Date Left		
ReasonLeft	varchar(150)	X
Reason Left		
DistanceLearning	bit	X
Distance Learner Code		
OtherWhyEnroll	varchar(200)	X
Other Why Enroll		
AttendedAgencyBefore	bit	X
EnrolledinOtherReadingProgram	bit	X
Enrolled in Other Reading Prog		
EnrolledinOtherGEDProgram	bit	X
Enrolled in Other GED Program		
LastAssessmentDate	datetime	X
Last Assess Date		

InstructionalHoursBeforeAssessment	real	X
<i>Instructional Hours Before Assessment</i>		
LastHoursDate	datetime	X
<i>Last Hours Date</i>		
LastInstructHoursDate	datetime	X
<i>Last Instr Hours Date</i>		
InstructionalHoursSinceLastAssessment	float	X
<i>Instr Hrs Since Last Assess in Subj Area</i>		
DistrictCode	int	X
<i>District</i>		
District	varchar(150)	X
<i>Ward</i>		
DistrictAddress	varchar(150)	X
DistrictDemographic	varchar(150)	X
MandatedStudentTypeCode	int	X
<i>Mandated Student Type</i>		
MandatedStudentType	varchar(150)	X
<i>Mandated Student Type</i>		
StudentUniqueNumber	varchar(200)	X
<i>Student Unique ID</i>		
IsESLStudent	bit	X
<i>ESL Student</i>		
DistanceLearningYN	varchar(1)	
<i>Distance Learner</i>		
AttendedAgencyBeforeYN	varchar(1)	
EnrolledinOtherGEDProgramYN	varchar(1)	
<i>Enrolled in Other GED Program Y/N</i>		
EnrolledinOtherReadingProgramYN	varchar(1)	
<i>Enrolled in Other Reading Program Y/N</i>		
Disability	bit	X
<i>Apparent or Disclosed Disability</i>		
Gender	varchar(150)	X
AgencyName	varchar(200)	X
<i>Agency</i>		
StudentSourceType	varchar(150)	X
<i>Student Source Type</i>		
CurrentSchool	varchar(200)	X
<i>Current School Attending</i>		
CurrentSchoolContact	varchar(200)	X
<i>Current School Contact Info</i>		
LastSchoolAttended	varchar(100)	X
<i>Last School Attended</i>		
LastSchoolAttendedLocation	varchar(200)	X
<i>Last School Attended Loc</i>		
PostSchoolRecognition	varchar(200)	X
<i>Post School Recognition/Grad Exercises</i>		
StaffAssigned	varchar(200)	X
<i>Staff Assigned</i>		
FeeWaiver	varchar(200)	X
<i>Fee Waiver</i>		
CountryOfOrigin	varchar(150)	X
<i>Country of Birth</i>		
BirthMonth	nvarchar(30)	X
ElectronicEmailAddress	varchar(200)	X
<i>Email</i>		
MaritalStatus	varchar(150)	X
<i>Marital Status</i>		
HighestLevelofEducationCompleted	varchar(150)	X

<i>Highest Education Completed</i>		
AgeAtIntake	int	X
<i>Age At Intake</i>		
CompletedLevel	bit	X
<i>Completed Level</i>		
LastLevel	varchar(100)	X
<i>Last Level</i>		
Duplicated	varchar(1)	
DaySinceLastHoursDate	int	X
<i>Days Since Last Hours Date</i>		
SBINo	varchar(25)	X
<i>SBI No</i>		
SiteTypeCode	int	X
SiteType	varchar(150)	X
PhotoRelease	bit	X
IsDE_DCAS	bit	X
<i>Is DCAS</i>		
StudentSourceName	varchar(150)	X
<i>Student Source Name</i>		
WhyEnroll	varchar(150)	X
<i>Why Enroll</i>		
FormerLegalName	varchar(50)	X
<i>Former Legal Name</i>		
Nickname	varchar(50)	X
Fax	varchar(30)	X
Pager	varchar(30)	X
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
MailingPreference	varchar(150)	X
<i>Mail Preference</i>		
AbuseCode	int	X
<i>Abuse</i>		
Abuse	varchar(150)	X
AtRiskCode	int	X
<i>At Risk</i>		
AtRisk	varchar(150)	X
<i>At Risk</i>		
Birthplace	varchar(200)	X
BornOutsideoftheUS	bit	X
<i>Born outside US</i>		
CityofBirth	varchar(100)	X
<i>City of Birth</i>		
CountryofCitizenshipCode	int	X
<i>Country of Citizenship</i>		
CountryOfCitizenship	varchar(150)	X
<i>Country of Citizenship</i>		
F1Visa	bit	X
<i>F1 Visa</i>		
MilitaryServiceExperienceCode	int	X
<i>Military Service Experience</i>		
MilitaryServiceExperience	varchar(150)	X
<i>Military Service Experience</i>		
ParentsHighestLevelofEducationCompletedCode	int	X
<i>Parents' Highest Education Completed</i>		
ParentsHighestLevelofEducationCompleted	varchar(150)	X
<i>Parents' Highest Education Completed</i>		
RegisteredVoter	bit	X
<i>Registered Voter</i>		

DeafCode	int	X
<i>Deaf</i>		
Deaf	varchar(150)	X
<i>Hearing Impaired</i>		
HearingImpairedCode	int	X
<i>Hearing Impaired</i>		
HearingImpaired	varchar(150)	X
<i>Hearing Impaired</i>		
LegallyBlindCode	int	X
<i>Legally Blind</i>		
LegallyBlind	varchar(150)	X
<i>Legally Blind</i>		
MissingExtremitiesCode	int	X
<i>Missing Extremities</i>		
MissingExtremities	varchar(150)	X
<i>Missing Extremities</i>		
MuteCode	int	X
<i>Mute</i>		
Mute	varchar(150)	X
NonparalyticOthropedicCode	int	X
<i>Nonparalytic Orthopedic</i>		
NonparalyticOthropedic	varchar(150)	X
<i>Nonparalytic Othropedic</i>		
ParalysisCode	int	X
<i>Paralysis</i>		
Paralysis	varchar(150)	X
PersonInformedDisclosureNotRequired	bit	X
<i>Informed Disclosure Not Required</i>		
SpecificLearningDisabilityCode	int	X
<i>Specific Learning Disability</i>		
SpecificLearningDisability	varchar(150)	X
<i>Specific Learning Disability</i>		
SpeechImpairedCode	int	X
<i>Speech Impaired</i>		
SpeechImpaired	varchar(150)	X
<i>Speech Impaired</i>		
VisionImpairedCode	int	X
<i>Vision Impaired</i>		
VisionImpaired	varchar(150)	X
<i>Vision Impaired</i>		
Allergies	varchar(200)	X
DiseasesIllnessesandOtherHealthConditions	varchar(200)	X
<i>Medical Condition</i>		
HandednessCode	int	X
<i>Handedness</i>		
Handedness	varchar(150)	X
MedicalTreatment	varchar(200)	X
<i>Medical Treatment</i>		
NonmedicalTherapy	varchar(200)	X
<i>Non-medical Therapy</i>		
OverallDiagnosisInterpretationofHearing	varchar(200)	X
<i>Hearing Evaluation</i>		
OverallDiagnosisInterpretationofVision	varchar(200)	X
<i>Vision Evaluation</i>		
OverallDiagnosisInterpretationofSpeechandLanguage	varchar(200)	X
<i>Speech and Language Evaluation</i>		
RoutineHealthCareProcedureRequiredatSchool	varchar(200)	X
<i>Health Care Required at School</i>		
SpecialDietConsiderations	varchar(200)	X

Special Diet Considerations		
OrientationStartDate Orientation Start Date	datetime	X
InductionDate Induction Date		
CompletionDate Completion Date	datetime	X
AttritionDate Attrition Date		
CommunityProject1 Community Project One	varchar(200)	X
CommunityProject2 Community Project Two	varchar(200)	X
IsWIA WIA Eligible	bit	X
EmergencyContactPhone Emergency Contact Phone	varchar(30)	X
EmergencyContactName Emergency Contact Name	varchar(100)	X
EmergencyContactRelationCode Emergency Contact Relation	int	X
EmergencyContactRelation Emergency Contact Relation	varchar(150)	X
FacebookURI Facebook Account	varchar(255)	X
TwitterURI Twitter Account Name	varchar(255)	X
FollowUpAuthFormOnFileCode Follow-up Authorization Form on File	int	X
FollowUpAuthFormOnFile Follow-up Authorization Form on File	varchar(150)	X
RegisteredSexOffender Registered Sex Offender	bit	X
ACTCompositeScore ACT Score	int	X
FundingStreamCode Funding Stream	int	X
FundingStream Funding Stream	varchar(150)	X
NRSFundable	bit	X
NedpDiagnosticPhaseEntryDate NEDP Diagnostic Phase Entry Date	datetime	X
NedpAssessmentPhaseEntryDate NEDP Assessment Phase Entry Date	datetime	X
ParentAgencyName	varchar(200)	X
LastName Last Name	varchar(50)	X
ExemptFromCurrentFYAssessment Exempt from Assessment	bit	X
AutismSpectrumDisorderCode Autism Spectrum Disorder-ASD	int	X
AutismSpectrumDisorder Autism Spectrum Disorder-ASD	varchar(150)	X
CognitiveImpairmentCode Cognitive Impairment-CI	int	X
CognitiveImpairment Cognitive Impairment-CI	varchar(150)	X
DeafBlindnessCode	int	X

Deaf-Blindness-DB		
DeafBlindness	varchar(150)	X
<i>Deaf-Blindness-DB</i>		
EarlyChildhoodDevelopmentDelayCode	int	X
<i>Early Childhood Developmental Delay-ECDD</i>		
EarlyChildhoodDevelopmentDelay	varchar(150)	X
<i>Early Childhood Developmental Delay-ECDD</i>		
EmotionalImpairmentCode	int	X
<i>Emotional Impairment-EI</i>		
EmotionalImpairment	varchar(150)	X
<i>Emotional Impairment-EI</i>		
OtherHealthImpairmentCode	int	X
<i>Other Health Impairment-OHI</i>		
OtherHealthImpairment	varchar(150)	X
<i>Other Health Impairment-OHI</i>		
PhysicalImpairmentCode	int	X
<i>Physical Impairment-PI</i>		
PhysicalImpairment	varchar(150)	X
<i>Physical Impairment-PI</i>		
SevereMultipleImpairmentCode	int	X
<i>Severe Multiple Impairment-SXI</i>		
SevereMultipleImpairment	varchar(150)	X
<i>Severe Multiple Impairment-SXI</i>		
TraumaticBrainInjuryCode	int	X
<i>Traumatic Brain Injury-TBI</i>		
TraumaticBrainInjury	varchar(150)	X
<i>Traumatic Brain Injury-TBI</i>		
ParentGuardian	varchar(100)	X
<i>Parent/Guardian</i>		
ChildrenInAgeRange1	int	X
<i>Children Ages 0-5</i>		
ChildrenInAgeRange2	int	X
<i>Children Ages 6-13</i>		
ChildrenInAgeRange3	int	X
<i>Children Ages 14-21</i>		
DemographicCustomBit1	bit	X
<i>ITA-Individual Training Account</i>		
DemographicCustomBit2	bit	X
<i>One Stop Center Referral</i>		
WIATitle1Funded	bit	X
<i>WIA/Title-1</i>		
TabeIdentificationCode	varchar(200)	X
<i>TABE Identifier</i>		
StayInUSA	bit	X
<i>Plan to Stay in USA</i>		
StudiedEnglishBefore	bit	X
<i>Studied English Before</i>		
ImproveWriting	bit	X
<i>Improve Writing</i>		
ImproveSpeaking	bit	X
<i>Improve Speaking</i>		
ImproveReading	bit	X
<i>Improve Reading</i>		
ImproveListening	bit	X
<i>Improve Listening</i>		
Culture	bit	X
<i>Learn Culture</i>		
USCitizenshipPrep	bit	X

US Citizenship Preparation		
BookingNumber	char(50)	X
<i>Booking/Inmate Number</i>		
EnrolledInABE	bit	X
<i>Enrolled in ABE</i>		
EnrolledInHigherEdProgram	bit	X
<i>Enrolled in Higher Ed Program</i>		
InstructionLocationCode	int	X
<i>Instruction Location</i>		
InstructionLocation	varchar(150)	X
<i>Instruction Location</i>		
UnderageParticipationAllowed	bit	X
<i>Underage Participation Allowed</i>		
DataSharingAgreed	bit	X
<i>Data Sharing Agreed</i>		
SecondaryProgramCode	int	X
<i>Secondary Program</i>		
SecondaryProgram	varchar(150)	X
<i>Secondary Program</i>		
CertOfNonEnrollment	bit	X
EnteredCountryOn	smalldatetime	X
L6OnFile	bit	X
ParentalConsentForm	bit	X

Uses:

Table dbo.Address
Table dbo.Agency
Table dbo.AgencyTree
Table dbo.Corrections
Table dbo.CustomPersonFields
Table dbo.Demographic
Table dbo.Disability
Table dbo.HealthData
Table dbo.OT_Abuse
Table dbo.OT_AdmissionStatus
Table dbo.OT_Area
Table dbo.OT_AssessmentStatus
Table dbo.OT_AtRisk
Table dbo.OT_AutismSpectrumDisorder
Table dbo.OT_BirthCountry
Table dbo.OT_CognitiveImpairment
Table dbo.OT_Correctional
Table dbo.OT_CountryOfCitizenship
Table dbo.OT_CountyFIPS
Table dbo.OT_Deaf

Table dbo.OT_DeafBlindness

Table dbo.OT_District

Table dbo.OT_Domain

Table dbo.OT_EarlyChildhoodDevelopmentDelay

Table dbo.OT_EmergencyContactRelation

Table dbo.OT_EmotionalImpairment

Table dbo.OT_EntryType

Table dbo.OT_Ethnicity

Table dbo.OT_FamilyIncomeRange

Table dbo.OT_FileSecurity

Table dbo.OT_FiscalYear

Table dbo.OT_FundingStream

Table dbo.OT_Gender

Table dbo.OT_GradeLevel

Table dbo.OT_GradeLevelLocation

Table dbo.OT_Handedness

Table dbo.OT_HearingImpaired

Table dbo.OT_HighestLevelofEducationCompleted

Table dbo.OT_Institution

Table dbo.OT_InstructionLocation

Table dbo.OT_Keyword

Table dbo.OT_LegallyBlind

Table dbo.OT_Level

Table dbo.OT_MailingPreference

Table dbo.OT_MandatedStudentType

Table dbo.OT_MaritalStatus

Table dbo.OT_MilitaryServiceExperience

Table dbo.OT_MissingExtremities

Table dbo.OT_Mute

Table dbo.OT_NonparalyticOrthopedic

Table dbo.OT_OtherHealthImpairment

Table dbo.OT_Paralysis

Table dbo.OT_PhysicalImpairment

Table dbo.OT_ReasonLeft

Table dbo.OT_SecondaryProgram

Table dbo.OT_SevereMultipleImpairment

Table dbo.OT_SiteType
Table dbo.OT_SourceName
Table dbo.OT_SourceType
Table dbo.OT_SpecificLearningDisability
Table dbo.OT_SpeechImpaired
Table dbo.OT_StateFIPS
Table dbo.OT_Status
Table dbo.OT_TelephoneContactPreference
Table dbo.OT_TelephoneType
Table dbo.OT_TraumaticBrainInjury
Table dbo.OT_VisionImpaired
Table dbo.OT_WhyEnroll
Table dbo.OT_YesNoUnknown
Table dbo.Person
Table dbo.PersonIdentifier
Table dbo.PersonPhone
Table dbo.Program
Table dbo.Student

View dbo.ViewStudentSummary

Column	Data Type	Nullable
StudentID <i>Student ID</i>	int	
PersonID	int	
FirstName <i>First Name</i>	varchar(50)	X
MiddleName <i>Middle Name</i>	varchar(50)	X
MiddleInitial <i>Middle Initial</i>	varchar(5)	X
LastSurname <i>Last Name</i>	varchar(50)	X
DisplayName <i>Display Name</i>	varchar(100)	X
IsESLStudent <i>ESL Student</i>	bit	X
LastFiscalYearActive	varchar(150)	X
AssessmentStatus <i>Assess Status in Subj Area</i>	varchar(150)	X
InstructionalHoursSinceLastAssessment <i>Instr Hrs Since Last Assess in Subj Area</i>	real	
CurFYInstructHours <i>Current FY Instr Hrs</i>	real	
LifetimeHours <i>Lifetime Hours</i>	real	
InstructionalHours <i>Instr Hrs</i>	real	

ScaledScoreGainPrePost	decimal(11,1)	X
<i>Scaled Gain in Subj Area</i>		
InstructHoursPrePost	float	X
<i>Instr Hrs Between Pre/Post in Subj Area</i>		
AgencyID	int	X
<i>Agency ID</i>		
DaySinceLastHoursDate	varchar(35)	X
<i>Days Since Last Hours Date</i>		

Uses:

Table dbo.Assessment

Table dbo.Configuration

Table dbo.OT_AssessmentStatus

Table dbo.OT_FiscalYear

Table dbo.Person

Table dbo.Student

View dbo.ViewStudentTermGrades

Column	Data Type	Nullable
StudentTermGradesID	int	
StudentID	int	
<i>Student ID</i>		
TermCode	int	X
<i>Term</i>		
CalendarYear	char(4)	X
FiscalYear	char(9)	X
<i>Fiscal Year</i>		
Term	varchar(150)	X
GradingPeriodBeginningDate	smalldatetime	X
GradingPeriodEndingDate	smalldatetime	X
TotalDaysinGradingPeriod	smallint	X
NumberofCreditsAttempted	real	X
<i>Credits Attained</i>		
NumberofCreditsReceived	real	X
<i>Credits Received</i>		
CreditsAttemptedGivenGradingPeriod	real	X
CreditsAttemptedGivenSession	real	X
CreditsAttemptedGivenSchoolYearTermEnding	real	X
CreditsAttemptedCumulative	real	X
CreditsReceivedGivenGradingPeriod	real	X
CreditsReceivedGivenSchoolYear	real	X
CreditsReceivedGivenSession	real	X
CreditsReceivedCumulative	real	X
GradePointsReceivedGivenGradingPeriod	real	X
GradePointsReceivedGivenSession	real	X
<i>Grade Points Received</i>		
GradePointsReceivedGivenSchoolYearTermEnding	real	X
GradePointsReceivedCumulative	real	X
GradePointAverageGivenSchoolYearTermEnding	real	X
<i>Year to Date Grade Point Average</i>		
GradePointAverageGivenSession	real	X
<i>Term Grade Point Average</i>		
GradePointAverageCumulative	real	X

Cumulative Grade Point Average		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.OT_Term

Table dbo.StudentTermGrades

View dbo.ViewTutorComments

Column	Data Type	Nullable
CommentID	int	
CommentTypeCode	int	
<i>Comment Type</i>		
TutorCommentTypeCode	int	
<i>Comment Type</i>		
CommentDate	smalldatetime	X
<i>Date</i>		
PersonID	int	
Comment	varchar(1024)	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
CommentatorFirstName	varchar(50)	X
CommentatorDisplayName	varchar(100)	X
CommentatorLastName	varchar(50)	X
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
CommentType	varchar(150)	X
<i>Comment Type</i>		
PersonRoleCode	int	X
PersonRoleCodeTutor	int	X
<i>PersonRoleCode</i>		

Uses:

Table dbo.Comment

Table dbo.Person**View dbo.ViewTutorDocumentImage**

Column	Data Type	Nullable
TutorID <i>Tutor ID</i>	int	
DocumentImageID	int	
TableName <i>Area</i>	varchar(100)	X
TableID	int	X
DocumentName <i>Document Name</i>	varchar(100)	X
DocumentTypeCode <i>Document Type</i>	int	X
DocumentType <i>Document Type</i>	varchar(150)	X
Keywords	varchar(200)	X
ContentType	varchar(200)	X
ContentLength	int	X
DocExtension	varchar(10)	X
AgencyID <i>Agency ID</i>	int	X
CreationDate <i>Creation Date</i>	datetime	X

Uses:**Table dbo.DocumentImage****Table dbo.OT_DocumentType****Table dbo.Tutor****View dbo.ViewTutorGroupAssignment**

Column	Data Type	Nullable
TutorClassAssignmentID	int	
FirstName <i>First Name</i>	varchar(50)	X
DisplayName <i>Display Name</i>	varchar(100)	X
InstructorName <i>Instructor Name</i>	varchar(100)	X
LastSurname <i>Last Name</i>	varchar(50)	X
LastName <i>Last Name</i>	varchar(50)	X
AgencyID <i>Agency ID</i>	int	X
ClassSectionTitle <i>Title</i>	varchar(100)	X
TermCode <i>Term</i>	int	X
ProgramID <i>Program</i>	int	X
InstructionalLevelCode <i>Level</i>	int	X

ClassStartDate	smalldatetime	X
<i>Start Date</i>		
ClassEndDate	smalldatetime	X
<i>End Date</i>		
GroupDetailStartDate	smalldatetime	X
<i>Start Date</i>		
GroupDetailEndDate	smalldatetime	X
<i>End Date</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
Nickname	varchar(50)	X
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
TutorID	int	
<i>Tutor ID</i>		
PersonID	int	
SessionType	varchar(150)	X
<i>Session Type</i>		
StartDate	datetime	X
<i>Start Date</i>		
EndDate	datetime	X
<i>End Date</i>		
PrimaryAssignment	bit	X
<i>Primary Assignment</i>		
ProgramName	varchar(200)	X
<i>Program</i>		
AssignmentDate	datetime	X
<i>Assigned</i>		
AssignmentDateEditor	datetime	X
<i>Assignment Date</i>		
InstructionalLevel	varchar(150)	X
<i>Level</i>		
Term	varchar(150)	X
GroupID	int	
<i>Group ID</i>		
AssignmentStatusCode	int	X
<i>Status</i>		
AssignmentStatus	varchar(150)	X
<i>Status</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
State	varchar(150)	X
ZipCode	varchar(200)	X
<i>Zip</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X

<i>Mobile Phone</i>		
CreationDate	datetime	X
<i>Creation Date</i>		

Uses:

Table dbo.Address

Table dbo.ClassSection

Table dbo.OT_AssignmentStatus

Table dbo.OT_InstructionalLevel

Table dbo.OT_StateFIPS

Table dbo.OT_Term

Table dbo.Person

Table dbo.PersonPhone

Table dbo.Program

Table dbo.Tutor

Table dbo.TutorClassAssignment

View dbo.ViewTutorHeader

Column	Data Type	Nullable
PersonID	int	
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
AddressID	int	X
<i>Address ID</i>		
PrimaryAddress	bit	X
<i>Primary Address</i>		
StreetNumberName	varchar(200)	X
<i>Address 1</i>		
ApartmentRoomSuiteNumber	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
State	varchar(150)	X
PhoneID	int	X
<i>Phone ID</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		

WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
ElectronicEmailAddress	varchar(200)	X
<i>Email</i>		
DemographicID	int	
<i>Demographic ID</i>		
GenderCode	int	X
<i>Gender</i>		
Birthday	smalldatetime	X
<i>Birthdate</i>		
Gender	varchar(150)	X
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
IdentificationSystemCode	int	
<i>Identification System Code</i>		
PersonIdentifierID	int	
<i>Person Identifier ID</i>		
CountyFIPSCode	int	X
<i>County</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
TelephoneContactPreference	varchar(150)	X
<i>Contact Preference</i>		
County	varchar(150)	X
Ethnicity	varchar(150)	X
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
Fax	varchar(30)	X
Pager	varchar(30)	X
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
Note	varchar(255)	X
<i>Comment</i>		
OtherPhoneType	varchar(150)	X
<i>Other Phone Type</i>		
TutorID	int	
<i>Tutor ID</i>		
TutorSourceTypeCode	int	X
<i>Source Type</i>		
TutorSourceNameCode	int	X
<i>Source Name</i>		
PreviousTutoringExperience	bit	X
<i>Previous Tutoring Experience</i>		
CompletedInitialTraining	bit	X
<i>Completed Initial Training</i>		
DateFirstTutored	smalldatetime	X
<i>Date First Tutored</i>		
DateLeft	datetime	X
<i>Date Left</i>		
HighestLevelofEducationCompletedCode	int	X
<i>Highest Education Completed</i>		
LifetimeDaysofMembership	real	X

LifetimeAllHoursPresent	real	X
<i>Lifetime Hours</i>		
LifetimeAllHoursAbsent	real	X
<i>Lifetime Hours Absent</i>		
TutoringLocationCode	int	X
<i>Tutoring Location Code</i>		
AdultEducationCredit	varchar(50)	X
<i>Adult Education Credit</i>		
CreditCourses	varchar(50)	X
<i>Credit Courses</i>		
PostSecondaryCertification	varchar(50)	X
<i>Post Secondary Certification</i>		
LiteracyCertification	varchar(50)	X
<i>Literacy Certification</i>		
ReadingCertification	varchar(50)	X
<i>Reading Certification</i>		
LevelCode	int	X
<i>Current Level</i>		
TutorKeywordCode	int	X
<i>Tutor Keyword</i>		
TutorStatusCode	int	X
<i>Overall Status</i>		
LastFiscalYearActiveCode	int	X
CurFYInstructHours	real	X
<i>Current FY Instr Hrs</i>		
FileLocation	varchar(50)	X
<i>File Location</i>		
HighestLevelofEducationCompleted	varchar(150)	X
<i>Highest Education Completed</i>		
TutorLevel	varchar(150)	X
<i>Tutor Level</i>		
TutorKeyword	varchar(150)	X
<i>Tutor Keyword</i>		
TutorStatus	varchar(150)	X
<i>Overall Status</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
TutorLocation	varchar(150)	X
<i>Location</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
ProgramID	int	X
<i>Program</i>		
NumOfStudents	int	X
<i>Num Of Students</i>		
WaitMatch	bit	X
<i>Still available - Wait match</i>		
InstructionalHours	real	X

<i>Instr Hrs</i>		
DateFirstIntake	datetime	X
<i>Intake Date</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
MailingPreference	varchar(150)	X
<i>Mail Preference</i>		
ReasonLeft	varchar(80)	X
<i>Reason Left</i>		
ProgramName	varchar(200)	X
<i>Program</i>		
StatusChangeNotes	varchar(255)	X
<i>Status Change Notes</i>		

Uses:

Table dbo.Address

Table dbo.Demographic

Table dbo.OT_CountyFIPS

Table dbo.OT_Ethnicity

Table dbo.OT_Gender

Table dbo.OT_HighestLevelofEducationCompleted

Table dbo.OT_Level

Table dbo.OT_MailingPreference

Table dbo.OT_StateFIPS

Table dbo.OT_TelephoneContactPreference

Table dbo.OT_TelephoneType

Table dbo.OT_TutorKeyword

Table dbo.OT_TutorLocation

Table dbo.OT_TutorStatus

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

Table dbo.Program

Table dbo.Tutor

View dbo.ViewTutorHistory

Column	Data Type	Nullable
AgencyID	int	X
<i>Agency ID</i>		
TutorHistoryID	int	
TutorID	int	
<i>Tutor ID</i>		
EndDate	datetime	X
<i>End Date</i>		
EndDateNotReq	datetime	X

<i>End Date</i>		
StatusCode	int	X
<i>Enroll Status</i>		
TutorStatusCode	int	X
<i>Overall Status</i>		
TutorStatus	varchar(150)	X
<i>Overall Status</i>		
StartDate	datetime	
<i>Start Date</i>		
ProgramName	varchar(200)	X
<i>Program</i>		
ProgramID	int	X
<i>Program</i>		
CreationDate	datetime	X
<i>Creation Date</i>		

Uses:

Table dbo.OT_TutorStatus

Table dbo.Program

Table dbo.TutorHistory

View dbo.ViewTutorHours

Column	Data Type	Nullable
TutorHoursID	int	
TutorID	int	
<i>Tutor ID</i>		
ClassSectionID	int	X
<i>Class ID</i>		
HoursDate	smalldatetime	
<i>Date</i>		
HoursTypeCode	int	
HoursPresent	real	
<i>Hours Present</i>		
HoursAbsent	real	
<i>Hours Absent</i>		
Late	bit	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
PairID	int	X
<i>Pair ID</i>		
HoursType	varchar(150)	X
<i>Hours Type</i>		
StudentID	int	
<i>Student ID</i>		
StudentDisplayName	varchar(50)	X

<i>Student Name</i>		
TutorDisplayName	varchar(100)	X
<i>Tutor Name</i>		

Uses:

Table dbo.OT_TutorHoursType

Table dbo.Pair

Table dbo.Person

Table dbo.Tutor

Table dbo.TutorHours

View dbo.ViewTutorPairs

Column	Data Type	Nullable
PairID <i>Pair ID</i>	int	
StudentID <i>Student ID</i>	int	
TutorID <i>Tutor ID</i>	int	
PairStatusCode <i>Status</i>	int	X
MatchDate <i>Match/Enrollment Date</i>	smalldatetime	X
PairMatchDateRequired <i>Match Date</i>	smalldatetime	X
StartDate <i>Start Date</i>	datetime	X
StartDateNotReq <i>Start Date</i>	datetime	X
EndDate <i>End Date</i>	datetime	X
EndDateNotReq <i>End Date</i>	datetime	X
LevelCode <i>Current Level</i>	int	X
EducationalLevel <i>Current Level</i>	varchar(150)	X
ProgramID <i>Program</i>	int	X
PairKeywordCode <i>Pair Keyword</i>	int	X
WeeklyTimeCode <i>Weekly Time Code</i>	int	X
WeeklyTime <i>Weekly Time</i>	varchar(50)	X
Location	varchar(150)	X
TutorLocationCode <i>Location</i>	int	X
LastDateStatusChanged <i>Last Date Status Changed</i>	datetime	X
CurFYInstructHours <i>Current FY Instr Hrs</i>	real	X
LastFiscalYearActiveCode	int	X

TutorTotalHours	real	X
<i>Tutor Total Hours In Pair</i>		
InstructionalHours	real	X
<i>Instr Hrs</i>		
StudentTotalHours	real	X
<i>Student Total Hours in Pair</i>		
TutorDisplayName	varchar(50)	X
<i>Tutor Name</i>		
StudentFirstName	varchar(50)	X
<i>Student First Name</i>		
StudentNickName	varchar(50)	X
StudentLastName	varchar(50)	X
<i>Student Last Name</i>		
StudentDisplayName	varchar(100)	X
<i>Student Name</i>		
StudentMiddleInitial	varchar(5)	X
WeeklyTimes	varchar(150)	X
<i>Weekly Times</i>		
Program	varchar(200)	X
Keyword	varchar(150)	X
<i>Student Keyword</i>		
Status	varchar(150)	X
<i>Enroll Status</i>		
LastFiscalYearActive	varchar(150)	X
TutorLocation	varchar(150)	X
<i>Location</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		

Uses:

Table dbo.OT_FiscalYear
Table dbo.OT_Level
Table dbo.OT_PairKeyword
Table dbo.OT_PairStatus
Table dbo.OT_Times
Table dbo.OT_TutorLocation
Table dbo.Pair
Table dbo.Person
Table dbo.Program
Table dbo.Student

View dbo.ViewTutorQuickAdd

Column	Data Type	Nullable
PersonID	int	
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
AddressID	int	
<i>Address ID</i>		
PrimaryAddress	bit	X
<i>Primary Address</i>		
StreetNumberName	varchar(200)	X
<i>Address 1</i>		
ApartmentRoomSuiteNumber	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
PhoneID	int	
<i>Phone ID</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
DemographicID	int	
<i>Demographic ID</i>		
GenderCode	int	X
<i>Gender</i>		
GenderCodeNoReq	int	X
<i>Gender</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
IdentificationSystemCode	int	
<i>Identification System Code</i>		
PersonIdentifierID	int	
<i>Person Identifier ID</i>		
CountyFIPSCode	int	X
<i>County</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
PrimaryTutorEthnicityCode	int	X

Ethnicity		
Fax	varchar(30)	X
Pager	varchar(30)	X
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
Note	varchar(255)	X
Comment		
TutorID	int	
<i>Tutor ID</i>		
IsHispanic	int	X
<i>Is this person Hispanic/Latino</i>		
IsNativeIndian	bit	X
<i>American Indian or Alaska Native</i>		
IsAsian	bit	X
<i>Asian</i>		
IsBlack	bit	X
<i>Black or African American</i>		
IsNativeHawaiian_PacificIslander	bit	X
<i>Native Hawaiian or Other Pacific Islander</i>		
IsWhite	bit	X
<i>White</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
TutorSourceTypeCode	int	X
<i>Source Type</i>		
TutorSourceNameCode	int	X
<i>Source Name</i>		
PreviousTutoringExperience	bit	X
<i>Previous Tutoring Experience</i>		
CompletedInitialTraining	bit	X
<i>Completed Initial Training</i>		
DateFirstTutored	smalldatetime	X
<i>Date First Tutored</i>		
HighestLevelofEducationCompletedCode	int	X
<i>Highest Education Completed</i>		
TutoringLocationCode	int	X
<i>Tutoring Location Code</i>		
AdultEducationCredit	varchar(50)	X
<i>Adult Education Credit</i>		
CreditCourses	varchar(50)	X
<i>Credit Courses</i>		
PostSecondaryCertification	varchar(50)	X
<i>Post Secondary Certification</i>		
LiteracyCertification	varchar(50)	X
<i>Literacy Certification</i>		
ReadingCertification	varchar(50)	X
<i>Reading Certification</i>		
LevelCode	int	X
<i>Current Level</i>		
TutorKeywordCode	int	X
<i>Tutor Keyword</i>		
TutorStatusCode	int	X
<i>Overall Status</i>		
LastFiscalYearActiveCode	int	X

FileLocation	varchar(50)	X
<i>File Location</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
PersonRoleID	int	
PersonRoleCode	int	
PersonRoleCodeTutor	int	
<i>PersonRoleCode</i>		
ProgramID	int	X
<i>Program</i>		
DateFirstIntake	datetime	X
<i>Intake Date</i>		
WaitMatch	bit	X
<i>Still available - Wait match</i>		
Birthdate	smalldatetime	X
BirthdateNoReq	smalldatetime	X
<i>Birthdate</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		

Uses:

Table dbo.Address

Table dbo.Demographic

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

Table dbo.PersonRole

Table dbo.Tutor

View dbo.ViewTutors

Column	Data Type	Nullable
PersonID	int	
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		

LastSurname	varchar(50)	X
<i>Last Name</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
AddressID	int	X
<i>Address ID</i>		
PrimaryAddress	bit	X
<i>Primary Address</i>		
StreetNumberName	varchar(200)	X
<i>Address 1</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
ApartmentRoomSuiteNumber	varchar(80)	X
<i>Address 2</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
State	varchar(150)	X
PhoneID	int	X
<i>Phone ID</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
DemographicID	int	
<i>Demographic ID</i>		
GenderCode	int	X
<i>Gender</i>		
Birthday	smalldatetime	X
<i>Birthdate</i>		
Gender	varchar(150)	X
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
IdentificationSystemCode	int	
<i>Identification System Code</i>		
PersonIdentifierID	int	
<i>Person Identifier ID</i>		
CountyFIPSCode	int	X
<i>County</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
TelephoneContactPreference	varchar(150)	X
<i>Contact Preference</i>		
County	varchar(150)	X
Ethnicity	varchar(150)	X
JobClassificationCode	varchar(150)	X

<i>Classification</i>		
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
Fax	varchar(30)	X
Pager	varchar(30)	X
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
Note	varchar(255)	X
<i>Comment</i>		
OtherPhoneType	varchar(150)	X
<i>Other Phone Type</i>		
TutorID	int	
<i>Tutor ID</i>		
TutorSourceTypeCode	int	X
<i>Source Type</i>		
TutorSourceNameCode	int	X
<i>Source Name</i>		
PreviousTutoringExperience	bit	X
<i>Previous Tutoring Experience</i>		
CompletedInitialTraining	bit	X
<i>Completed Initial Training</i>		
DateFirstTutored	smalldatetime	X
<i>Date First Tutored</i>		
HighestLevelofEducationCompletedCode	int	X
<i>Highest Education Completed</i>		
LifetimeDaysofMembership	real	X
LifetimeAllHoursPresent	real	X
<i>Lifetime Hours</i>		
LifetimeAllHoursAbsent	real	X
<i>Lifetime Hours Absent</i>		
TutoringLocationCode	int	X
<i>Tutoring Location Code</i>		
AdultEducationCredit	varchar(50)	X
<i>Adult Education Credit</i>		
CreditCourses	varchar(50)	X
<i>Credit Courses</i>		
PostSecondaryCertification	varchar(50)	X
<i>Post Secondary Certification</i>		
LiteracyCertification	varchar(50)	X
<i>Literacy Certification</i>		
ReadingCertification	varchar(50)	X
<i>Reading Certification</i>		
LevelCode	int	X
<i>Current Level</i>		
TutorKeywordCode	int	X
<i>Tutor Keyword</i>		
TutorStatusCode	int	X
<i>Overall Status</i>		
LastFiscalYearActiveCode	int	X
CurFYInstructHours	real	X
<i>Current FY Instr Hrs</i>		
FileLocation	varchar(50)	X
<i>File Location</i>		
HighestLevelofEducationCompleted	varchar(150)	X
<i>Highest Education Completed</i>		
TutorLevel	varchar(150)	X

<i>Tutor Level</i>		
TutorKeyword	varchar(150)	X
<i>Tutor Keyword</i>		
TutorStatus	varchar(150)	X
<i>Overall Status</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
TutorLocation	varchar(150)	X
<i>Location</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
ProgramID	int	X
<i>Program</i>		
NumOfStudents	int	X
<i>Num Of Students</i>		
WaitMatch	bit	X
<i>Still available - Wait match</i>		
InstructionalHours	real	X
<i>Instr Hrs</i>		
DateFirstIntake	datetime	X
<i>Intake Date</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
MailingPreference	varchar(150)	X
<i>Mail Preference</i>		
ProgramName	varchar(200)	X
<i>Program</i>		
TutorSourceType	varchar(150)	X
<i>Source Type</i>		
TutorSourceName	varchar(150)	X
<i>Source Name</i>		
StatusChangeNotes	varchar(255)	X
<i>Status Change Notes</i>		
DateLeft	datetime	X
<i>Date Left</i>		
InitialTrainingCompletionNote	varchar(50)	X
<i>Initial Training Completion Note</i>		
ReasonLeft	varchar(150)	X
<i>Reason Left</i>		
TutorReasonLeftCode	int	X
<i>Reason Left</i>		
OldReasonLeft	varchar(80)	X
<i>Reason Left Detail</i>		
Age	int	X
AbuseCode	int	X
<i>Abuse</i>		

Abuse	varchar(150)	X
AtRiskCode	int	X
<i>At Risk</i>		
AtRisk	varchar(150)	X
<i>At Risk</i>		
BirthCountryCode	int	X
<i>Country of Birth</i>		
BirthCountry	varchar(150)	X
<i>Country of Birth</i>		
BirthdateVerification	varchar(100)	X
<i>Birthdate Verification</i>		
Birthdate	smalldatetime	X
BirthdateNoReq	smalldatetime	X
<i>Birthdate</i>		
BornOutsideoftheUS	bit	X
<i>Born outside US</i>		
CorrectionalCode	int	X
<i>Correctional</i>		
Correctional	varchar(150)	X
CountryofCitizenshipCode	int	X
<i>Country of Citizenship</i>		
CountryOfCitizenship	varchar(150)	X
<i>Country of Citizenship</i>		
DislocatedWorker	bit	X
<i>Dislocated Worker</i>		
DisplacedHomemaker	bit	X
<i>Displaced Homemaker</i>		
DistrictCode	int	X
<i>District</i>		
District	varchar(150)	X
<i>Ward</i>		
EconomicDisadvantage	bit	X
<i>Economic Disadvantage</i>		
EmploymentStatus	varchar(100)	X
<i>Employment Status</i>		
FamilyIncomeRangeCode	int	X
<i>Family Income Range</i>		
FamilyIncomeRange	varchar(150)	X
<i>Family Income Range</i>		
FamilyPublicAssistance	bit	X
<i>Public Assistance</i>		
Homeless	bit	X
Immigrant	bit	X
InstitutionalCode	int	X
<i>Institutional</i>		
Institutional	varchar(150)	X
MaritalStatusCode	int	X
<i>Marital Status</i>		
MaritalStatus	varchar(150)	X
<i>Marital Status</i>		
Migrant	bit	X
<i>Migrant Worker</i>		
MilitaryServiceExperienceCode	int	X
<i>Military Service Experience</i>		
MilitaryServiceExperience	varchar(150)	X
<i>Military Service Experience</i>		
MinorAdultStatus	bit	X
<i>Minor with Adult Status</i>		

NumberofDependents	tinyint	X
<i>Number of Dependents</i>		
ResidenceAreaCode	int	X
<i>Residence Area</i>		
ResidenceArea	varchar(150)	X
<i>Residence Area</i>		
SingleParentGuardian	bit	X
<i>Single Parent or Guardian</i>		
USCitizen	bit	X
<i>US Citizen</i>		
StaffMemberID	int	X
<i>Staff ID</i>		
BirthMonth	nvarchar(30)	X
String1	varchar(50)	X
<i>Custom String 1</i>		
String2	varchar(50)	X
<i>Custom String 2</i>		
String3	varchar(50)	X
<i>Custom String 3</i>		
String4	varchar(50)	X
<i>Keyword 2</i>		
Keyword2	varchar(50)	X
<i>Keyword 2</i>		
Date1	datetime	X
<i>Custom Date 1</i>		
Date2	datetime	X
<i>Custom Date 2</i>		
Number1	real	X
<i>Custom Number 1</i>		
Number2	real	X
<i>Custom Number 2</i>		
StatusChangeDate	int	X
<i>Manual Status Change Date</i>		

Uses:

Table dbo.Address

Table dbo.Agency

Table dbo.CustomPersonFields

Table dbo.Demographic

Table dbo.OT_Abuse

Table dbo.OT_Area

Table dbo.OT_AtRisk

Table dbo.OT_BirthCountry

Table dbo.OT_Correctional

Table dbo.OT_CountryOfCitizenship

Table dbo.OT_CountyFIPS

Table dbo.OT_District

Table dbo.OT_Ethnicity

Table dbo.OT_FamilyIncomeRange

Table dbo.OT_Gender
Table dbo.OT_HighestLevelofEducationCompleted
Table dbo.OT_Institution
Table dbo.OT_JobClassification
Table dbo.OT_Level
Table dbo.OT_MailingPreference
Table dbo.OT_MaritalStatus
Table dbo.OT_MilitaryServiceExperience
Table dbo.OT_StateFIPS
Table dbo.OT_TelephoneContactPreference
Table dbo.OT_TelephoneType
Table dbo.OT_TutorKeyword
Table dbo.OT_TutorLocation
Table dbo.OT_TutorSourceType
Table dbo.OT_TutorStatus
Table dbo.Person
Table dbo.PersonIdentifier
Table dbo.PersonPhone
Table dbo.Program
Table dbo.StaffMember
Table dbo.Tutor

View dbo.ViewTutorUnlinkedHours

Column	Data Type	Nullable
TutorHoursID	int	
TutorID	int	
<i>Tutor ID</i>		
ClassSectionID	int	X
<i>Class ID</i>		
HoursDate	datetime	X
<i>Date</i>		
HoursTypeCode	int	
HoursPresent	real	
<i>Hours Present</i>		
HoursAbsent	real	
<i>Hours Absent</i>		
Late	bit	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		

UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
PairID	int	X
<i>Pair ID</i>		
HoursType	varchar(150)	X
<i>Hours Type</i>		
Title	varchar(14)	
DisplayName	varchar(100)	X
<i>Display Name</i>		
Name	varchar(100)	X
PersonID	int	

Uses:

Table dbo.OT_TutorHoursType

Table dbo.Person

Table dbo.Tutor

Table dbo.TutorHours

View dbo.ViewVolunteerComments

Column	Data Type	Nullable
CommentID	int	
CommentTypeCode	int	
<i>Comment Type</i>		
CommentDate	smalldatetime	X
<i>Date</i>		
PersonID	int	
Comment	varchar(1024)	X
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
CommentatorFirstName	varchar(50)	X
CommentatorDisplayName	varchar(100)	X
CommentatorLastName	varchar(50)	X
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
CommentType	varchar(150)	X
<i>Comment Type</i>		
PersonRoleCode	int	X
VolunteerCommentTypeCode	int	
<i>Volunteer Comment Type Code</i>		

Uses:

Table dbo.Comment

Table dbo.OT_VolunteerCommentType**Table dbo.Person****View dbo.ViewVolunteerHeader**

Column	Data Type	Nullable
VolunteerID <i>Volunteer ID</i>	int	
PersonID <i>Position Title</i>	int	
PositionTitle <i>Volunteer Type</i>	varchar(200)	X
VolunteerTypeCode <i>Volunteer Type</i>	int	X
VolunteerType <i>Volunteer Keyword</i>	varchar(150)	X
VolunteerKeywordCode <i>Volunteer Keyword</i>	int	X
VolunteerKeyword <i>Overall Status</i>	varchar(150)	X
VolunteerStatusCode <i>Overall Status</i>	int	X
VolunteerStatus <i>Agency ID</i>	varchar(150)	X
AgencyID <i>First Name</i>	int	X
FirstName <i>Middle Name</i>	varchar(50)	X
MiddleName <i>Middle Initial</i>	varchar(50)	X
MiddleInitial <i>Last Name</i>	varchar(5)	X
LastSurname <i>Last Name</i>	varchar(50)	X
DisplayName <i>Display Name</i>	varchar(100)	X
GenerationCodeSuffix <i>Suffix</i>	varchar(10)	X
PersonalTitlePrefix <i>Title/Prefix</i>	varchar(50)	X

Uses:**Table dbo.OT_VolunteerKeyword****Table dbo.OT_VolunteerStatus****Table dbo.OT_VolunteerType****Table dbo.Person****Table dbo.Volunteer****View dbo.ViewVolunteerHours**

Column	Data Type	Nullable
VolunteerHoursID	int	
HoursDate <i>Date</i>	datetime	X

HoursTypeCode	int	
AgencyID	int	X
<i>Agency ID</i>		
VolunteerHoursType	varchar(150)	X
<i>Type</i>		
VolunteerDisplayHoursType	varchar(150)	X
<i>Hours Type</i>		
VolunteerID	int	
<i>Volunteer ID</i>		
HoursPresent	decimal(10,2)	X
<i>Hours Present</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
VolunteerDisplayName	varchar(100)	X
<i>Volunteer Name</i>		
Comments	varchar(1024)	X
<i>Comment</i>		

Uses:

Table dbo.OT_VolunteerHoursType

Table dbo.VolunteerHours

View dbo.ViewVolunteerKeyInfo

View dbo.ViewVolunteerIntake

Column	Data Type	Nullable
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
AddressID	int	
<i>Address ID</i>		
PrimaryAddress	bit	X
<i>Primary Address</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
PhoneID	int	
<i>Phone ID</i>		
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X

<i>Mobile Phone</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
ElectronicEmailAddress	varchar(200)	X
<i>Email</i>		
DemographicID	int	
<i>Demographic ID</i>		
GenderCodeNoReq	int	X
<i>Gender</i>		
BirthdateNoReq	smalldatetime	X
<i>Birthdate</i>		
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
IdentificationSystemCode	int	
<i>Identification System Code</i>		
PersonIdentifierID	int	
<i>Person Identifier ID</i>		
Fax	varchar(30)	X
Pager	varchar(30)	X
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
ResidenceAreaCode	int	X
<i>Residence Area</i>		
DistrictCode	int	X
<i>District</i>		
EmploymentStatusCode	int	X
<i>Employment Status</i>		
FamilyPublicAssistance	bit	X
<i>Public Assistance</i>		
ApparentOrDisclosedDisability	bit	X
<i>Apparent or Disclosed Disability</i>		
Homeless	bit	X
DislocatedWorker	bit	X
<i>Dislocated Worker</i>		
SingleParentGuardian	bit	X
<i>Single Parent or Guardian</i>		
EconomicDisadvantage	bit	X
<i>Economic Disadvantage</i>		
SpecificLearningDisabilityCode	int	X
<i>Specific Learning Disability</i>		
DisplacedHomemaker	bit	X
<i>Displaced Homemaker</i>		
MinorAdultStatus	bit	X
<i>Minor with Adult Status</i>		
Migrant	bit	X
<i>Migrant Worker</i>		
CountyFIPSCode	int	X
<i>County</i>		
StudentUniqueNumber	varchar(200)	X
<i>Student Unique ID</i>		
Immigrant	bit	X
CorrectionalCode	int	X
<i>Correctional</i>		
TelephoneNumber	varchar(200)	X

Phone at Address		
DisabilityID	int	
VolunteerID	int	
<i>Volunteer ID</i>		
PersonID	int	
PositionTitle	varchar(200)	X
<i>Position Title</i>		
VolunteerTypeCode	int	X
<i>Volunteer Type</i>		
VolunteerKeywordCode	int	X
<i>Volunteer Keyword</i>		
VolunteerStatusCode	int	X
<i>Overall Status</i>		
AgencyID	int	X
<i>Agency ID</i>		
PersonRoleID	int	
PersonRoleCode	int	
PersonRoleCodeVolunteer	int	
<i>PersonRoleCode</i>		
DateFirstIntake	datetime	X
<i>Intake Date</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
VolunteerSourceTypeCode	int	X
<i>Source Type</i>		
VolunteerSourceNameCode	int	X
<i>Source Name</i>		

Uses:

Table dbo.Address

Table dbo.Demographic

Table dbo.Disability

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

Table dbo.PersonRole

Table dbo.Volunteer

View dbo.ViewVolunteerKeyInfo

Column	Data Type	Nullable
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		

PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
LastName	varchar(50)	X
<i>Last Name</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
TelephoneVolunteerPreference	varchar(150)	X
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
OtherPhoneType	varchar(150)	X
<i>Other Phone Type</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
State	varchar(150)	X
City	varchar(200)	X
CountyFIPSCode	int	X
<i>County</i>		
StateFIPSCode	int	X
<i>State</i>		
ZipCode	varchar(200)	X
<i>Zip</i>		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
PrimaryAddress	bit	X
<i>Primary Address</i>		
VolunteerID	int	
<i>Volunteer ID</i>		
PersonID	int	
PositionTitle	varchar(200)	X
<i>Position Title</i>		
VolunteerTypeCode	int	X
<i>Volunteer Type</i>		
VolunteerKeywordCode	int	X
<i>Volunteer Keyword</i>		
VolunteerStatusCode	int	X
<i>Overall Status</i>		
AgencyID	int	X
<i>Agency ID</i>		
Fax	varchar(30)	X
Pager	varchar(30)	X
Note	varchar(255)	X
<i>Comment</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
AreaTypeCode	int	X
<i>Area</i>		

DateFirstIntake	datetime	X
<i>Intake Date</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
MailingPreference	varchar(150)	X
<i>Mail Preference</i>		
VolunteerSourceTypeCode	int	X
<i>Source Type</i>		
HighestLevelofEducationCompletedCode	int	X
<i>Highest Education Completed</i>		
VolunteerSourceNameCode	int	X
<i>Source Name</i>		
HighestLevelofEducationCompleted	varchar(150)	X
<i>Highest Education Completed</i>		
SourceType	varchar(150)	X
SourceName	varchar(150)	X
VolunteerStatus	varchar(150)	X
<i>Overall Status</i>		
VolunteerType	varchar(150)	X
<i>Volunteer Type</i>		
VolunteerKeyword	varchar(150)	X
<i>Volunteer Keyword</i>		

Used by:

View dbo.ViewVolunteerHours

Uses:

Table dbo.Address

Table dbo.OT_HighestLevelofEducationCompleted

Table dbo.OT_MailingPreference

Table dbo.OT_StateFIPS

Table dbo.OT_TelephoneContactPreference

Table dbo.OT_TelephoneType

Table dbo.OT_VolunteerKeyword

Table dbo.OT_VolunteerSourceName

Table dbo.OT_VolunteerSourceType

Table dbo.OT_VolunteerStatus

Table dbo.OT_VolunteerType

Table dbo.Person

Table dbo.PersonIdentifier

Table dbo.PersonPhone

Table dbo.Volunteer

View dbo.ViewVolunteers

Column	Data Type	Nullable
FirstName	varchar(50)	X
<i>First Name</i>		

MiddleName	varchar(50)	X
<i>Middle Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
GenerationCodeSuffix	varchar(10)	X
<i>Suffix</i>		
PersonalTitlePrefix	varchar(50)	X
<i>Title/Prefix</i>		
SocialSecurityNumber	varchar(200)	X
<i>SSN</i>		
GenderCode	int	X
<i>Gender</i>		
Gender	varchar(150)	X
Birthday	smalldatetime	X
<i>Birthdate</i>		
USCitizen	bit	X
<i>US Citizen</i>		
Immigrant	bit	X
PrimaryEthnicityCode	int	X
<i>Ethnicity</i>		
Ethnicity	varchar(150)	X
LastName	varchar(50)	X
<i>Last Name</i>		
EmploymentStatus	varchar(100)	X
<i>Employment Status</i>		
EmploymentStatusCode	int	X
<i>Employment Status</i>		
TelephoneContactPreferenceCode	int	X
<i>Contact Preference</i>		
TelephoneVolunteerPreference	varchar(150)	X
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
OtherPhone	varchar(30)	X
<i>Other Phone</i>		
OtherPhoneTypeCode	int	X
<i>Other Phone Type</i>		
OtherPhoneType	varchar(150)	X
<i>Other Phone Type</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
State	varchar(150)	X
City	varchar(200)	X
StateFIPSCode	int	X
<i>State</i>		
CountyFIPSCode	int	X
<i>County</i>		
County	varchar(150)	X
ZipCode	varchar(200)	X

Zip		
TelephoneNumber	varchar(200)	X
<i>Phone at Address</i>		
FamilyIncomeRange	varchar(150)	X
<i>Family Income Range</i>		
SingleParentGuardian	bit	X
<i>Single Parent or Guardian</i>		
Migrant	bit	X
<i>Migrant Worker</i>		
Homeless	bit	X
ResidenceAreaCode	int	X
<i>Residence Area</i>		
ResidenceArea	varchar(150)	X
<i>Residence Area</i>		
MinorAdultStatus	bit	X
<i>Minor with Adult Status</i>		
NumberofDependents	tinyint	X
<i>Number of Dependents</i>		
FamilyIncomeRangeCode	int	X
<i>Family Income Range</i>		
FamilyPublicAssistance	bit	X
<i>Public Assistance</i>		
DisplacedHomemaker	bit	X
<i>Displaced Homemaker</i>		
DislocatedWorker	bit	X
<i>Dislocated Worker</i>		
EconomicDisadvantage	bit	X
<i>Economic Disadvantage</i>		
CorrectionalCode	int	X
<i>Correctional</i>		
Correctional	varchar(150)	X
InstitutionalCode	int	X
<i>Institutional</i>		
Institutional	varchar(150)	X
PrimaryAddress	bit	X
<i>Primary Address</i>		
Age	int	X
BirthMonth	nvarchar(30)	X
VolunteerID	int	
<i>Volunteer ID</i>		
PersonID	int	
PositionTitle	varchar(200)	X
<i>Position Title</i>		
VolunteerTypeCode	int	X
<i>Volunteer Type</i>		
VolunteerKeywordCode	int	X
<i>Volunteer Keyword</i>		
VolunteerStatusCode	int	X
<i>Overall Status</i>		
AgencyID	int	X
<i>Agency ID</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
VolunteerKeyword	varchar(150)	X
<i>Volunteer Keyword</i>		
VolunteerType	varchar(150)	X
<i>Volunteer Type</i>		
VolunteerStatus	varchar(150)	X

Overall Status		
Fax	varchar(30)	X
Pager	varchar(30)	X
Note	varchar(255)	X
<i>Comment</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
VolunteerSourceTypeCode	int	X
<i>Source Type</i>		
HighestLevelofEducationCompletedCode	int	X
<i>Highest Education Completed</i>		
VolunteerSourceNameCode	int	X
<i>Source Name</i>		
HighestLevelofEducationCompleted	varchar(150)	X
<i>Highest Education Completed</i>		
VolunteerSourceType	varchar(150)	X
VolunteerSourceName	varchar(150)	X
DateFirstIntake	datetime	X
<i>Intake Date</i>		
MailingPreferenceCode	int	X
<i>Mail Preference</i>		
MailingPreference	varchar(150)	X
<i>Mail Preference</i>		
BirthdateVerification	varchar(100)	X
<i>Birthdate Verification</i>		
BornOutsideoftheUS	bit	X
<i>Born outside US</i>		
BirthCountryCode	int	X
<i>Country of Birth</i>		
BirthCountry	varchar(150)	X
<i>Country of Birth</i>		
RegisteredVoter	bit	X
<i>Registered Voter</i>		
CountryofCitizenshipCode	int	X
<i>Country of Citizenship</i>		
CountryOfCitizenship	varchar(150)	X
<i>Country of Citizenship</i>		
MilitaryServiceExperienceCode	int	X
<i>Military Service Experience</i>		
MilitaryServiceExperience	varchar(150)	X
<i>Military Service Experience</i>		
MaritalStatusCode	int	X
<i>Marital Status</i>		
MaritalStatus	varchar(150)	X
<i>Marital Status</i>		
String1	varchar(50)	X
<i>Custom String 1</i>		
String2	varchar(50)	X
<i>Custom String 2</i>		
String3	varchar(50)	X
<i>Custom String 3</i>		
String4	varchar(50)	X
<i>Keyword 2</i>		
Keyword2	varchar(50)	X
<i>Keyword 2</i>		
Date1	datetime	X
<i>Custom Date 1</i>		
Date2	datetime	X

Custom Date 2		
Number1	real	X
Custom Number 1		
Number2	real	X
Custom Number 2		

Uses:

Table dbo.Address
Table dbo.Agency
Table dbo.CustomPersonFields
Table dbo.Demographic
Table dbo.OT_Area
Table dbo.OT_BirthCountry
Table dbo.OT_Correctional
Table dbo.OT_CountryOfCitizenship
Table dbo.OT_CountyFIPS
Table dbo.OT_Ethnicity
Table dbo.OT_FamilyIncomeRange
Table dbo.OT_Gender
Table dbo.OT_HighestLevelofEducationCompleted
Table dbo.OT_Institution
Table dbo.OT_MailingPreference
Table dbo.OT_MaritalStatus
Table dbo.OT_MilitaryServiceExperience
Table dbo.OT_StateFIPS
Table dbo.OT_TelephoneContactPreference
Table dbo.OT_TelephoneType
Table dbo.OT_VolunteerKeyword
Table dbo.OT_VolunteerSourceName
Table dbo.OT_VolunteerSourceType
Table dbo.OT_VolunteerStatus
Table dbo.OT_VolunteerType
Table dbo.Person
Table dbo.PersonIdentifier
Table dbo.PersonPhone
Table dbo.PersonRole
Table dbo.Volunteer

View dbo.ViewVolunteerStatusHistory

Column	Data Type	Nullable
VolunteerHistoryID	int	
VolunteerID <i>Volunteer ID</i>	int	
StartDate <i>Start Date</i>	datetime	
EndDate <i>End Date</i>	datetime	X
StatusCode <i>Enroll Status</i>	int	X
VolunteerStatusCode <i>Overall Status</i>	int	X
AgencyID <i>Agency ID</i>	int	X
VolunteerStatus <i>Overall Status</i>	varchar(150)	X
TypeCode	int	X
CreationDate <i>Creation Date</i>	datetime	X

Uses:

Table dbo.OT_VolunteerStatus

Table dbo.VolunteerHistory

View dbo.ViewWorkshopAdhocHoursQuickAdd

Column	Data Type	Nullable
WorkshopID <i>Workshop ID</i>	int	
CourseID <i>Course ID</i>	int	X
WorkshopName <i>Name/Type of Professional Development</i>	varchar(100)	X
BeginningTime	varchar(100)	X
EndingTime	varchar(100)	X
MeetingDay <i>Days</i>	varchar(50)	X
MaximumStudents <i>Max Enroll</i>	smallint	X
LastDateHoursAdded <i>Last Date Hours Added</i>	datetime	X
WorkshopStartDate <i>Workshop Start Date</i>	smalldatetime	X
WorkshopEndDate <i>Workshop End Date</i>	smalldatetime	X
WorkshopCreationDate	datetime	X
WorkshopLastUpdate	datetime	X
WorkshopAgencyID	int	X
WorkshopUpdateSystemUserID	int	X
WorkshopUpdateAgencyID	int	X
WorkshopUpdateActionID	int	X
WorkshopSectionTypeCode	int	X
WorkshopStatusCode	int	X
WorkshopKeywordCode	int	X
<i>Workshop Keyword</i>		

WorkshopSiteCode	int	X
TermCode	int	X
<i>Term</i>		
WorkshopProgramID	int	X
InstructionalLevelCode	int	X
<i>Level</i>		
PrimaryContactID	int	X
<i>Primary Contact ID</i>		
DepartmentCode	int	X
<i>Department</i>		
InstructionalAreaCode	int	X
<i>Instructional Area</i>		
WorkshopRegistrationID	int	
PersonID	int	
RegistrationDate	datetime	X
<i>Enroll Date</i>		
StatusCode	int	X
<i>Enroll Status</i>		
Status	varchar(150)	X
<i>Enroll Status</i>		
WorkshopRegistrationDate	datetime	X
<i>Date Attended</i>		
WorkshopRegistrationStartDate	datetime	X
WorkshopRegistrationEndDate	datetime	X
WorkshopRegistrationProgramID	int	X
WorkshopRegistrationWorkshopStartDate	smalldatetime	X
WorkshopRegistrationWorkshopEndDate	smalldatetime	X
WorkshopRegistrationCreationDate	datetime	X
WorkshopRegistrationLastUpdate	datetime	X
WorkshopRegistrationAgencyID	int	X
WorkshopRegistrationUpdateSystemUserID	int	X
WorkshopRegistrationUpdateAgencyID	int	X
WorkshopRegistrationActionID	int	X
WorkshopHoursAttendedID	int	
WorkshopHoursDate	datetime	
<i>Date Attended</i>		
HoursTypeCode	int	
WorkshopHoursTypeCode	int	
HoursType	varchar(150)	X
<i>Hours Type</i>		
WorkshopHoursPresent	real	
<i>Hours</i>		
HoursPresent	real	
<i>Hours Present</i>		
WorkshopHoursAttendedCreationDate	datetime	X
WorkshopHoursAttendedLastUpdate	datetime	X
WorkshopHoursAttendedAgencyID	int	X
WorkshopHoursAttendedSystemUserID	int	X
WorkshopHoursAttendedUpdateAgencyID	int	X
WorkshopHoursAttendedUpdateActionID	int	X
AgencyID	int	X
<i>Agency ID</i>		
FiscalYear	varchar(10)	X
<i>Fiscal Year</i>		

Uses:

Table dbo.ClassHoursAttended

Table dbo.ClassRegistration

Table dbo.ClassSection

Table dbo.OT_HoursType

Table dbo.OT_RegistrationStatus

View dbo.ViewWorkshopKeyInfo

Column	Data Type	Nullable
ClassSectionID <i>Class ID</i>	int	
WorkshopID <i>Workshop ID</i>	int	
CourseID <i>Course ID</i>	int	X
Type <i>Workshop Type</i>	varchar(150)	X
WorkshopType <i>Workshop Type</i>	varchar(150)	X
ClassStatusCode <i>Status</i>	int	X
WorkshopKeywordCode <i>Workshop Keyword</i>	int	X
ClassSiteCode <i>Class Site Code</i>	int	X
ClassSectionTypeCode <i>Class Section Type</i>	int	X
WorkshopSessionType <i>Workshop Type</i>	int	X
ClassOrganizationCode <i>Organization</i>	int	X
TermCode <i>Term</i>	int	X
ProgramID <i>Program</i>	int	X
ClassProgramID <i>Program</i>	int	X
InstructionalLevelCode <i>Level</i>	int	X
DepartmentCode <i>Department</i>	int	X
InstructionalAreaCode <i>Instructional Area</i>	int	X
ClassSectionTitle <i>Title</i>	varchar(100)	X
CourseNumber <i>Course Number</i>	varchar(50)	X
Status <i>Enroll Status</i>	varchar(150)	X
ClassStatus <i>Status</i>	varchar(150)	X
WorkshopKeyword <i>Workshop Keyword</i>	varchar(150)	X
Organization	varchar(150)	X
Site	varchar(150)	X
InstructionalArea	varchar(150)	X

<i>Instructional Area</i>		
InstructionalLevel <i>Level</i>	varchar(150)	X
Term		
ProgramName <i>Program</i>	varchar(200)	X
CourseTitle <i>Course Title</i>		
CourseCode <i>Course Code</i>	varchar(50)	X
BuildingRoomCode <i>Bldg/Room</i>	int	X
BuildingRoom <i>Bldg/Room</i>	varchar(150)	X
ClassBeginningTime <i>Times</i>		
ClassMeetingDay <i>Days</i>	varchar(50)	X
ShortDescription <i>Session Type</i>	varchar(150)	X
LocationCode <i>Location</i>	int	X
CreationDate <i>Creation Date</i>	datetime	X
LastUpdate <i>Date</i>	datetime	X
AgencyID <i>Agency ID</i>	int	X
UpdateSystemUserID <i>Update System User ID</i>	int	X
UpdateAgencyID <i>Update Agency ID</i>	int	X
UpdateActionID <i>Update Action ID</i>	int	X
ClassStartDate <i>Start Date</i>	smalldatetime	X
ClassEndDate <i>End Date</i>	smalldatetime	X
ClassEndingTime <i>Class Ending Time</i>	varchar(100)	X
HoursPerWeek <i>Hours Per Week</i>	real	X
WeeksOfClass <i>Weeks of Class</i>	int	X
DaysOfClass <i>Days Of Class</i>	int	X
HoursPerTerm <i>Hours Per Term</i>	real	X
TotalHoursOffered <i>Total Hours Offered</i>	real	X
MinimumStudents <i>Min Enroll</i>	smallint	X
MaximumStudents <i>Max Enroll</i>	smallint	X
CurrentNumberWaiting <i>Waiting</i>	smallint	X
HighestNumberWaiting	smallint	X

<i>Highest Number Waiting</i>		
StudentsCompleted	smallint	X
<i>Completed</i>		
StudentsEnrolled	smallint	X
<i>Enrolled</i>		
StudentsEnrolledDetail	smallint	X
<i>Enrolled</i>		
StudentsDropout	smallint	X
<i>Students Dropout</i>		
StudentsWithdrawn	smallint	X
<i>Students Withdrawn</i>		
Cost	money	X
LocationofInstruction	varchar(50)	X
<i>Location Detail</i>		
FirstName	varchar(50)	X
<i>First Name</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
ClassSectionType	varchar(150)	X
<i>Class Section Type</i>		
MinimumRequiredDays	int	X
<i>Min Required Days</i>		
MinimumRequiredHours	real	X
<i>Min Required Hours</i>		
Notes	varchar(255)	X
<i>Notes / Meeting details</i>		

Uses:

Table dbo.ClassSection
Table dbo.Course
Table dbo.OT_BuildingRoom
Table dbo.OT_ClassOrganization
Table dbo.OT_ClassSite
Table dbo.OT_ClassStatus
Table dbo.OT_Department
Table dbo.OT_InstructionalArea
Table dbo.OT_InstructionalLevel
Table dbo.OT_Location
Table dbo.OT_Term
Table dbo.OT_WorkshopKeyword
Table dbo.OT_WorkshopType
Table dbo.Person

Table dbo.Program**Table dbo.StaffClassAssignment****Table dbo.StaffMember****View dbo.ViewWorkshopQuickAdd**

Column	Data Type	Nullable
WorkshopID <i>Workshop ID</i>	int	
CourseID <i>Course ID</i>	int	X
ClassSessionName <i>Session Name</i>	varchar(100)	X
ClassSectionTitle <i>Title</i>	varchar(100)	X
ClassBeginningTime <i>Times</i>	varchar(100)	X
ClassEndingTime <i>Class Ending Time</i>	varchar(100)	X
ClassMeetingDay <i>Days</i>	varchar(50)	X
TotalHoursOffered <i>Total Hours Offered</i>	real	X
MinimumStudents <i>Min Enroll</i>	smallint	X
MaximumStudents <i>Max Enroll</i>	smallint	X
CurrentNumberWaiting <i>Waiting</i>	smallint	X
HighestNumberWaiting <i>Highest Number Waiting</i>	smallint	X
StudentsCompleted <i>Completed</i>	smallint	X
StudentsEnrolled <i>Enrolled</i>	smallint	X
LastDateHoursAdded <i>Last Date Hours Added</i>	datetime	X
ClassStartDate <i>Start Date</i>	smalldatetime	X
ClassEndDate <i>End Date</i>	smalldatetime	X
MinCredits <i>Min Credits</i>	real	X
LocationofInstruction <i>Location Detail</i>	varchar(50)	X
CurrentHoursOffered <i>Current Hours Offered</i>	real	X
CreationDate <i>Creation Date</i>	datetime	X
LastUpdate <i>Date</i>	datetime	X
AgencyID <i>Agency ID</i>	int	X
UpdateSystemUserID <i>Update System User ID</i>	int	X
UpdateAgencyID	int	X

<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
TypeShortDescription	varchar(150)	X
ClassStatusCode	int	X
<i>Status</i>		
ClassKeyword	int	X
<i>Class Keyword</i>		
WorkshopKeywordCode	int	X
<i>Workshop Keyword</i>		
ClassSiteCode	int	X
<i>Class Site Code</i>		
ClassSessionType	int	X
<i>Session Type</i>		
WorkshopSessionType	int	X
<i>Workshop Type</i>		
TermCode	int	X
<i>Term</i>		
Term	varchar(150)	X
ClassProgramID	int	X
<i>Program</i>		
InstructionalLevelCode	int	X
<i>Level</i>		
PrimaryContactID	int	X
<i>Primary Contact ID</i>		
DepartmentCode	int	X
<i>Department</i>		
Department	varchar(150)	X
InstructionalAreaCode	int	X
<i>Instructional Area</i>		
ClassPeriod	varchar(50)	X
<i>Class Period</i>		
BuildingRoomCode	int	X
<i>Bldg/Room</i>		
HoursPerWeek	real	X
<i>Hours Per Week</i>		
DaysOfClass	int	X
<i>Days Of Class</i>		
WeeksOfClass	int	X
<i>Weeks of Class</i>		
HoursPerTerm	real	X
<i>Hours Per Term</i>		
ClassOrganizationCode	int	X
<i>Organization</i>		
ClassTransportCode	int	X
<i>Class Transport Code</i>		
MinimumRequiredDays	int	X
<i>Min Required Days</i>		
MinimumRequiredHours	real	X
<i>Min Required Hours</i>		
LocationCode	int	X

Uses:

Table dbo.ClassSection

Table dbo.OT_Department

Table dbo.OT_Term**Table dbo.OT_WorkshopType****View dbo.ViewWorkshopRegistration**

Column	Data Type	Nullable
ClassRegistrationID <i>Class Enrollment</i>	int	
ClassSectionID <i>Class ID</i>	int	
PersonID	int	
CourseNumber <i>Course Number</i>	varchar(50)	X
CourseID <i>Course ID</i>	int	X
ClassStatusCode <i>Status</i>	int	X
CourseTitle <i>Course Title</i>	varchar(200)	X
RegistrationDate <i>Enroll Date</i>	datetime	X
StatusCode <i>Enroll Status</i>	int	X
Status <i>Enroll Status</i>	varchar(150)	X
Term	varchar(150)	X
StartDate <i>Start Date</i>	datetime	X
EndDate <i>End Date</i>	datetime	X
ClassStartDate <i>Start Date</i>	smalldatetime	X
WorkshopStartDate <i>Workshop Start Date</i>	smalldatetime	X
ClassEndDate <i>End Date</i>	smalldatetime	X
WorkshopEndDate <i>Workshop End Date</i>	smalldatetime	X
ClassUnits <i>Units</i>	tinyint	X
FinalLetterGrade <i>Final Grade</i>	varchar(10)	X
QualityPoints <i>Quality Points</i>	real	X
GradePoints <i>Grade Points</i>	real	X
HoursEarned <i>Hours Earned</i>	real	X
HoursAbsent <i>Hours Absent</i>	real	X
DaysPresent <i>Days Present</i>	smallint	X
DaysLate	smallint	X
DaysAbsent	smallint	X
LastDateHoursEarned <i>Last Date Hours Earned</i>	smalldatetime	X
ProgramID	int	X

<i>Program</i>		
FundingSourceCode	int	X
<i>Funding Source</i>		
RepeatIdentifier	bit	X
FeesBilledToStudent	money	X
<i>Fee Amount</i>		
FeesPaid	bit	X
<i>Fees Paid (if applicable)</i>		
FeePaidDate	smalldatetime	X
<i>Date Paid</i>		
ProgramName	varchar(200)	X
<i>Program</i>		
ClassSectionTitle	varchar(100)	X
<i>Title</i>		
ClassSectionLevel	varchar(150)	X
TotalHoursOffered	real	X
<i>Total Hours Offered</i>		
DaysOfClass	int	X
<i>Days Of Class</i>		
WeeksOfClass	int	X
<i>Weeks of Class</i>		
WorkshopType	varchar(150)	X
<i>Workshop Type</i>		
IsElective	bit	X
<i>Elective</i>		
IsRemedial	bit	X
<i>Remedial</i>		
IsHonors	bit	X
<i>Honors</i>		
IsStandardizedTest	bit	X
<i>Standardized Test</i>		
IsWorkCredit	bit	X
<i>Work Credit</i>		
IsAdvancedPlacement	bit	X
<i>Advanced Placement</i>		
ClassMeetsRequirementCode	int	X
<i>Class Meets Requirement</i>		
ClassMeetsRequirement	varchar(150)	X
<i>Class Meets Requirement</i>		
EarnedCredits	real	X
<i>Earned Credits</i>		
PossibleCredits	real	X
<i>Possible Credits</i>		
IsVarCreditClass	bit	X
<i>Variable Credit Class</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
FirstName	varchar(50)	X

<i>First Name</i>		
LastSurnameatBirth	varchar(50)	X
<i>Last Name at Birth</i>		
MiddleName	varchar(50)	X
<i>Middle Name</i>		
MiddleInitial	varchar(5)	X
<i>Middle Initial</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
DisplayName	varchar(100)	X
<i>Display Name</i>		
Name	varchar(100)	X
HomePhone	varchar(30)	X
<i>Home Phone</i>		
WorkPhone	varchar(30)	X
<i>Work Phone</i>		
Mobile	varchar(30)	X
<i>Mobile Phone</i>		
MinimumRequiredDays	int	X
<i>Min Required Days</i>		
MinimumRequiredHours	real	X
<i>Min Required Hours</i>		
MetRequirement	varchar(1)	
<i>Met Requirement</i>		
Address1	varchar(200)	X
<i>Address 1</i>		
Address2	varchar(80)	X
<i>Address 2</i>		
City	varchar(200)	X
ZipCode	varchar(200)	X
<i>Zip</i>		
ElectronicMailAddress	varchar(200)	X
<i>Email</i>		
State	varchar(150)	X
PersonType	varchar(250)	X
<i>Person Type</i>		

Used by:

View dbo.ViewAgencyPersonWorkshops

Uses:

Table dbo.Address

Table dbo.ClassRegistration

Table dbo.ClassSection

Table dbo.Course

Table dbo.OT_ClassMeetsRequirement

Table dbo.OT_InstructionalLevel

Table dbo.OT_RegistrationStatus

Table dbo.OT_StateFIPS

Table dbo.OT_Term

Table dbo.OT_WorkshopType

Table dbo.Person

Table dbo.PersonPhone

Table dbo.Program

View dbo.ViewWorkshops

Column	Data Type	Nullable
ClassSectionID <i>Class ID</i>	int	
WorkshopID <i>Workshop ID</i>	int	
CourseID <i>Course ID</i>	int	X
SessionType <i>Session Type</i>	varchar(150)	X
WorkshopType <i>Workshop Type</i>	varchar(150)	X
ClassStatusCode <i>Status</i>	int	X
ClassKeywordCode <i>Class Keyword</i>	int	X
WorkshopKeywordCode <i>Workshop Keyword</i>	int	X
ClassSiteCode <i>Class Site Code</i>	int	X
ClassSectionTypeCode <i>Class Section Type</i>	int	X
WorkshopSessionType <i>Workshop Type</i>	int	X
ClassOrganizationCode <i>Organization</i>	int	X
TermCode <i>Term</i>	int	X
ProgramID <i>Program</i>	int	X
ClassProgramID <i>Program</i>	int	X
InstructionalLevelCode <i>Level</i>	int	X
DepartmentCode <i>Department</i>	int	X
InstructionalAreaCode <i>Instructional Area</i>	int	X
SessionName <i>Session Name</i>	varchar(100)	X
ClassSectionTitle <i>Title</i>	varchar(100)	X
CourseNumber <i>Course Number</i>	varchar(50)	X
ClassStatus <i>Status</i>	varchar(150)	X
WorkshopKeyword <i>Workshop Keyword</i>	varchar(150)	X
Organization	varchar(150)	X
Site	varchar(150)	X

InstructionalArea	varchar(150)	X
<i>Instructional Area</i>		
InstructionalLevel	varchar(150)	X
<i>Level</i>		
Term	varchar(150)	X
ProgramName	varchar(200)	X
<i>Program</i>		
Department	varchar(150)	X
CourseTitle	varchar(200)	X
<i>Course Title</i>		
CourseCode	varchar(50)	X
<i>Course Code</i>		
BuildingRoomCode	int	X
<i>Bldg/Room</i>		
BuildingRoom	varchar(150)	X
<i>Bldg/Room</i>		
ClassBeginningTime	varchar(100)	X
<i>Times</i>		
ClassMeetingDay	varchar(50)	X
<i>Days</i>		
Location	varchar(150)	X
LocationCode	int	X
<i>Location</i>		
CreationDate	datetime	X
<i>Creation Date</i>		
LastUpdate	datetime	X
<i>Date</i>		
AgencyID	int	X
<i>Agency ID</i>		
UpdateSystemUserID	int	X
<i>Update System User ID</i>		
UpdateAgencyID	int	X
<i>Update Agency ID</i>		
UpdateActionID	int	X
<i>Update Action ID</i>		
ClassStartDate	smalldatetime	X
<i>Start Date</i>		
ClassEndDate	smalldatetime	X
<i>End Date</i>		
PersonID	int	X
FirstName	varchar(50)	X
<i>First Name</i>		
Alias	varchar(50)	X
Nickname	varchar(50)	X
MiddleName	varchar(50)	X
<i>Middle Name</i>		
LastSurname	varchar(50)	X
<i>Last Name</i>		
Instructor	varchar(100)	X
PrimaryAssignment	bit	X
<i>Primary Assignment</i>		
MinimumRequiredDays	int	X
<i>Min Required Days</i>		
AgencyName	varchar(200)	X
<i>Agency</i>		
Cost	money	X
LocationofInstruction	varchar(50)	X
<i>Location Detail</i>		

MaximumStudents	smallint	X
<i>Max Enroll</i>		
MinimumStudents	smallint	X
<i>Min Enroll</i>		
MinimumRequiredHours	real	X
<i>Min Required Hours</i>		
Notes	varchar(255)	X
<i>Notes / Meeting details</i>		
StudentsEnrolled	smallint	X
<i>Enrolled</i>		

Used by:

View dbo.ViewAgencyPersonWorkshops

Uses:

Table dbo.Agency

Table dbo.ClassSection

Table dbo.Course

Table dbo.OT_BuildingRoom

Table dbo.OT_ClassOrganization

Table dbo.OT_ClassSite

Table dbo.OT_ClassStatus

Table dbo.OT_Department

Table dbo.OT_InstructionalArea

Table dbo.OT_InstructionalLevel

Table dbo.OT_Location

Table dbo.OT_Term

Table dbo.OT_WorkshopKeyword

Table dbo.OT_WorkshopType

Table dbo.Person

Table dbo.Program

Table dbo.StaffClassAssignment

Table dbo.StaffMember